



INSPIRATIONAL DOORS.
Undeniable value.

Door Collection
2015

www.jbkind.com

Contents

At a Glance Guide	4
Door Showroom	4
Fire Door Information	5
FSC® Certified	5
Helping You Choose Your JB Kind Doors	6-7
Style Idea: Do more with our doors	8-9
New designs Eco Colours	10-13
New designs Symmetry	14-17
Walnut Flush	18-21
New range Nuance	22-23
Royale Modern	24-27
Royale Traditional	28-29
Brisa	30-31
Roma	32-35
Elements	36-37
New design River Oak Modern	38-39
New design River Oak Cottage	40-43
River Oak Traditional	44-45
Montana	46-47
Simply Oak	48-49
Gallery	50-51
Inspiration	52-53
Zodiac Flush	54-55
Empire	56-57
Limelight	58-61
New designs Calypso	62-65
New designs Moulded Panel	66-69
New range Bi-folds	70-73
New Pocket Door Systems	74
New Door Furniture	75
Internal Accessories	76
External Accessories	77
Glossary of Terms	77
Therm-L Exterior	78-81
Essential Door Care	82
Bespoke Door Options	83

Our dedication to meeting the highest standards for our customers is illustrated by our continuous achievement of the UK quality award, the ISO9001 accreditation. For information on our service standards and product promises, please refer to our Customer Charter which available online at jbkind.com.



Front cover:
Brisa Mistral Oak,
see page 31

Join us online JBKindDoors JBKind Doors JBKindDoors

Welcome to our 2015 Collection

Take a moment to peruse our brochure and you'll be delighted with what you find. For a start, we've introduced 37 new designs, which means we now offer 23 door ranges and more than 200 doors – so we really do have something for every style, budget and specification!

From the stunning new painted door range Nuance and the new finishes we've introduced for the Symmetry Axis, to being bold with a choice of 14 brilliant new Bi-folds and by popular demand our inspired ironmongery, the 2015 Collection is the most distinct to date.

Consider the versatility of our doors in our Style ideas section on pages 8&9 to give your house an undeniable design edge; and check out pages 6&7 for tips on how to choose your JB Kind doors and where to buy them.

If an individual look is what you're after then why not talk to us about our bespoke options service? With different sizes, colours and veneers, find out more about specifically-tailored doors that really will add the Wow factor to your project.

Architects, Specifiers and Designers

Our dynamic door designs offer undeniable value as well as compliance with a wide range of UK and European industry standards. From fire protection and thermal insulation to renewable resources and disabled access, you can rely on JB Kind to provide the quality standards you need. We have recognised third party accreditation from schemes such as BWF-CERTIFIRE and FSC® chain of custody.

If you have any questions or need some expert advice, don't hesitate to call us on 01283 554197.



At a Glance Guide

Take a look at the table below to find out which of our door ranges have the features that you desire. From finishes to fire doors, you can narrow down your choices with this super summary.

Range	Door Finish			Fire Doors (FD30)			Door Construction For non FD30 doors			Metric Sizes*	Bespoke Options	FSC®
	Pre-finished	Unfinished	Primed	Solid	Glazed	BWF-CERTIFIRE	Solid Core	Semi-solid Core	Standard Core			
Eco Colours	✓			✓	●				✓		✓	✓
Symmetry	✓		✓	✓			✓				✓	✓
Walnut Flush	✓			✓	●	✓		✓			✓	✓
Nuance	✓			✓	●	✓			✓		✓	✓
Royale Modern	✓	●		✓	●		✓				✓	✓
Royale Traditional	✓	✓		✓	✓	✓	✓				✓	✓
Brisa	✓			✓				✓			✓	✓
Roma	✓			✓	✓	✓		✓			✓	✓
Elements	✓			✓	●	✓	✓				✓	✓
Elements - Aqua only	✓			✓	●	✓			✓		✓	✓
River Oak Modern	✓	●		✓	✓		✓				✓	✓
River Oak Cottage	✓	✓		✓			✓				✓	✓
River Oak Traditional	●	✓		✓			✓				✓	✓
Montana	●	✓		✓			✓				✓	✓
Simply Oak	✓			✓			✓				✓	✓
Gallery	✓			✓	●	✓			✓		✓	✓
Inspiration	✓			✓	●				✓		✓	✓
Zodiac Flush	✓			✓	✓		✓				✓	✓
Empire	✓			✓	●	✓		✓			✓	✓
Limelight			✓	✓	✓				✓		✓	✓
Calypso			✓	✓			✓				✓	✓
Moulded Panel			✓	✓	✓				✓		✓	✓
Bi-folds	✓	✓	✓				✓	✓	✓		✓	✓
Therm-L Exterior		✓					✓				✓	✓


✓ available from stock ● can be ordered *Metric sizes are available to order throughout our ranges

Door Showroom

Visit JB Kind's Midlands Door Showroom

Located in Swadlincote, Derbyshire, you are invited to touch and feel our products at first hand - we're sure you'll be impressed. With over 70 doors on display, you can view doors from our standard stock ranges, as well as alternative designs that showcase our bespoke service.

Please call 01283 554197 to make an appointment. Alternatively, we have many partners throughout the UK with JB Kind doors on display, so please consult us for the closest to you or visit our online supplier locator.



Fire Door Information



Fire doors are a serious business, and that's why we invest our time, energy and money to ensure that we have one of the most comprehensive, and accredited, collections of fire doors in the UK.

Certified Fire Doors

Many of the fire door ranges in this catalogue are certified with in the BWF-CERTIFIRE scheme and the products where this applies are endorsed with the logo.



BWF-CERTIFIRE certification validates these products suitable for use as fire doors and provides the means to independently authenticate the quality and performance of the doors to which this applies.

For more information on the BWF-CERTIFIRE scheme, visit www.jbkind.com

Virtually every JB Kind door range offers a complementary option for use in FD30 situations, and our bespoke service means that you can have FD30 fire doors in alternative designs, special sizes and even with a variety of glazing options. As responsible suppliers of fire resistant doors, we ensure that all of our FD30 (and FD60) doors have been tested in accordance with either the British BS476 pt22 or European EN1634-1:2000 standards.

All of our fire doors have a Fire Test Assessment report which is available upon request and outlines in detail exactly what you can and can't do when fitting any particular door.

All fire doors are glazed with fire-rated glass.

For more information on fire doors, including details on Glazed Fire Doors & Part M (Mobility) visibility requirements, log on to www.jbkind.com or call 01283 554197.

FSC® Certified



The mark of responsible forestry

FSC® Certified chain of custody door supplier

JB Kind is working towards obtaining all its doors from well-managed sources. We hold our own FSC chain of custody certification for certain doors within our collection and are continually working towards increasing this range.

Chain of custody certification ensures that the systems within our business allow us to track the door from the day we buy it, through to the day we deliver it. Wherever you see the FSC® logo, doors within that range have been produced from certified materials and other controlled sources.



Helping You Choose Your JB Kind Doors

Door Finish

You can buy your doors pre-finished, unfinished or primed at JB Kind – but which would you prefer? If you want to stamp your own style on your doors by choosing your own paint or varnish, then an unfinished option is for you. If you want to receive your door ready to fit and with no extra work, then you'll need a fully finished version!

Whether you prefer classic veneers such as oak or walnut, contemporary painted or white primed finishes then you've come to the right place.



Door Styles

Choosing the perfect door style for your home maybe a daunting decision, but with the help of JB Kind you'll find your perfect match. From classic traditional panelled designs to contemporary flush doors that incorporate stunning grooved patterns, or popular shaker panel to rustic cottage styles, you'll find them in our 2015 Door Collection.

Finish off with a stylish handle from the NEW JB Kind, range of handles and latch packs

See page 75.




www.jbkind.com

Measuring up

You don't want to buy an ill-fitting door so to make sure you get the size right, follow our guide:

If you are buying replacement doors, **DO NOT** measure the existing door. You must always base your measurements on the door frame.



Door width: Take three measurements inside the door frame – at the top, middle and bottom. The widest measurement determines the width of the door.

Door height: Measure the inside of each vertical side of the frame. The longest length determines the height required. Remember to make allowance for any floor covering.

Having gathered your measurements, compare them with the standard sizes available for your chosen door style. Select the most appropriate, remembering that you can plane the edges slightly to reduce the size. If required, please call us for details of the lipping size.



Size Conversion Chart

Do you still work in feet and inches? If so, our useful conversion chart will help you work out the metric equivalent size for our doors.

HEIGHT & WIDTH		
Metric (mm)	Imperial (inches)	Imperial (feet & inches)
1981 x 457	78" x 18"	6' 6" x 1' 6"
1981 x 533	78" x 21"	6' 6" x 1' 9"
1981 x 610	78" x 24"	6' 6" x 2' 0"
1981 x 686	78" x 27"	6' 6" x 2' 3"
1981 x 711	78" x 28"	6' 6" x 2' 4"
1981 x 762	78" x 30"	6' 6" x 2' 6"
1981 x 838	78" x 33"	6' 6" x 2' 9"
1981 x 915	78" x 36"	6' 6" x 3' 0"
1981 x 1067	78" x 42"	6' 6" x 3' 6"
1981 x 1168	78" x 46"	6' 6" x 3' 10"
1981 x 1220	78" x 48"	6' 6" x 4' 0"
1981 x 1372	78" x 54"	6' 6" x 4' 6"
1981 x 1524	78" x 60"	6' 6" x 5' 0"
2032 x 813	80" x 32"	6' 8" x 2' 8"
2134 x 915	84" x 36"	7' 0" x 3' 0"
2040 x 526	80 1/2" x 20 7/8"	6' 8 1/2" x 1' 8 1/2"
2040 x 626	80" x 24 1/2"	6' 8 1/2" x 2' 0 1/2"
2040 x 726	80" x 28 1/2"	6' 8 1/2" x 2' 4 1/2"
2040 x 826	80" x 32 1/2"	6' 8 1/2" x 2' 8 1/2"
2040 x 926	80" x 36 1/2"	6' 8 1/2" x 3' 0 1/2"

If you have a non-standard size requirement, call us, as bespoke sizes can be ordered for some of our door ranges.

Where to buy our doors

Our doors can be ordered from Builders Merchants and Door Retailer partners across the UK and buying your JB Kind doors is now even easier with our new online **Supplier Locator**. Just go to www.jbkind.com and put in your postcode to find the closest retailer to you – we also tell you which outlets have JB Kind door displays so you can take the time to go and experience just how fabulous our doors really are!

If you already know exactly what you want and you like the ease of ordering online, then just pop onto the website and check out the links to our approved **Online Partners** – then you're just a click away from receiving your dream doors.

Sometimes you'll need advice and we are always here to help. Just give us a call on **01283 554 197** or email info@jbkind.com.

T: 01283 554197



Style idea | Do more with our doors

When you're deciding on your home's interior design and the doors that will work with your new look, take some time to consider the options available and you might be surprised what a difference a distinctive door can make to the look and feel of a room.




See page 31

Add some variety


Our doors are superbly versatile and perfect throughout your home, and by being creative with their placement and using them as wardrobe, sliding or bi-fold doors, you can make an individual design statement too. Virtually all of our ranges can be used for pocket sliding doors so take your pick from our classic, contemporary and innovative designs and find what works for your home.



See page 71



See page 11



See page 12



See pages 41 & 47

Mix it up

Synchronise your home using complementing door designs or do it differently by creating separate design themes on each storey of your house. Why not use a classic comforting look upstairs and a cutting edge contemporary look downstairs? Or create a stylish mix of contemporary and traditional designs throughout your property and show your appreciation for the old and the new.

Light up your life


Most of our doors have glazed partners which can brighten up any home. Our ranges offer clear, etched, diamond cut and opaque glass options, so whatever you're looking for and whatever your design style, there will always be a glazed door that works for you.



See page 25



See page 64



See page 60

- New designs for 2015
- Contemporary painted finishes
- Unique to JB Kind with bespoke options
- FD30 fire doors (glazed FD30 available to order)
- FSC® chain of custody certified



ECO GRIGIO

Eco Colours

See page 5 for Fire Door details.



Enhance your home and make a statement with these exclusive colours and designs – the perfect complement for today's neutral design themes.

Eco Colours impressive painting technology creates a stunning range of contemporary flush doors. The flawless timber graining effect offers the benefit of a natural veneer at a fraction of the cost. Plus the superior painted finish offers consistent uniformity, ideal for matching purposes.

Colours depicted are representative only.



ECO LINEA/PARELO
Satin white



ECO ARGENTO
Ash grey with vertical grain



ECO MOCHA
Soft walnut with vertical grain



New ECO PARELO
Black grooved

Height / Width / Product
Thickness mm Code

PRE-FINISHED

1981 610 35	ECPAR20
1981 686 35	ECPAR23
1981 762 35	ECPAR26
1981 838 35	ECPAR29
PRE-FINISHED FIRE DOORS	
1981 686 45	ECPARH23
1981 762 45	ECPARH26
1981 838 45	ECPARH29



New ECO PARELO GLAZED
Black grooved
Clear safety glass

Height / Width / Product
Thickness mm Code

PRE-FINISHED

1981 686 35	ECPAR23G
1981 762 35	ECPAR26G
1981 838 35	ECPAR29G
PRE-FINISHED FIRE DOORS	
1981 686 45	ECPARH23G
1981 762 45	ECPARH26G
1981 838 45	ECPARH29G



New ECO LINEA
Black grooved

Height / Width / Product
Thickness mm Code

PRE-FINISHED

1981 610 35	ECLIN20
1981 686 35	ECLIN23
1981 762 35	ECLIN26
1981 838 35	ECLIN29
PRE-FINISHED FIRE DOORS	
1981 686 45	ECLINH23
1981 762 45	ECLINH26
1981 838 45	ECLINH29



New ECO LINEA GLAZED
Black grooved
Clear safety glass

Height / Width / Product
Thickness mm Code

PRE-FINISHED

1981 686 35	ECLIN23G
1981 762 35	ECLIN26G
1981 838 35	ECLIN29G
PRE-FINISHED FIRE DOORS	
1981 686 45	ECLINH23G
1981 762 45	ECLINH26G
1981 838 45	ECLINH29G



ECO ARGENTO
Silver grooved

Height / Width / Product
Thickness mm Code

PRE-FINISHED

1981 610 35	ECARG20
1981 686 35	ECARG23
1981 762 35	ECARG26
1981 838 35	ECARG29
PRE-FINISHED FIRE DOORS	
1981 686 45	ECARGH23
1981 762 45	ECARGH26
1981 838 45	ECARGH29



ECO ARGENTO GLAZED
Clear safety glass,
Silver grooved

Height / Width / Product
Thickness mm Code

PRE-FINISHED

1981 686 35	ECARG23G
1981 762 35	ECARG26G
1981 838 35	ECARG29G
PRE-FINISHED FIRE DOORS	
1981 686 45	ECARGH23G
1981 762 45	ECARGH26G
1981 838 45	ECARGH29G



ECO MOCHA
Ivory grooved

Height / Width / Product
Thickness mm Code

PRE-FINISHED

1981 610 35	ECOMOC20
1981 686 35	ECOMOC23
1981 762 35	ECOMOC26
1981 838 35	ECOMOC29
PRE-FINISHED FIRE DOORS	
1981 686 45	ECOMOCH23
1981 762 45	ECOMOCH26
1981 838 45	ECOMOCH29



ECO MOCHA GLAZED
Clear safety glass,
Ivory grooved

Height / Width / Product
Thickness mm Code

PRE-FINISHED

1981 686 35	ECOMOC23G
1981 762 35	ECOMOC26G
1981 838 35	ECOMOC29G
PRE-FINISHED FIRE DOORS	
1981 686 45	ECOMOCH23G
1981 762 45	ECOMOCH26G
1981 838 45	ECOMOCH29G

Bespoke Options:
Alternative designs,
painted finishes and
special sizes can be
made to order.

Call our Sales team
on 01283 554 197 to
discuss your
requirements.

Eco Colours
continues overleaf



ECO ARGENTO



ECO MOCHA

Colours depicted are representative only.



ECO BLANCO
Satin white



ECO GRIGIO
Ash grey with
horizontal grain



ECO WENGE
Horizontal grain



ECO MIEL
Honey oak with
horizontal grain

Bespoke options:
Alternative design styles are available in a variety of painted finishes. Flush doors with horizontal or vertical graining, grooved effects and aluminium coloured inlays are just a few options. Special sizes, wardrobe doors and matching frames/architraves can also be made to order.

Call our Sales team on 01283 554197 to discuss your requirements.



ECO BLANCO
Aluminium coloured inlays

Height / Width / Product
Thickness mm Code

PRE-FINISHED

1981 610 35	ECBLA20
1981 685 35	ECBLA23
1981 762 35	ECBLA26
1981 838 35	ECBLA29

PRE-FINISHED FIRE DOORS

1981 685 45	ECBLAHH23
1981 762 45	ECBLAHH26
1981 838 45	ECBLAHH29



ECO BLANCO GLAZED
Aluminium coloured inlays
Clear safety glass

Height / Width / Product
Thickness mm Code

PRE-FINISHED

1981 685 35	ECBLA23G
1981 762 35	ECBLA26G
1981 838 35	ECBLA29G



ECO GRIGIO

Height / Width / Product
Thickness mm Code

PRE-FINISHED

1981 610 35	ECGR120
1981 685 35	ECGR123
1981 762 35	ECGR126
1981 838 35	ECGR129

PRE-FINISHED FIRE DOORS

1981 685 45	ECGR1HH23
1981 762 45	ECGR1HH26
1981 838 45	ECGR1HH29



ECO GRIGIO GLAZED
Clear safety glass

Height / Width / Product
Thickness mm Code

PRE-FINISHED

1981 685 35	ECGR123G
1981 762 35	ECGR126G
1981 838 35	ECGR129G



ECO WENGE
Grooved

Height / Width / Product
Thickness mm Code

PRE-FINISHED

1981 610 35	ECWEN20
1981 685 35	ECWEN23
1981 762 35	ECWEN26
1981 838 35	ECWEN29

PRE-FINISHED FIRE DOORS

1981 685 45	ECWENHH23
1981 762 45	ECWENHH26
1981 838 45	ECWENHH29



ECO WENGE GLAZED
Clear safety glass

Height / Width / Product
Thickness mm Code

PRE-FINISHED

1981 685 35	ECWEN23G
1981 762 35	ECWEN26G
1981 838 35	ECWEN29G



ECO MIEL

Height / Width / Product
Thickness mm Code

PRE-FINISHED

1981 610 35	ECMIE20
1981 685 35	ECMIE23
1981 762 35	ECMIE26
1981 838 35	ECMIE29

PRE-FINISHED FIRE DOORS

1981 685 45	ECMIEHH23
1981 762 45	ECMIEHH26
1981 838 45	ECMIEHH29



ECO MIEL GLAZED
Clear safety glass

Height / Width / Product
Thickness mm Code

PRE-FINISHED

1981 685 35	ECMIE23G
1981 762 35	ECMIE26G
1981 838 35	ECMIE29G



AXIS WHITE

Symmetry

See page 5 for Fire Door details.

Suitable for
POCKET
DOOR
SYSTEM
see page 74



Doors marked with † are not FSC certified

- New designs for 2015
- Wide shaker style panels
- Solid core construction
- FD30 fire doors
- FSC® chain of custody certified for selected door designs

Subtle yet contemporary – Symmetry’s wide shaker panel designs offer a clean uncomplicated style, perfect for classic and modern interiors.

Exclusive to JB Kind, the Symmetry range has proved so popular that six new Axis designs have been introduced for 2015. With a choice of white, walnut, oak and monochrome, you can now contrast styles throughout your home.



New Axis oak, walnut and monochrome are supplied fully finished, while Axis white, Geo and Eccentro are primed ready for painting.

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.



MATCHING BI-FOLD DOORS see pages 70-73

AXIS WHITE

Height / Width / Thickness mm	Product Code
PRIMED	
1981 610 35	SAE20
1981 686 35	SAE23
1981 762 35	SAE26
1981 838 35	SAE29
PRIMED FIRE DOORS	
1981 686 66	SAE23FD30
1981 762 66	SAE26FD30
1981 838 66	SAE29FD30



AXIS WHITE GLAZED
Clear safety glass

Height / Width / Thickness mm	Product Code
PRIMED	
1981 686 35	SAXI230
1981 762 35	SAXI260
1981 838 35	SAXI290



New AXIS OAK GLAZED†
Clear safety glass

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	VOAE230
1981 762 35	VOAE260
1981 838 35	VOAE290



New AXIS WALNUT†

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 610 35	VWAXI20
1981 686 35	VWAXI23
1981 762 35	VWAXI26
1981 838 35	VWAXI29
PRE-FINISHED FIRE DOORS	
1981 686 66	VWAXI23FD30
1981 762 66	VWAXI26FD30
1981 838 66	VWAXI29FD30



New AXIS WALNUT†
Clear safety glass

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	VWAXI230
1981 762 35	VWAXI260
1981 838 35	VWAXI290

Symmetry continues overleaf





AXIS OAK



ECCENTRO GLAZED

Using symmetrical design as a basis, these clean, contemporary doors benefit from a solid core construction and represent exceptional value for money.

Black and white is back – make a statement in your home with our new pre-finished Axis monochrome door and introduce a Wow factor with its striking chequered opaque glass partner.



New **AXIS MONOCHROME**
Black panel

Height / Width / Thickness mm	Product Code
1981 610 35	SAXIMON20
1981 685 35	SAXIMON23
1981 762 35	SAXIMON25
1981 838 35	SAXIMON27



New **AXIS MONOCHROME GLAZED**
Opaque, chequered safety glass

Height / Width / Thickness mm	Product Code
1981 685 35	SAXIMON23G
1981 762 35	SAXIMON25G
1981 838 35	SAXIMON27G



GEO

Height / Width / Thickness mm	Product Code
1981 610 35	50E020
1981 685 35	50E023
1981 762 35	50E026
1981 838 35	50E029
PRIMED FIRE DOORS	
1981 685 66	50E023F030
1981 762 66	50E026F030
1981 838 66	50E029F030



GEO GLAZED
Clear safety glass

Height / Width / Thickness mm	Product Code
1981 685 35	50E023G
1981 762 35	50E026G
1981 838 35	50E029G



ECCENTRO

Height / Width / Thickness mm	Product Code
1981 610 35	50ECC20
1981 685 35	50ECC23
1981 762 35	50ECC26
1981 838 35	50ECC29
PRIMED FIRE DOORS	
1981 685 66	50ECC23F030
1981 762 66	50ECC26F030
1981 838 66	50ECC29F030



ECCENTRO GLAZED
Clear safety glass

Height / Width / Thickness mm	Product Code
1981 685 35	50ECC23G
1981 762 35	50ECC26G
1981 838 35	50ECC29G



Timber accessories
Architraves, linings and skirting.

See page 76.



Useful Tip:


When choosing a wood finish – rather than applying a water based product, we advise using a good quality solvent based finish.

New to JB Kind, a range of handles and latch packs

See page 75.



- Real walnut veneers
- Supplied fully finished
- BWF-CERTIFIRE FD30 fire doors for selected door designs
- FSC® chain of custody certified for selected door designs



FRANQUETTE

Walnut Flush

See page 5 for Fire Door details.

Suitable for
**POCKET
DOOR
SYSTEM**
see page 74



Doors marked with **F** do not have BWF-CERTIFIRE or FSC certification

Sleek and contemporary, walnut veneered internal doors are a favourite in the world of interior design and one of our best selling ranges.

Enjoy the flush modern designs, superior varnish finish and introduce a touch of luxury and warmth to your home interior.



MISTRAL WALNUT*
Grooved

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 610 35	WMIS20
1981 686 35	WMIS23
1981 762 35	WMIS26
1981 838 35	WMIS29
2050 526 60	WMIS526
2050 626 60	WMIS726
2050 726 60	WMIS926
2050 826 60	WMIS1126
PRE-FINISHED FIRE DOORS	
1981 686 66	WMIS23FD30
1981 762 66	WMIS26FD30
1981 838 66	WMIS29FD30
2050 726 66	WMIS926FD30
2050 826 66	WMIS1126FD30
2050 926 66	WMIS1326FD30



New to JB Kind, a range of handles and latch packs

See page 75.

Bespoke Options:
Alternative walnut door designs and special sizes can be made to order.

Call our Sales team on 01283 554197 to discuss your requirements.

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.



MISTRAL WALNUT GLAZED*
Clear safety glass, Grooved

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	WMIS23G
1981 762 35	WMIS26G
1981 838 35	WMIS29G
2050 626 60	WMIS726G
2050 726 60	WMIS926G
2050 826 60	WMIS1126G



VINA
Oak inlay

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 610 35	WVIN20
1981 686 35	WVIN23
1981 762 35	WVIN26
1981 838 35	WVIN29
PRE-FINISHED FIRE DOORS	
1981 686 66	WVIN23FD30
1981 762 66	WVIN26FD30
1981 838 66	WVIN29FD30



VALCOR
Clear safety glass, Oak inlay

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	WVAL23
1981 762 35	WVAL26
1981 838 35	WVAL29

Walnut Flush continues overleaf





FERNOR



LARA

The luxury varnish finish and premium quality veneers set our Walnut Flush doors apart from any other. Whether you prefer the contrast of vertical and horizontal veneers with oak inlays, plain flush or grooved designs – you are spoilt for choice.

Enhanced with solid timber lippings to assist fitting, you will be surprised by the affordability.



MAYETTE
Oak inlay

Height / Width / Product
Thickness mm Code

PRE-FINISHED

1981 610 35	WMAY20
1981 685 35	WMAY23
1981 762 35	WMAY26
1981 838 35	WMAY29

PRE-FINISHED FIRE DOORS

1981 685 66	WMAY23FD30
1981 762 66	WMAY26FD30
1981 838 66	WMAY29FD30



EDRAS
Clear safety glass, Oak inlay

Height / Width / Product
Thickness mm Code

PRE-FINISHED

1981 685 35	WEDR23
1981 762 35	WEDR26
1981 838 35	WEDR29



LARA*
Grooved

Height / Width / Product
Thickness mm Code

PRE-FINISHED

1981 610 35	WLAR20
1981 685 35	WLAR23
1981 762 35	WLAR26
1981 838 35	WLAR29

PRE-FINISHED FIRE DOORS

1981 610 66	WLAR20FD30
1981 685 66	WLAR23FD30
1981 762 66	WLAR26FD30
1981 838 66	WLAR29FD30



PARISIENNE*
Clear safety glass

Height / Width / Product
Thickness mm Code

PRE-FINISHED

1981 685 35	WPAR23
1981 762 35	WPAR26
1981 838 35	WPAR29



FERNOR*

Height / Width / Product
Thickness mm Code

PRE-FINISHED

1981 610 35	WFER20
1981 685 35	WFER23
1981 762 35	WFER26
1981 838 35	WFER29

PRE-FINISHED FIRE DOORS

1981 610 66	WFER20FD30
1981 685 66	WFER23FD30
1981 762 66	WFER26FD30
1981 838 66	WFER29FD30



FRANQUETTE*
Clear safety glass

Height / Width / Product
Thickness mm Code

PRE-FINISHED

1981 685 35	WFRA23
1981 762 35	WFRA26
1981 838 35	WFRA29



Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

* Matching door pairs cannot be guaranteed

Bespoke Options:

Alternative walnut door designs and special sizes can be made to order.

Call our Sales team on 01283 554197 to discuss your requirements.



- New range for 2015
- Unique painted colour finishes
- Contemporary grooved panel design
- BWF-CERTIFIRE FD30 fire doors

Bespoke Options:
Alternative designs, painted finishes and special sizes can be made to order. Minimum quantity may apply.

Call our Sales team on 01283 554197 to discuss your requirements.

VIRIDIS

Nuance

See page 5 for Fire Door details.

Suitable for
**POCKET
DOOR
SYSTEM**
see page 74



Inspired by the current trend for natural tones, the Nuance door range introduces a subtle selection of pre-finished painted doors. Our innovative painting technique achieves a beautiful timber graining effect, enhanced with a stylish grooved panel design.

Complement your interior with these stunning doors and take advantage of their affordability.

Colours depicted are representative only



New ARDOSIA
Grey coloured grooves

Height / Width / Thickness mm	Product Code
FINISHED	
1981 610 35	NARA20
1981 685 35	NARA23
1981 762 35	NARA26
1981 838 35	NARA29
FINISHED FIRE DOORS	
1981 685 65	NARA23FD30
1981 762 65	NARA26FD30
1981 838 65	NARA29FD30



New ARABICA
Light coloured grooves

Height / Width / Thickness mm	Product Code
FINISHED	
1981 610 35	NARA20
1981 685 35	NARA23
1981 762 35	NARA26
1981 838 35	NARA29
FINISHED FIRE DOORS	
1981 685 65	NARA23FD30
1981 762 65	NARA26FD30
1981 838 65	NARA29FD30



New ARABICA GLAZED
Light coloured grooves, Clear safety glass

Height / Width / Thickness mm	Product Code
FINISHED	
1981 685 35	NARA23G
1981 762 35	NARA26G
1981 838 35	NARA29G



New ARDOSIA GLAZED
Grey coloured grooves, Clear safety glass

Height / Width / Thickness mm	Product Code
FINISHED	
1981 685 35	NARA23G
1981 762 35	NARA26G
1981 838 35	NARA29G



New VIRIDIS
Light coloured grooves

Height / Width / Thickness mm	Product Code
FINISHED	
1981 610 35	NVIR20
1981 685 35	NVIR23
1981 762 35	NVIR26
1981 838 35	NVIR29
FINISHED FIRE DOORS	
1981 685 65	NVIR23FD30
1981 762 65	NVIR26FD30
1981 838 65	NVIR29FD30



ARDOSIA
Slate grey coloured grooved effect



ARABICA
Coffee coloured grooved effect



VIRIDIS
Creamy green coloured grooved effect



New VIRIDIS GLAZED
Light coloured grooves, Clear safety glass

Height / Width / Thickness mm	Product Code
FINISHED	
1981 685 35	NVIR23G
1981 762 35	NVIR26G
1981 838 35	NVIR29G

Royale Modern

See page 5 for Fire Door details.



- Real oak veneers with a luxury varnish finish
- Solid core construction
- Fully accredited FD30 fire doors (glazed FD30 available to order)
- FSC® chain of custody certified for selected door designs

Contemporary and sleek, Royale Modern offers the superior quality synonymous with JB Kind's prestige door range.

The premium construction includes substantial timber lippings to accommodate a high degree of reduction to fit. This first-class quality guarantees against deformation, warping and splitting. Rebated door pairs are available to order.

Royale Modern continues overleaf



New to JB Kind, a range of handles and latch packs

See page 75.



Timber accessories

Architraves, linings and skirting.

See page 76.



Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.



VP7 OAK

Height / Width / Product Thickness mm Code

PRE-FINISHED

1981 610 35	VP7610-0
1981 686 35	VP7686-0
1981 762 35	VP7762-0
1981 838 35	VP7838-0
PRE-FINISHED FIRE DOORS	
1981 686 45	VP7686-0
1981 762 45	VP7762-0
1981 838 45	VP7838-0



VP7-1VCB OAK

Clear or tinted safety glass

Height / Width / Product Thickness mm Code

PRE-FINISHED

1981 686 35	VP71VCB686-0
1981 762 35	VP71VCB762-0
1981 838 35	VP71VCB838-0



VT5 OAK*

Height / Width / Product Thickness mm Code

PRE-FINISHED

1981 610 35	VT5610-0
1981 686 35	VT5686-0
1981 762 35	VT5762-0
1981 838 35	VT5838-0
PRE-FINISHED FIRE DOORS	
1981 762 45	VT5H762-0
1981 838 45	VT5H838-0



VT5-1VB OAK*

Clear or tinted safety glass

Height / Width / Product Thickness mm Code

PRE-FINISHED

1981 686 35	VT51VB686-0
1981 762 35	VT51VB762-0
1981 838 35	VT51VB838-0

* Matching door pairs cannot be guaranteed

Bespoke Options:

All Royale doors are available in alternative timber veneers and special sizes, as well as many other design styles.

Call our Sales team on 01283 554197 to discuss your requirements.

VT5-1VB OAK



Whether you are refurbishing your home or working on a new build project, the stylish Royale Modern door designs will add that perfect finishing touch to your project.

The versatility offered by all our Royale doors is a great advantage. Rebated door pairs, as well as special sizes and alternative glazed options are available to order – the possibilities are virtually endless.

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are represent ative only.

Doors marked with † are not FSC certified



R-11-2M OAK†

Height / Width / Product Thickness mm Code

PRE-FINISHED			
1981	685	35	R112M685-0
1981	762	35	R112M762-0
1981	838	35	R112M838-0
PRE-FINISHED FIRE DOORS			
1981	762	45	R112MH762-0
1981	838	45	R112MH838-0



R-11-2V OAK†

Clear bevelled safety glass

Height / Width / Product Thickness mm Code

PRE-FINISHED			
1981	685	35	R112V685-0
1981	762	35	R112V762-0
1981	838	35	R112V838-0



R-03 OAK†

Height / Width / Product Thickness mm Code

PRE-FINISHED			
1981	610	35	R03610-0
1981	685	35	R03685-0
1981	762	35	R03762-0
1981	838	35	R03838-0
PRE-FINISHED FIRE DOORS			
1981	762	45	R03MH762-0
1981	838	45	R03MH838-0



R-03-3V OAK†

Clear bevelled safety glass

Height / Width / Product Thickness mm Code

PRE-FINISHED			
1981	685	35	R033V685-0
1981	762	35	R033V762-0
1981	838	35	R033V838-0

Bespoke Options:

All Royale doors are available in alternative timber veneers and special sizes, as well as many other design styles.

Call our Sales team on 01283 554197 to discuss your requirements.



R-04-4V

Royale Traditional

See page 51 for Fire Door details.

- Real oak veneers
- Pre-finished & unfinished options
- Solid core construction
- BWF-CERTIFIRE FD30 fire doors for solid and glazed models



Bespoke Options:

All Royale doors are available in alternative timber veneers and special sizes, as well as many other design styles.

Call our Sales team on 01283 554197 to discuss your requirements.

E14M OAK

Royale Traditional's classic oak veneer designs are suitable for use in almost every type of property. Offering the same benefits as Royale Modern, you will find the versatility and premium quality of our prestige range, perfect for any new build or refurbishment project.

Some of the designs are available from stock both finished and unfinished. Those marked with an * are available fully finished to order. Rebated door pairs can also be ordered.



11-BVN OAK*
Clear bevelled safety glass

Height / Width / Product
Thickness mm Code

UNFINISHED			
1981	886	35	U0118W686
1981	762	35	U0118W762
1981	838	35	U0118W838

Timber accessories

Architraves, linings and skirting.

See page 76.



Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.



12M OAK

Height / Width / Product
Thickness mm Code

PRE-FINISHED			
1981	810	35	12M610-0
1981	886	35	12M686-0
1981	762	35	12M762-0
1981	838	35	12M838-0
2030	825	40	12M825-0
2030	725	40	12M725-0
2030	825	40	12M825-0
PRE-FINISHED FIRE DOORS			
1981	810	45	12M610F-0
1981	886	45	12M686F-0
1981	762	45	12M762F-0
1981	838	45	12M838F-0
2030	725	45	12M725F-0
2030	825	45	12M825F-0
UNFINISHED			
1981	810	35	U012M610
1981	886	35	U012M686
1981	762	35	U012M762
1981	838	35	U012M838
2030	825	40	U012M825
2030	725	40	U012M725
UNFINISHED FIRE DOORS			
1981	810	45	U012M610FD30
1981	886	45	U012M686FD30
1981	762	45	U012M762FD30
1981	838	45	U012M838FD30



12-6VM OAK

Clear bevelled safety glass
Clear fire glass

Height / Width / Product
Thickness mm Code

PRE-FINISHED			
1981	810	35	12-6VM610-0
1981	886	35	12-6VM686-0
1981	762	35	12-6VM762-0
1981	838	35	12-6VM838-0
2030	825	40	12-6VM825-0
2030	725	40	12-6VM725-0
2030	825	40	12-6VM825-0
PRE-FINISHED FIRE DOORS			
1981	810	45	12-6VM610F-0
1981	762	45	12-6VM762F-0
1981	838	45	12-6VM838F-0
UNFINISHED			
1981	810	35	U012-6VM610
1981	886	35	U012-6VM686
1981	762	35	U012-6VM762
1981	838	35	U012-6VM838
2030	825	40	U012-6VM825
2030	725	40	U012-6VM725
UNFINISHED FIRE DOORS			
1981	810	45	U012-6VM610FD30
1981	762	45	U012-6VM762FD30
1981	838	45	U012-6VM838FD30



E14M OAK

Height / Width / Product
Thickness mm Code

PRE-FINISHED			
1981	810	35	E14M610-0
1981	886	35	E14M686-0
1981	762	35	E14M762-0
1981	838	35	E14M838-0
PRE-FINISHED FIRE DOORS			
1981	886	45	E14M686F-0
1981	762	45	E14M762F-0
1981	838	45	E14M838F-0
UNFINISHED			
1981	810	35	U0E14M610
1981	886	35	U0E14M686
1981	762	35	U0E14M762
1981	838	35	U0E14M838
UNFINISHED FIRE DOORS			
1981	886	45	U0E14M686FD30
1981	762	45	U0E14M762FD30
1981	838	45	U0E14M838FD30



E14-2VMN OAK*

Unglazed

Height / Width / Product
Thickness mm Code

UNFINISHED			
1981	886	35	U0E142VMN23
1981	762	35	U0E142VMN26
1981	838	35	U0E142VMN29



E16MN OAK*

Height / Width / Product
Thickness mm Code

UNFINISHED			
1981	810	35	U0E16MN20
1981	886	35	U0E16MN23
1981	762	35	U0E16MN26
1981	838	35	U0E16MN29
UNFINISHED FIRE DOORS			
1981	886	45	U0E16MN23FD30
1981	762	45	U0E16MN26FD30
1981	838	45	U0E16MN29FD30

*Only available as unfinished from stock, fully finished available to order.



Bespoke Options:
Brisa doors are available in alternative timber veneers and special sizes, as well as many other design styles.
Call our Sales team on 01283 554197 to discuss your requirements.

MISTRAL OAK

Brisa

See page 5 for Fire Door details. **POCKET DOOR SYSTEM** see page 74

- Real oak veneers
- Contemporary flush door designs
- Supplied fully finished
- FD30 fire doors

Brisa oak veneered doors exude style and are the perfect complement for modern interiors. Without compromising on quality, the construction technique used within the Brisa door family offers an incredible price advantage for this top selling range.


Alternating horizontal and vertical oak veneers, with attractive grooves and a beautiful varnish finish – you will not be disappointed.



MISTRAL OAK
Grooved

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 610 35	05R20
1981 686 35	05R23
1981 762 35	05R26
1981 838 35	05R29
PRE-FINISHED FIRE DOORS	
1981 686 66	05R23FD30
1981 762 66	05R26FD30
1981 838 66	05R29FD30

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.



SIROCCO
Grooved

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 610 35	05R20
1981 686 35	05R23
1981 762 35	05R26
1981 838 35	05R29
PRE-FINISHED FIRE DOORS	
1981 686 66	05R23FD30
1981 762 66	05R26FD30
1981 838 66	05R29FD30



MISTRAL OAK GLAZED
Clear safety glass, Grooved, Flushbeaded

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	05S230
1981 762 35	05S260
1981 838 35	05S290
2060 626 60	05S4260
2060 726 60	05S7260
2060 826 60	05S8260



SIROCCO GLAZED
Clear safety glass, Grooved, Flushbeaded

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	05IR230
1981 762 35	05IR260
1981 838 35	05IR290



OSTRIA

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 610 35	00S120
1981 686 35	00S123
1981 762 35	00S126
1981 838 35	00S129
PRE-FINISHED FIRE DOORS	
1981 686 66	00S123FD30
1981 762 66	00S126FD30
1981 838 66	00S129FD30



OSTRIA GLAZED
Clear safety glass, Grooved, Flushbeaded

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	00ST230
1981 762 35	00ST260
1981 838 35	00ST290

Roma

See page 5 for Fire Door details.

Suitable for
**POCKET
DOOR
SYSTEM**
see page 74

- Real oak veneers with light and dark coloured inlays
- Supplied fully finished
- Bespoke options available
- BWF CERTIFIRE FD30 fire doors for selected door designs



Bespoke Options:
Roma door designs are available in alternative timber veneers and special sizes can be made to order.
Call our Sales team on 01283 554197 to discuss your requirements.

JUNO

Modern and stylish, Roma's oak flush door designs are guaranteed to make a statement in any home.

Enhanced with either light or dark coloured real wood inlays, you are spoilt for choice with the design options available. The stunning oak veneers are accentuated with a luxury varnish finish, which really adds a touch of class to these beautiful doors.



Roma continues overleaf



LUCINA

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 610 35	OLUC20
1981 686 35	OLUC23
1981 762 35	OLUC26
1981 838 35	OLUC29
PRE-FINISHED FIRE DOORS	
1981 762 66	OLUC26 FD30
1981 838 66	OLUC29 FD30

New to JB Kind, a range of handles and latch packs

See page 75.



Light wood inlay

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.



JUNO
Clear bevelled safety glass

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 610 35	OVEN20
1981 686 35	OVEN23
1981 762 35	OVEN26
1981 838 35	OVEN29
PRE-FINISHED FIRE DOORS	
1981 762 66	OVEN26 FD30
1981 838 66	OVEN29 FD30



DIANA

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 610 35	ODIA20
1981 686 35	ODIA23
1981 762 35	ODIA26
1981 838 35	ODIA29
PRE-FINISHED FIRE DOORS	
1981 762 66	ODIA26 FD30
1981 838 66	ODIA29 FD30



MINERVA
Clear bevelled safety glass

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 610 35	OMIN23
1981 762 35	OMIN26
1981 838 35	OMIN29



Attractive and subtle, the genuine wood inlays enhance the stunning pre-finished oak veneers perfectly to really set these doors apart.

Supplied with solid timber lippings to help accommodate reduction to fit. Plus, the Blenheim offers a glazed fire door option from stock.



CHARTWELL*
Wenge Inlay

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 533 35	CCHA19
1981 610 35	CCHA20
1981 686 35	CCHA23
1981 762 35	CCHA24
1981 838 35	CCHA29



Wenge inlay

Height / Width / Thickness mm	Product Code
PRE-FINISHED FIRE DOORS	
1981 686 66	CCHA23FD00
1981 762 66	CCHA26FD00
1981 838 66	CCHA29FD00



BLENHEIM*
Wenge Inlay
Clear Safety Glass or Pyrodur Plus on F100

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	CBLE23
1981 762 35	CBLE26
1981 838 35	CBLE29
PRE-FINISHED FIRE DOORS	
1981 762 66	CBLE26FD00
1981 838 66	CBLE29FD00

www.jbkind.com



CLEMENTINE*
Walnut Inlay

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 533 35	CCLE19
1981 610 35	CCLE20
1981 686 35	CCLE23
1981 762 35	CCLE26
1981 838 35	CCLE29

T: 01283 554197



Walnut inlay

Height / Width / Thickness mm	Product Code
PRE-FINISHED FIRE DOORS	
1981 686 66	CCE23FD00
1981 762 66	CCE26FD00
1981 838 66	CCE29FD00



SPENCER*
Walnut Inlay
Clear Safety Glass

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	CSP23
1981 762 35	CSP26
1981 838 35	CSP29

Doors marked with * are not BWF certified

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Timber accessories
Architraves, linings and skirting.

See page 76.

[New] to JB Kind, a range of handles and latch packs

See page 75.





Bespoke Options:

Elements door designs are available in alternative timber veneers and special sizes can be made to order.

Call our Sales team on 01283 554197 to discuss your requirements.

SOL

Elements

See page 5 for Fire Door details.

Available for
**POCKET
DOOR
SYSTEM**
see page 74



- Real oak veneers with dark coloured grooves
- Supplied fully finished
- Bespoke options available
- BWF CERTIFIRE FD30 fire doors (glazed FD30 available to order)

Elements curvaceous designs bring modern originality to oak flush veneered doors. Exclusive to JB Kind, the attractive dark coloured grooves are positioned in a selection of eye-catching designs that are sure to be admired. The premium quality construction is completed with a luxury varnish finish and incorporates matching concealed lippings to accommodate reduction to fit.



ARCOS
Grooved

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 610 35	EARC20
1981 686 35	EARC23
1981 762 35	EARC26
1981 838 35	EARC29
PRE-FINISHED FIRE DOORS	
1981 686 66	EARC23FD30
1981 762 66	EARC26FD30
1981 838 66	EARC29FD30

[New] to JB Kind,
a range of handles
and latch packs
See page 75.



Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.



ARCOS GLAZED
Clearsafety glass, Grooved

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	EARC23G
1981 762 35	EARC26G
1981 838 35	EARC29G



AGUA
Grooved

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 610 35	EAGU20
1981 686 35	EAGU23
1981 762 35	EAGU26
1981 838 35	EAGU29
PRE-FINISHED FIRE DOORS	
1981 686 66	EAGU23FD30
1981 762 66	EAGU26FD30
1981 838 66	EAGU29FD30



SOL
Grooved

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 610 35	ESOL20
1981 686 35	ESOL23
1981 762 35	ESOL26
1981 838 35	ESOL29
PRE-FINISHED FIRE DOORS	
1981 686 66	ESOL23FD30
1981 762 66	ESOL26FD30
1981 838 66	ESOL29FD30



AGUA GLAZED
Clearsafety glass, Grooved

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	EAGU23G
1981 762 35	EAGU26G
1981 838 35	EAGU29G



SOL GLAZED
Clearsafety glass, Grooved

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	ESOL23G
1981 762 35	ESOL26G
1981 838 35	ESOL29G

River Oak Modern

See page 5 for Fire Door details.

Suitable for
**POCKET
DOOR
SYSTEM**
see page 74

- New glazed option for 2015
- Real oak veneers
- Supplied fully finished
- Solid core construction
- FD30 fire doors for solid & glazed models

One of our best selling door styles, the Isis, with its matching glazed partners is a favourite for those that enjoy classic contemporary interiors. With a stunning new glazed design for 2015 and the option to purchase glazed fire doors from stock, you really are spoilt for choice.

The quality varnish finish accentuates the stylish grooved panel design, offering a popular door style at an affordable price.



Bespoke Options:

River Oak Modern door designs are available in alternative timber veneers and special sizes can be made to order.

Call our Sales team on 01283 554197 to discuss your requirements.

EMRAL



Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.



Grooves

Timber accessories

Architraves, linings and skirting.
See page 76.

[New] to JB Kind, a range of handles and latch packs

See page 75.

ISIS

Height / Width / Thickness mm	Product Code	Height / Width / Thickness mm	Product Code
PRE-FINISHED			
1981 533 35	01S119	1981 533 65	01S19FD30
1981 610 35	01S120	1981 610 65	01S20FD30
1981 686 35	01S123	1981 686 65	01S23FD30
1981 762 35	01S126	1981 762 65	01S26FD30
1981 838 35	01S129	1981 838 65	01S29FD30
2050 626 60	01S1626	2050 726 65	01S726FD30
2050 726 60	01S1726	2050 826 65	01S826FD30
2050 826 60	01S1826	2050 926 65	01S926FD30
PRE-FINISHED FIRE DOORS			
1981 533 65	01S19FD30	1981 610 65	01S20FD30
1981 686 65	01S23FD30	1981 762 65	01S26FD30
1981 838 65	01S29FD30	2050 726 65	01S726FD30
2050 826 65	01S826FD30	2050 926 65	01S926FD30

[New] MEDINA

Clear diamond cut safety glass

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	01MED230
1981 762 35	01MED260
1981 838 35	01MED290
2050 626 60	01MED6260
2050 726 60	01MED7260
2050 826 60	01MED8260

EMRAL

Clear safety glass or clear fire safety glass on FD30

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	01EMR23
1981 762 35	01EMR26
1981 838 35	01EMR29
PRE-FINISHED FIRE DOORS	
1981 686 65	01EMR23FD30
1981 762 65	01EMR26FD30
1981 838 65	01EMR29FD30

BELA

Clear safety glass

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 610 35	01BEL20
1981 686 35	01BEL23
1981 762 35	01BEL26
1981 838 35	01BEL29

- New glazed design for 2015
- Real oak veneers
- Fully finished and unfinished options
- Solid core construction
- FD30 fire doors



THAMES ORIGINAL

River Oak Cottage

See page 5 for Fire Door details.

Suitable for
**POCKET
DOOR
SYSTEM**
see page 74

Cottage style doors are ideal for a wide variety of projects, from barn conversions to modern new builds. The aesthetically pleasing boarded style appearance, gives these doors top selling status.

At first glance, the differences between the Thames Original, Thames II and Yoxall may not be obvious. It is all in the construction and the close up images below highlight the variances. So whatever your budget, there is a River Oak Cottage door for you.

All images are shown finished for illustrative purpose only.

New to JB Kind, a range of handles and latch packs

See page 75.



Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.



Thames Original
close up detail
The grooved centre panel is full door thickness.



Thames II
close up detail
The centre grooved panel is recessed and is not as thick as the outer frame.



Yoxall close up detail
A higher specification, this door is individually boarded not grooved.



THAMES ORIGINAL*
Grooved face



THAMES II*
Recessed grooved face



YOXALL*
Individually boarded

**MATCHING
BI-FOLD
DOORS**
see pages 70-73

TUTBURY*
Individually boarded
Clear bevelled safety glass

Height / Width / Thickness mm	Product Code
1981 686 35	OTUT23*
1981 762 35	OTUT26*
1981 838 35	OTUT29*

Height / Width / Thickness mm	Product Code
UNFINISHED	
1981 657 35	OTHA16
1981 533 35	OTHA19
1981 610 35	OTHA20*
1981 686 35	OTHA23*
1981 762 35	OTHA26*
1981 838 35	OTHA29*
2040 626 60	OTHA626*
2040 726 60	OTHA726*
2040 826 60	OTHA826*
2040 926 60	OTHA926*

Height / Width / Thickness mm	Product Code
UNFINISHED	
1981 657 35	MK20THA16
1981 533 35	MK20THA19
1981 610 35	MK20THA20*
1981 686 35	MK20THA23*
1981 762 35	MK20THA26*
1981 838 35	MK20THA29*
2040 626 60	MK20THA626
2040 726 60	MK20THA726
2040 826 60	MK20THA826
2040 926 60	MK20THA926

Height / Width / Thickness mm	Product Code
UNFINISHED	
1981 657 35	OYOX16*
1981 533 35	OYOX19*
1981 610 35	OYOX20*
1981 686 35	OYOX23*
1981 762 35	OYOX26*
1981 838 35	OYOX29*
2040 626 60	OYOX626
2040 726 60	OYOX726
2040 826 60	OYOX826
2040 926 60	OYOX926

Height / Width / Thickness mm	Product Code
UNFINISHED FIRE DOORS	
1981 686 66	OTHA23FD30*
1981 762 66	OTHA26FD30*
1981 838 66	OTHA29FD30*
2040 726 66	OTHA726FD30
2040 826 66	OTHA826FD30
2040 926 66	OTHA926FD30

Height / Width / Thickness mm	Product Code
UNFINISHED FIRE DOORS	
1981 686 66	MK20THA23FD30*
1981 762 66	MK20THA26FD30*
1981 838 66	MK20THA29FD30*
2040 726 66	OYOX726FD30
2040 826 66	OYOX826FD30
2040 926 66	OYOX926FD30

Height / Width / Thickness mm	Product Code
UNFINISHED FIRE DOORS	
1981 686 66	OYOX23FD30*
1981 762 66	OYOX26FD30*
1981 838 66	OYOX29FD30*
2040 726 66	OYOX726FD30
2040 826 66	OYOX826FD30
2040 926 66	OYOX926FD30

Doors marked *
Many of our River Oak Cottage doors are also available with full varnish finish from stock.

*Also available fully finished



THAMES II



YOXALL

Bring some light in on the situation and complement your boarded style doors with one of our glazed options. Whether you prefer full or part glazed, there is a style to help you achieve that perfect design theme.



Thames etched glass
Clear glass with etched lines

*Also available
fully finished

Doors marked ▼
Many of our River
Oak Cottage doors
are also available
with full varnish
finish from stock.

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.



THAMES 1 LIGHT*
Clear safety glass with etched lines

Height / Width / Thickness mm	Product Code
1981 685 35	MK20THA1L23*
1981 762 35	MK20THA1L26*
1981 838 35	MK20THA1L29*
2040 625 60	OTH1A1L626*
2040 726 60	OTH1A1L726*
2040 826 60	OTH1A1L826*



THAMES II 1/2 LIGHT
Clear safety glass with etched lines, Recessed grooved panel

Height / Width / Thickness mm	Product Code
1981 685 35	MK20THAVL23
1981 762 35	MK20THAVL26
1981 838 35	MK20THAVL29



New THAMES 6 LIGHT
Clear safety glass, Full thickness grooved panel

Height / Width / Thickness mm	Product Code
1981 685 35	OTHAA1L23
1981 762 35	OTHAA1L26
1981 838 35	OTHAA1L29
2040 625 60	OTHAA1L626
2040 726 60	OTHAA1L726
2040 826 60	OTHAA1L826



TAY
Front

Height / Width / Thickness mm	Product Code
1981 610 35	OTAY20
1981 685 35	OTAY23
1981 762 35	OTAY26
1981 838 35	OTAY29



TAY
Back

Height / Width / Thickness mm	Product Code
1981 685 65	OTAY23FD30
1981 762 65	OTAY26FD30
1981 838 65	OTAY29FD30

All images are shown finished for illustration purposes only.

Timber accessories
Architraves, linings
and skirting.

See
page
76.




New to JB Kind,
a range of handles
and latch packs

See page 75.



- Real oak veneers
- Prepared for but not including varnish finish
- Solid core construction
- FD30 fire doors



DERWENT

River Oak Traditional

See page 5 for Fire Door details.

A delightful selection of classic oak veneered door designs, which are the perfect complement for any style theme. The sheer quality and consistency of this range of doors have earned it an excellent reputation. Supplied unfinished to allow for a choice of varnish, the solid engineered cores offer extra stability that is often not found with similar alternatives.

Timber veneers are a natural material and variations in the colour and grainings should be expected. Colours depicted are representative only.



EDEN
Flat panels

Height / Width / Thickness mm	Product Code
UNFINISHED	
1981 610 35	OEDE20
1981 686 35	OEDE23
1981 762 35	OEDE26
1981 838 35	OEDE29
2060 726 60	OEDE626
2060 726 60	OEDE726
2060 826 60	OEDE826



DARWEN
Clear safety glass

Height / Width / Thickness mm	Product Code
UNFINISHED FIRE DOORS	
1981 686 66	ODD E2 3FD30
1981 762 66	ODD E2 6FD30
1981 838 66	ODD E2 9FD30
2060 726 66	ODD E7 26FD30
2060 826 66	ODD E8 26FD30

Height / Width / Thickness mm	Product Code
UNFINISHED	
1981 686 35	ODAR235
1981 762 35	ODAR265
1981 838 35	ODAR295
2060 726 60	ODAR7265
2060 826 60	ODAR8265



MERSEY
Raised shaped panels

Height / Width / Thickness mm	Product Code
UNFINISHED	
1981 610 35	OMER20
1981 686 35	OMER23
1981 762 35	OMER26
1981 838 35	OMER29
UNFINISHED FIRE DOORS	
1981 762 66	OMER26FD30
1981 838 66	OMER29FD30



HUMBER
Clear safety glass

Height / Width / Thickness mm	Product Code
UNFINISHED	
1981 762 35	OHUM26
1981 838 35	OHUM29



TRENT
Raised shaped panels

Height / Width / Thickness mm	Product Code
UNFINISHED	
1981 657 35	OTRE16
1981 530 35	OTRE19
1981 610 35	OTRE20
1981 686 35	OTRE23
1981 762 35	OTRE26
1981 838 35	OTRE29
2032 813 35	OTRE28
UNFINISHED FIRE DOORS	
1981 686 66	OTRE23FD30
1981 762 66	OTRE26FD30
1981 838 66	OTRE29FD30



DOVE
Clear bevelled safety glass. Available as pairs (rebated meeting stiles)

Height / Width / Thickness mm	Product Code
UNFINISHED	
1981 610 35	ODOV20
1981 686 35	ODOV23
1981 762 35	ODOV26
1981 838 35	ODOV29
DOVE PAIRS UNFINISHED	
1981 1219 35	ODOVA0
1981 1372 35	ODOVA6
1981 1526 35	ODOVA8



DERWENT
Flat panels of quarter oax oak

Height / Width / Thickness mm	Product Code
UNFINISHED	
1981 610 35	ODER20
1981 686 35	ODER23
1981 762 35	ODER26
1981 838 35	ODER29
2032 813 35	ODER28
UNFINISHED FIRE DOORS	
1981 686 66	ODER23FD30
1981 762 66	ODER26FD30
1981 838 66	ODER29FD30



SEVERN
Clear safety glass

Height / Width / Thickness mm	Product Code
UNFINISHED	
1981 686 35	OSSEV230
1981 762 35	OSSEV260
1981 838 35	OSSEV290



CHURNET
Diamond leaded safety glass

Height / Width / Thickness mm	Product Code
UNFINISHED	
1981 686 35	OCHUDL23
1981 762 35	OCHUDL26
1981 838 35	OCHUDL29

All images are shown finished for illustrative purposes only.



Useful Tip:
When choosing a wood finish – rather than applying a water based product, we advise using a good quality solvent based finish.

FUJI

Montana

See page 5 for Fire Door details.

Suitable for
**POCKET
DOOR
SYSTEM**
see page 74

- Real oak veneers
- Shaker panel designs
- Prepared for but not including varnish finish
- Solid core construction
- FD30 fire doors

A blend of modern and traditional, these beautiful oak shaker style doors are of exceptional quality and price. Outstanding, compared to similar alternatives on the market.

Manufactured with a solid engineered core and lipped with 15mm solid oak to allow for on site adjustment. Supplied unvarnished to allow for a choice of finish.

Timber accessories
Architraves, linings and skirting.

See page 76.



New to JB Kind, a range of handles and latch packs

See page 75.



Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

All images are shown finished for illustrative purposes only.

MATCHING BI-FOLD DOORS
see pages 70-73



SNOWDON

Height / Width / Product Thickness mm Code

UNFINISHED

1981 610 35	OSN020
1981 685 35	OSN023
1981 762 35	OSN026
1981 838 35	OSN029
2040 626 60	OSN026 FD30
2040 726 60	OSN026 FD30
2040 826 60	OSN026 FD30

UNFINISHED FIRE DOORS

1981 685 66	OSN023 FD30
1981 762 66	OSN026 FD30
1981 838 66	OSN029 FD30
2040 726 66	OSN026 FD30
2040 826 66	OSN026 FD30



NEVIS

Clear safety glass

Height / Width / Product Thickness mm Code

UNFINISHED

1981 686 35	ONEV23
1981 762 35	ONEV26
1981 838 35	ONEV29
2040 726 60	ONEV26 FD30
2040 826 60	ONEV26 FD30



RUSHMORE

Height / Width / Product Thickness mm Code

UNFINISHED

1981 610 35	ORUS20
1981 685 35	ORUS23
1981 762 35	ORUS26
1981 838 35	ORUS29

UNFINISHED FIRE DOORS

1981 685 66	ORUS23 FD30
1981 762 66	ORUS26 FD30
1981 838 66	ORUS29 FD30



ETNA

Height / Width / Product Thickness mm Code

UNFINISHED

1981 610 35	OETN20
1981 685 35	OETN23
1981 762 35	OETN26
1981 838 35	OETN29

UNFINISHED FIRE DOORS

1981 685 66	OETN23 FD30
1981 762 66	OETN26 FD30
1981 838 66	OETN29 FD30



FUJI

Clear safety glass

Height / Width / Product Thickness mm Code

UNFINISHED

1981 685 35	OFUJ23
1981 762 35	OFUJ26
1981 838 35	OFUJ29

UNFINISHED FIRE DOORS

1981 685 66	OFUJ23 FD30
1981 762 66	OFUJ26 FD30
1981 838 66	OFUJ29 FD30



EGER

Height / Width / Product Thickness mm Code

UNFINISHED

1981 610 35	OEGE20
1981 685 35	OEGE23
1981 762 35	OEGE26
1981 838 35	OEGE29

UNFINISHED FIRE DOORS

1981 685 66	OEGE23 FD30
1981 762 66	OEGE26 FD30
1981 838 66	OEGE29 FD30



MATTERHORN

Clear safety glass

Height / Width / Product Thickness mm Code

UNFINISHED

1981 686 35	OMAT23
1981 762 35	OMAT26
1981 838 35	OMAT29

Simply Oak

- Real oak veneers
- Supplied fully finished
- Solid core construction
- FD30 fire doors



SHERWOOD

Perfect for a classic style theme, Simply Oak's raised panel designs are complemented by a choice of matching glazed options.

'Value' really is the key word, as other alternatives on the market cannot match the quality varnish finish, solid engineered core construction or price.

Timber veneers are a natural material and variations in the colour and grainings should be expected. Colours depicted are representative only.

Timber accessories
Architraves, linings and skirting.
See page 76.

New to JB Kind, a range of handles and latch packs
See page 75.



SHERWOOD

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 610 35	V504P20
1981 686 35	V504P23
1981 762 35	V504P24
1981 838 35	V504P29
PRE-FINISHED FIRE DOORS	
1981 686 66	V504P23FD30
1981 762 66	V504P26FD30
1981 838 66	V504P29FD30



DEAN

Clear safety glass

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	V504L2P23G
1981 762 35	V504L2P26G
1981 838 35	V504L2P29G



ARDEN

Clear safety glass

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 762 35	V506L1P26G
1981 838 35	V506L1P29G



CHARNWOOD

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 533 35	V502P19
1981 610 35	V502P20
1981 686 35	V502P23
1981 762 35	V502P26
1981 838 35	V502P29
PRE-FINISHED FIRE DOORS	
1981 686 66	V502P23FD30
1981 762 66	V502P26FD30
1981 838 66	V502P29FD30



GRIZEDALE

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 610 35	V506P20
1981 686 35	V506P23
1981 762 35	V506P26
1981 838 35	V506P29
PRE-FINISHED FIRE DOORS	
1981 686 66	V506P23FD30
1981 762 66	V506P26FD30
1981 838 66	V506P29FD30



GISBURN

Clear safety glass

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	V5010L23G
1981 762 35	V5010L26G
1981 838 35	V5010L29G



LOUVRE

Gallery

See page 5 for Fire Door details.

Available for
**POCKET
DOOR
SYSTEM**
see page 74



- Light oak grained painted finish
- Contemporary flush grooved design
- BWF-CERTIFIRE FD30 fire doors (glazed FD30 available to order)
- FSC® chain of custody certified

You will find it hard to spot the difference between Gallery's superior painted finish and a real oak veneer – the perfect alternative that will suit the most modest budget.

Finished with hardwearing paint varnish, the design is enhanced with horizontal grooves to achieve a panelled effect. Constructed with oak veneered pine lippings that when planed during fitting, can be restored by repainting, or through the application of real oak veneers (available separately).

Colours depicted are representative only

Timber accessories
Architraves, linings
and skirting.

See
page
76.



New to JB Kind,
a range of handles
and latch packs

See page 75.



LOUVRE
Clear safety glass

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 685 35	GL0U23
1981 762 35	GL0U26
1981 838 35	GL0U29

Bespoke Options:

Gallery door designs are available in alternative painted finishes and special sizes can be made to order. Minimum quantity may apply.

Call our Sales team on 01283 554197 to discuss your requirements.



TATE

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 610 35	GTAT20
1981 685 35	GTAT23
1981 762 35	GTAT26
1981 838 35	GTAT29
PRE-FINISHED FIRE DOORS	
1981 685 66	GTAT23 FD30
1981 762 66	GTAT26 FD30
1981 838 66	GTAT29 FD30

- Ingenious combination of decorative wood veneers
- Supplied fully finished
- BWF CERTIFIRE FD30 fire doors (glazed FD30 available to order)
- FSC® chain of custody certified



Why not create your own 'Inspiration' door!

Alternative veneer combinations, more creative designs and glazed options can be made to order. Call our Sales team on 01283 554197 to discuss your ideas.

HARMONY

Inspiration

See page 5 for Fire Door details.



Inspiration doors are truly innovative, offering contemporary vision at an affordable price. Enjoy the striking contrast of zebrano and ebony veneers or the perfect partnership of walnut and oak. All designs are unique to JB Kind.

The quality construction, offers matching concealed lippings and a weighty framing within the whole door perimeter – to assist on site adjustment.



UTOPIA
Walnut with Oak and Walnut inlays

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 610 35	IUT020
1981 685 35	IUT023
1981 762 35	IUT026
1981 838 35	IUT029
PRE-FINISHED FIRE DOORS	
1981 762 66	IUT026FD30
1981 838 66	IUT029FD30

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.



EBONY



ZEBRANO



NIRVANA
Walnut with Ash and Oak inlays

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 610 35	INR20
1981 685 35	INR23
1981 762 35	INR26
1981 838 35	INR29
PRE-FINISHED FIRE DOORS	
1981 762 66	INR26FD30
1981 838 66	INR29FD30



AZURE
Ebony with Zebrano inlay

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 610 35	IAZU20
1981 685 35	IAZU23
1981 762 35	IAZU26
1981 838 35	IAZU29
PRE-FINISHED FIRE DOORS	
1981 685 66	IAZU23FD30
1981 762 66	IAZU26FD30
1981 838 66	IAZU29FD30



SERENITY
Oak with Ash inlays

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 610 35	ISER20
1981 685 35	ISER23
1981 762 35	ISER26
1981 838 35	ISER29
PRE-FINISHED FIRE DOORS	
1981 762 66	ISER26FD30
1981 838 66	ISER29FD30



PARADISE
Zebrano with Ebony inlay

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 610 35	IPAR20
1981 685 35	IPAR23
1981 762 35	IPAR26
1981 838 35	IPAR29
PRE-FINISHED FIRE DOORS	
1981 685 66	IPAR23FD30
1981 762 66	IPAR26FD30
1981 838 66	IPAR29FD30



HARMONY
Oak with Walnut inlays

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 610 35	IHAR20
1981 685 35	IHAR23
1981 762 35	IHAR26
1981 838 35	IHAR29
PRE-FINISHED FIRE DOORS	
1981 762 66	IHAR26FD30
1981 838 66	IHAR29FD30

- Real wood veneers with contrasting grooves
- Supplied fully finished
- Solid core construction
- FD30 fire doors for solid and glazed models



AQUARIUS

Useful Tip:
Wooden doors are heavy - when hanging a door, always use three good quality hinges that incorporate steel washers or ball bearings.

Zodiac Flush


See page 5 for Fire Door details.

Suitable for
**POCKET
DOOR
SYSTEM**
see page 74

Contemporary grooved flush doors that have a dazzling colour contrast style.


There are two great veneer options: oak with dark hardwood grooves and beads; or a delightful hardwood, stained to a dark walnut finish with light oak grooves and beads.

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.



GEMINI

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 610 35	ZGM20
1981 685 35	ZGM23
1981 762 35	ZGM26
1981 838 35	ZGM29
PRE-FINISHED FIRE DOORS	
1981 685 66	ZGM23FD30
1981 762 66	ZGM26FD30
1981 838 66	ZGM29FD30



LIBRA
Etched safety glass

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 685 35	ZLIB23
1981 762 35	ZLIB26
1981 838 35	ZLIB29



LIBRA FD30
Clear fire glass

Height / Width / Thickness mm	Product Code
PRE-FINISHED FIRE DOORS	
1981 762 66	ZLIB26FD30
1981 838 66	ZLIB29FD30



AQUARIUS

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 610 35	ZAGU20
1981 685 35	ZAGU23
1981 762 35	ZAGU26
1981 838 35	ZAGU29
PRE-FINISHED FIRE DOORS	
1981 685 66	ZAGU23FD30
1981 762 66	ZAGU26FD30
1981 838 66	ZAGU29FD30
2060 926 66	ZAGU926FD30



CAPRICORN
Etched safety glass

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 685 35	ZCAP23
1981 762 35	ZCAP26
1981 838 35	ZCAP29



CAPRICORN FD30
Clear fire glass

Height / Width / Thickness mm	Product Code
PRE-FINISHED FIRE DOORS	
1981 762 66	ZCAP26FD30
1981 838 66	ZCAP29FD30
2060 926 66	ZCAP926FD30



PISCES


Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 610 35	ZPIS20
1981 685 35	ZPIS23
1981 762 35	ZPIS26
1981 838 35	ZPIS29
PRE-FINISHED FIRE DOORS	
1981 685 66	ZPIS23FD30
1981 762 66	ZPIS26FD30
1981 838 66	ZPIS29FD30



VIRGO
Clear safety glass

Height / Width / Thickness mm	Product Code
PRE-FINISHED	
1981 685 35	ZVIR23
1981 762 35	ZVIR26
1981 838 35	ZVIR29

Robated door pairs are available to order.
Matching door pairs cannot be guaranteed.



Bespoke Options:

Empire door designs are available in alternative timber veneers and special sizes can be made to order. Call our Sales team on **01283 554197** to discuss your requirements.

CEYLON

Empire

See page 5 for Fire Door details.

Suitable for
**POCKET
DOOR
SYSTEM**
see page 74



- Combination real wood veneers
- Supplied fully finished
- Bespoke options available
- BWF-CERTIFIRE FD30 fire doors (glazed FD30 available to order)

Unique and contemporary, Empire veneered flush doors will add distinction to any home interior. The superior varnish finish and clever use of alternative veneers, contrasting grooves and inlays, creates a truly stunning door range.

The quality construction, offers matching concealed lippings and a weighty framing within the whole door perimeter – to assist on site adjustment.



CEYLON**

Height / Width / Thickness mm / Product Code

PRE-FINISHED

1981 610 35	ECEY20
1981 686 35	ECEY23
1981 762 35	ECEY26
1981 838 35	ECEY29

PRE-FINISHED FIRE DOORS

1981 686 66	ECEY23FD30
1981 762 66	ECEY26FD30
1981 838 66	ECEY29FD30



* Beech stiles with ash centre and walnut castellate dg grooves
** Oak with oak grooves and ash inlays

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.



RHODESIA**
Clearsafety glass

Height / Width / Thickness mm / Product Code

PRE-FINISHED

1981 686 35	ERHO23
1981 762 35	ERHO26
1981 838 35	ERHO29



HONDURAS*

Height / Width / Thickness mm / Product Code

PRE-FINISHED

1981 610 35	EHON20
1981 686 35	EHON23
1981 762 35	EHON26
1981 838 35	EHON29

PRE-FINISHED FIRE DOORS

1981 686 66	EHON23FD30
1981 762 66	EHON26FD30
1981 838 66	EHON29FD30



BURMA*
Clearsafety glass

Height / Width / Thickness mm / Product Code

PRE-FINISHED

1981 686 35	EBUR23
1981 762 35	EBUR26
1981 838 35	EBUR29



Bespoke Options:
Special sizes and alternative groove patterns are available for some of our Limelight door designs. Call our Sales team on **01283 554197** to discuss your requirements.

ELEKTRA

Limelight

See page 5 for Fire Door details.

Available for
**POCKET
DOOR
SYSTEM**
see page 74



- Coated with excellent white primer, ready for top coat finish
- MDF faces with feature grooves
- FD30 fire doors for solid and glazed models
- FSC® chain of custody certified

Limelight continues overleaf



White primed contemporary doors that love being in the limelight. A stylish collection of innovative designs, alongside the most popular styles currently offered in natural veneers.

Glazed fire doors are available from stock for the 'Dominion' and 'Barbican', ready glazed with Pyrodur Plus.



ASTER

Height / Width / Thickness mm	Product Code
PRIMED	
1981 610 35	LAST20
1981 686 35	LAST23
1981 762 35	LAST24
1981 838 35	LAST29
PRIMED FIRE DOORS	
1981 686 66	LAST23FD30
1981 762 66	LAST24FD30
1981 838 66	LAST29FD30



ELEKTRA

Height / Width / Thickness mm	Product Code
PRIMED	
1981 610 35	LELE20
1981 686 35	LELE23
1981 762 35	LELE26
1981 838 35	LELE29
PRIMED FIRE DOORS	
1981 686 66	LELE23FD30
1981 762 66	LELE26FD30
1981 838 66	LELE29FD30



ECLIPSE

Height / Width / Thickness mm	Product Code
PRIMED	
1981 610 35	LECL20
1981 686 35	LECL23
1981 762 35	LECL26
1981 838 35	LECL29
PRIMED FIRE DOORS	
1981 686 66	LECL23FD30
1981 762 66	LECL26FD30
1981 838 66	LECL29FD30



ORIOLE

Clear safety glass

Height / Width / Thickness mm	Product Code
PRIMED	
1981 686 35	LORI23
1981 762 35	LORI26
1981 838 35	LORI29



MISTRAL WHITE

MATCHING BI-FOLD DOORS see pages 71-73

See pages 19 & 21 for Walnut & Oak

Height / Width / Thickness mm	Product Code
PRIMED	
1981 610 35	LMIS20
1981 686 35	LMIS23
1981 762 35	LMIS24
1981 838 35	LMIS29
2050 526 60	LMIS26
2050 626 60	LMIS26
2050 726 60	LMIS26
2050 826 60	LMIS26
PRIMED FIRE DOORS	
1981 686 66	LMIS23FD30
1981 762 66	LMIS24FD30
1981 838 66	LMIS29FD30
2050 726 66	LMIS26FD30
2050 826 66	LMIS26FD30
2050 926 66	LMIS26FD30



MISTRAL WHITE GLAZED

Flush beaded, Clear safety glass

Height / Width / Thickness mm	Product Code
PRIMED	
1981 686 35	LMIS23G
1981 762 35	LMIS26G
1981 838 35	LMIS29G
2050 626 60	LMIS26G
2050 726 60	LMIS26G
2050 826 60	LMIS26G



IMPERIAL

Height / Width / Thickness mm	Product Code
PRIMED	
1981 610 35	LIMP20
1981 686 35	LIMP23
1981 762 35	LIMP26
1981 838 35	LIMP29
PRIMED FIRE DOORS	
1981 686 66	LIMP23FD30
1981 762 66	LIMP26FD30
1981 838 66	LIMP29FD30



REGENT

Clear safety glass

Height / Width / Thickness mm	Product Code
PRIMED	
1981 686 35	LR023
1981 762 35	LR026
1981 838 35	LR029



CRITERION

Height / Width / Thickness mm	Product Code
PRIMED	
1981 610 35	LCRI20
1981 686 35	LCRI23
1981 762 35	LCRI26
1981 838 35	LCRI29
PRIMED FIRE DOORS	
1981 686 66	LCRI23FD30
1981 762 66	LCRI26FD30
1981 838 66	LCRI29FD30



New to JB Kind,
a range of handles
and latch packs

See page 75.



APOLLO

Height / Width / Product
Thickness mm Code

PRIMED	
1981 610 35	LAP020
1981 686 35	LAP023
1981 762 35	LAP026
1981 838 35	LAP029
PRIMED FIRE DOORS	
1981 686 66	LAP023FD30
1981 762 66	LAP026FD30
1981 838 66	LAP029FD30



BARBICAN

Etched safety glass or
etched fire glass on FD30

Height / Width / Product
Thickness mm Code

PRIMED	
1981 686 35	LSAR23
1981 762 35	LSAR26
1981 838 35	LSAR29
PRIMED FIRE DOORS	
1981 762 66	LSAR26FD30
1981 838 66	LSAR29FD30



FORTUNE

Height / Width / Product
Thickness mm Code

PRIMED	
1981 610 35	LFOR20
1981 686 35	LFOR23
1981 762 35	LFOR26
1981 838 35	LFOR29
PRIMED FIRE DOORS	
1981 686 66	LFOR23FD30
1981 762 66	LFOR26FD30
1981 838 66	LFOR29FD30



LYRIC

Height / Width / Product
Thickness mm Code

PRIMED	
1981 610 35	LLYR20
1981 686 35	LLYR23
1981 762 35	LLYR26
1981 838 35	LLYR29
PRIMED FIRE DOORS	
1981 686 66	LLYR23FD30
1981 762 66	LLYR26FD30
1981 838 66	LLYR29FD30



NOVELLO

Height / Width / Product
Thickness mm Code

PRIMED	
1981 610 35	LN0V20
1981 686 35	LN0V23
1981 762 35	LN0V26
1981 838 35	LN0V29
PRIMED FIRE DOORS	
1981 762 66	LN0V26FD30
1981 838 66	LN0V29FD30



SAVOY

Height / Width / Product
Thickness mm Code

PRIMED	
1981 610 35	LSAV20
1981 686 35	LSAV23
1981 762 35	LSAV26
1981 838 35	LSAV29
PRIMED FIRE DOORS	
1981 762 66	LSAV26FD30
1981 838 66	LSAV29FD30



PHOENIX
Clear safety glass

Height / Width / Product
Thickness mm Code

PRIMED	
1981 686 35	LPH023
1981 762 35	LPH026
1981 838 35	LPH029



ADELPHI

Height / Width / Product
Thickness mm Code

PRIMED	
1981 610 35	LADE20
1981 686 35	LADE23
1981 762 35	LADE26
1981 838 35	LADE29
PRIMED FIRE DOORS	
1981 686 66	LADE23FD30
1981 762 66	LADE26FD30
1981 838 66	LADE29FD30

**MATCHING
BI-FOLD
DOORS**
see pages 75-73



ARCADIAN
Clear safety glass

Height / Width / Product
Thickness mm Code

PRIMED	
1981 686 35	LARC23
1981 762 35	LARC26
1981 838 35	LARC29



DOMINION
Etched safety glass or
etched fire glass on FD30

Height / Width / Product
Thickness mm Code

PRIMED	
1981 686 35	LDOM23
1981 762 35	LDOM26
1981 838 35	LDOM29
PRIMED FIRE DOORS	
1981 762 66	LDOM26FD30
1981 838 66	LDOM29FD30



Useful Tip:

For a better finish on any unfinished door, we recommend a light sanding to remove any nibs or marks prior to finishing.

JAMAICA

Calypso

See page 5 for Fire Door details.

Suitable for
**POCKET
DOOR
SYSTEM**
see page 74



- New designs for 2015
- White primed, ready for top coat finish
- Solid core construction
- FD30 fire doors
- FSC® chain of custody certified

Light and refreshing, the Calypso range offers a selection of attractive shaker panel style doors.

Take a trip back in time with our new retro revival Aurora door design. Enjoy the contemporary slant that has been given to this iconic 'sunshine' door style, made popular in the 1950's and 60's.



New AURORA

Height / Width / Product
Thickness mm Code

PRIMED

1981	686	35	CAUR23
1981	762	35	CAUR26
1981	838	35	CAUR29



New AURORA GLAZED
Clear safety glass

Height / Width / Product
Thickness mm Code

PRIMED

1981	762	35	CAUR26G
------	-----	----	---------



New TOBAGO CHECK
Clear safety glass

Height / Width / Product
Thickness mm Code

PRIMED

1981	762	35	CTOBCH24
------	-----	----	----------



New to JB Kind,
a range of handles
and latch packs

See page 75.



ANTIGUA

Height / Width / Product
Thickness mm Code

PRIMED

1981	610	35	CANT20
1981	686	35	CANT23
1981	762	35	CANT26
1981	838	35	CANT29

PRIMED FIRE DOORS

1981	686	66	CANT23FD30
1981	762	66	CANT26FD30
1981	838	66	CANT29FD30



TOBAGO
Clear safety glass

Height / Width / Product
Thickness mm Code

PRIMED

1981	686	35	CTOB23
1981	762	35	CTOB26
1981	838	35	CTOB29

**MATCHING
BI-FOLD
DOORS**
see pages 78-79

Calypso continues
overleaf





MONTSERRAT



TRINIDAD

Whether you wish to paint your Calypso doors a different colour - light and dark greys are very popular - or finish them white, you'll be able to find a style that suits your interior design theme.

Constructed with a solid pine core and faced with MDF, we are sure you will enjoy the excellent quality and value for money.



BARBADOS

Height / Width / Thickness mm	Product Code
1981 610 35	CSAR20
1981 686 35	CSAR23
1981 762 35	CSAR26
1981 838 35	CSAR29
PRIMED FIRE DOORS	
1981 686 66	CSAR23FD30
1981 762 66	CSAR26FD30
1981 838 66	CSAR29FD30



DOMINICA
Clear safety glass

Height / Width / Thickness mm	Product Code
1981 686 35	CDOM23
1981 762 35	CDOM26
1981 838 35	CDOM29



JAMAICA

Height / Width / Thickness mm	Product Code
1981 610 35	CJAM20
1981 686 35	CJAM23
1981 762 35	CJAM26
1981 838 35	CJAM29
PRIMED FIRE DOORS	
1981 686 66	CJAM23FD30
1981 762 66	CJAM26FD30
1981 838 66	CJAM29FD30



TRINIDAD
Clear safety glass

Height / Width / Thickness mm	Product Code
1981 686 35	CTRI23
1981 762 35	CTRI26
1981 838 35	CTRI29



MONTSERRAT

Height / Width / Thickness mm	Product Code
1981 610 35	CMON20
1981 686 35	CMON23
1981 762 35	CMON26
1981 838 35	CMON29
PRIMED FIRE DOORS	
1981 686 66	CMON23FD30
1981 762 66	CMON26FD30
1981 838 66	CMON29FD30

MATCHING
BI-FOLD
DOORS
see pages 70-73




CAYMAN
Clear safety glass

Height / Width / Thickness mm	Product Code
1981 686 35	CCAY23
1981 762 35	CCAY26
1981 838 35	CCAY29



New to JB Kind,
a range of handles
and latch packs

See page 75.



- New designs for 2015
- White primed, ready for top coat finish
- FD30 fire doors for solid and glazed models
- FSC® chain of custody certified



QUATTRO

Useful Tip:
When finishing a primed glazed door, ensure that the paint and peel protective film is kept in place, until the door is completely dry.

Moulded Panel

See page 5 for Fire Door details.



Premium white primed moulded panel doors, ready for a choice of paint finish. Functional, cost effective doors in a variety of designs and FD30 fire door options. All glazed doors are supplied with a protective 'Paint & Peel' film.

Moulded Panel doors are especially vulnerable to constant high humidity and care must be taken not to fit in new properties before plasterwork etc. has been allowed to dry out sufficiently.



DECCA
Grained, Clear safety glass with etched lines, Flush beading
Height / Width / Product Thickness mm Code
PRIMED
1981 610 35 DEC23
1981 762 35 DEC26
1981 838 35 DEC29



COTTAGE 1 LIGHT
Grained, Clear safety glass with etched lines, Flush beading
Height / Width / Product Thickness mm Code
PRIMED
1981 610 35 MCOT51L23
1981 762 35 MCOT51L26
1981 838 35 MCOT51L29



COTTAGE 5
Grained
Height / Width / Product Thickness mm Code
PRIMED
1981 610 35 MCOT520
1981 686 35 MCOT523
1981 762 35 MCOT526
1981 838 35 MCOT529
PRIMED FIRE DOORS
1981 686 66 MCOT523FD30
1981 762 66 MCOT526FD30
1981 838 66 MCOT529FD30



CAPRICE
Grained
Height / Width / Product Thickness mm Code
PRIMED
1981 610 35 CAP20
1981 686 35 CAP23
1981 762 35 CAP26
1981 838 35 CAP29
2040 726 60 CAP726
2040 826 60 CAP826
PRIMED FIRE DOORS
1981 762 66 CAP26FD30
1981 838 66 CAP29FD30
2040 726 66 CAP726FD30
2040 826 66 CAP826FD30



ANDORRA
Grained, Etched safety glass, Flush beading
Height / Width / Product Thickness mm Code
PRIMED
1981 610 35 CAPAND23
1981 762 35 CAPAND26
1981 838 35 CAPAND29



QUATTRO
Smooth
Height / Width / Product Thickness mm Code
PRIMED
1981 610 35 QUA20
1981 686 35 QUA23
1981 762 35 QUA26
1981 838 35 QUA29
PRIMED FIRE DOORS
1981 686 66 QUA23FD30
1981 762 66 QUA26FD30
1981 838 66 QUA29FD30



QUATTRO GLAZED
Smooth, Flush beading, Clear safety glass
Height / Width / Product Thickness mm Code
PRIMED
1981 686 35 QUAAL23
1981 762 35 QUAAL26
1981 838 35 QUAAL29

Moulded Panel continues overleaf



EDWARDIAN
Grained

Height / Width / Thickness mm	Product Code
PRIMED	
1981 533 35	ED19**
1981 610 35	ED20
1981 686 35	ED23
1981 762 35	ED26
1981 838 35	ED29
2032 813 35	ED28
PRIMED FIRE DOORS	
1981 762 66	EDFH26
1981 838 66	EDFH29
2032 813 66	EDFH28

*2 Panel



CANTERBURY 2LT FD30
Grained, Pyran 'S' clear fire glass
Flush beading

Height / Width / Thickness mm	Product Code
1981 762 66	CANGL26FD30
1981 838 66	CANGL29FD30



CANTERBURY
Grained or Smooth

Height / Width / Thickness mm	Product Code
PRIMED GRAINED	
1981 657 35	CAN16*
1981 533 35	CAN19*
1981 610 35	CAN20
1981 686 35	CAN23
1981 711 35	CAN24
1981 762 35	CAN26
1981 838 35	CAN29
2032 813 35	CAN28
2060 526 60	CAN526
2060 626 60	CAN626
2060 726 60	CAN726
2060 826 60	CAN826
PRIMED GRAINED FIRE DOORS	
1981 610 66	CANH20
1981 686 66	CANH23
1981 762 66	CANH26
1981 838 66	CANH29
2032 813 66	CANH28
2060 726 66	CANH726
2060 826 66	CANH826
2060 926 66	CANH926
PRIMED SMOOTH	
1981 610 35	SMCAN20
1981 686 35	SMCAN23
1981 762 35	SMCAN26
1981 838 35	SMCAN29
PRIMED SMOOTH FIRE DOORS	
1981 610 66	SMCANFH20
1981 686 66	SMCANFH23
1981 762 66	SMCANFH26
1981 838 66	SMCANFH29
2032 813 66	SMCANFH28

*2 Panel



COLONIST
Grained or Smooth

Height / Width / Thickness mm	Product Code
PRIMED GRAINED	
1981 381 35	COL13**
1981 657 35	COL16**
1981 533 35	COL19**
1981 610 35	COL20
1981 686 35	COL23
1981 711 35	COL24
1981 762 35	COL26
1981 838 35	COL29
2032 813 35	COL28
2060 526 60	COL526
2060 626 60	COL626
2060 726 60	COL726
2060 826 60	COL826
PRIMED GRAINED FIRE DOORS	
1981 610 66	COLFH20
1981 686 66	COLFH23
1981 762 66	COLFH26
1981 838 66	COLFH29
2032 813 66	COLFH28
2060 726 66	COLFH726
2060 826 66	COLFH826
2060 926 66	COLFH926
PRIMED SMOOTH	
1981 657 35	SMCOL16**
1981 533 35	SMCOL19**
1981 610 35	SMCOL20
1981 686 35	SMCOL23
1981 762 35	SMCOL26
1981 838 35	SMCOL29
2032 813 35	SMCOL28
PRIMED SMOOTH FIRE DOORS	
1981 686 66	SMCOLFH23
1981 762 66	SMCOLFH26
1981 838 66	SMCOLFH29
2032 813 66	SMCOLFH28

**3 Panel



FARO
Grained, Clear safety glass
Flush beading

Height / Width / Thickness mm	Product Code
PRIMED	
1981 686 35	CAPFAR23
1981 762 35	CAPFAR26
1981 838 35	CAPFAR29



FARO FD30
Grained, Pyran 'S' clear etched fire glass, Raised beading

Height / Width / Thickness mm	Product Code
PRIMED	
1981 762 66	CAPFAR26FD30
1981 838 66	CAPFAR29FD30



CLASSIQUE
Grained

Height / Width / Thickness mm	Product Code
PRIMED	
1981 533 35	CLA19
1981 610 35	CLA20
1981 686 35	CLA23
1981 711 35	CLA24
1981 762 35	CLA26
1981 838 35	CLA29
2032 813 35	CLA28
2060 726 60	CLA726
2060 826 60	CLA826
PRIMED FIRE DOORS	
1981 686 66	CLAFH23
1981 762 66	CLAFH26
1981 838 66	CLAFH29



CLASSIQUE 6 LT
Grained, Clear safety glass
Flush beading

Height / Width / Thickness mm	Product Code
PRIMED	
1981 686 35	CLADLS23
1981 762 35	CLADLS26
1981 838 35	CLADLS29
2032 813 35	CLADLS28



CLASSIQUE 6 LT PAIRS
Grained, Clear safety glass
Flush beading

Height / Width / Thickness mm	Product Code
PRIMED	
1981 1220 35	CLADLSPR40



EDWARDIAN 2 LT
Grained, Etched safety glass
Flush beading

Height / Width / Thickness mm	Product Code
PRIMED	
1981 686 35	EDDL523
1981 762 35	EDDL526
1981 838 35	EDDL529



CANTERBURY 2LT
Grained with etched safety glass, or Smooth with clear safety glass, Flush beading

Height / Width / Thickness mm	Product Code
PRIMED GRAINED - ETCHED	
1981 686 35	CANGL23
1981 762 35	CANGL26
1981 838 35	CANGL29
2032 813 35	CANGL28
2060 726 60	CANGL726
PRIMED SMOOTH - CLEAR	
1981 686 35	SMCANGLC23
1981 762 35	SMCANGLC26
1981 838 35	SMCANGLC29

New to JB Kind, a range of handles and latch packs

See page 75.



Brushed chrome caming glazing cassettes.



DECIMA
Grained
Clear bevelled safety glass

Height / Width / Thickness mm	Product Code
PRIMED	
1981 686 35	CCAPDEC23
1981 762 35	CCAPDEC26
1981 838 35	CCAPDEC29

- New for 2015
- Bi-fold options that match our most popular door designs
- Pre-finished and unfinished options
- FSC® chain of custody certified for selected door designs



For further product information, please refer to the matching standard door equivalent, as highlighted.

MISTRAL OAK BI-FOLD

Bi-folds

By popular demand, we are pleased to introduce our new range of bi-folding doors – the perfect space saving door solution. Style does not have to be compromised with JB Kind's new bi-fold door range.

Taking up half the space of a regular door, bi-folds are ideal for ensuites, cupboards and wardrobes. You also have the option to put two sets together as a pair, creating a convenient room divider. Available in a selection of our most popular door designs, so that you can suite door styles throughout your home.

Easy to install into existing frames, our bi-folds are supplied ready hinged with pivots, brackets, a sliding track and full instructions.

Doors marked with † are not FSC certified



Bi-folds continues overleaf



Please note that the door opening sizes are listed. The actual bi-folds supplied are slightly smaller than the opening sizes to accommodate tracking.

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.



New THAMES ORIGINAL BI-FOLD†
Crossed face

Height / Width / Thickness mm	Product Code
1981 / 762 / 35	OTHABF26

See page 41 for matching doors



New SNOWDON BI-FOLD†

Height / Width / Thickness mm	Product Code
1981 / 762 / 35	OSNOBF26

See page 47 for matching doors



New ETNA BI-FOLD†

Height / Width / Thickness mm	Product Code
1981 / 762 / 35	OETNBF26

See page 47 for matching doors



New FUJI BI-FOLD†
Clear safety glass

Height / Width / Thickness mm	Product Code
1981 / 762 / 35	OFUJBF26

See page 47 for matching doors



New THAMES II BI-FOLD†
Recessed grooved face

Height / Width / Thickness mm	Product Code
1981 / 762 / 35	MK2OTHBF26

See page 41 for matching doors



New MISTRAL OAK BI-FOLD

Height / Width / Thickness mm	Product Code
1981 / 762 / 35	OMISBF26

See page 31 for matching doors



New MISTRAL WHITE BI-FOLD

Height / Width / Thickness mm	Product Code
1981 / 762 / 35	LMISBF26

See page 59 for matching doors



CANTERBURY BI-FOLD

For further product information, please refer to the matching standard door equivalent, as highlighted.

Please note that the door opening sizes are listed. The actual bi-folds supplied are slightly smaller than the opening sizes to accommodate tracking.



New AXIS WHITE BI-FOLD

Height / Width / Thickness mm	Product Code
PRIMED	
1981 762 35	SAXIBF26

See page 15 for matching doors

T: 01283 554197



CANTERBURY BI-FOLD
Grained

Height / Width / Thickness mm	Product Code
PRIMED	
1981 610 35	CANBF20
1981 762 35	CANBF26

See page 69 for matching doors



CANTERBURY GLAZED BI-FOLD
Grained, Etched safety glass
Flush beading

Height / Width / Thickness mm	Product Code
PRIMED	
1981 762 35	CANBGLT26

See page 69 for matching doors



COLONIST BI-FOLD
Grained

Height / Width / Thickness mm	Product Code
PRIMED	
1981 762 35	COLBF26
1981 916 35	COLBF30

See page 69 for matching doors



New ANTIGUA BI-FOLD

Height / Width / Thickness mm	Product Code
PRIMED	
1981 762 35	CANTBF26

See page 63 for matching doors



New TOBAGO BI-FOLD

Height / Width / Thickness mm	Product Code
PRIMED	
1981 762 35	CTOBBF26

See page 63 for matching doors



New MONTSERRAT BI-FOLD

Height / Width / Thickness mm	Product Code
PRIMED	
1981 762 35	CMONBF26

See page 65 for matching doors



New CAYMAN BI-FOLD

Height / Width / Thickness mm	Product Code
PRIMED	
1981 762 35	CCAYBF26

See page 65 for matching doors



New AXIS WHITE GLAZED BI-FOLD

Height / Width / Thickness mm	Product Code
PRIMED	
1981 762 35	SAXIBF26

See page 15 for matching doors



New ADELPHI BI-FOLD

Height / Width / Thickness mm	Product Code
PRIMED	
1981 762 35	LADEBF26

See page 61 for matching doors



CLASSIQUE BI-FOLD
Grained

Height / Width / Thickness mm	Product Code
PRIMED	
1981 610 35	CLABF20
1981 762 35	CLABF26

See page 68 for matching doors

Pocket Door Systems



Space saving pocket door solutions that bring contemporary style to your home.

Considering a pocket door system? Then you will be pleased to know that almost all of JB Kind's internal doors are suitable for use as a pocket door. New for 2015, JB Kind can now supply pocket framing systems to suit the different sized doors that we offer.

Available for both single and double door situations in a selection of sizes, supported with a choice of accessories (automatic door closer, damper unit and double simultaneous opening and closing system).



Easy to install, rigid framing system which is supplied pre-assembled - fitted in half the time of other brands.

For more information on our pocket door systems, call our Sales team on **01283 554197** to discuss your requirements.

Door Furniture

A stylish selection of contemporary door furniture – the perfect partner for your JB Kind doors.



Push button for privacy function

Latch Packs

Enjoy the convenience of a JB Kind latch pack with everything that you need to fit your door in one box. Choose from three attractive lever handle designs, supplied as a pair with smartlatch and three quality ball bearing hinges.

With a 10 year parts and mechanism guarantee, the premium stainless steel and zinc diecast construction provides that all important peace of mind. The revolutionary push button privacy packs, offer an easy 'one push' solution for locking bathroom doors safely and securely.



LATCH PACKS	DRIFT	CURL	TUBE
Standard latch pack	IDRILP	ICURLP	ITUSLP
Privacy latch pack	IDRIPP	ICURPP	ITUSPP

Designer Lever Collection

A luxurious collection of premium quality Italian manufactured lever handles that truly exude style and class.

Available in either a polished or satin chrome finish, you can choose from three contemporary lever designs that are supplied in pairs. For privacy, a bathroom turn/release is also available in both a polished or satin chrome finish.



Latches and hinges are available separately

BATHROOM TURN/RELEASE



Polished chrome



Satin chrome

DESIGNER LEVER COLLECTION	MCOA	COEVO	APPELLO	BATHROOM TURN/RELEASE
Polished chrome	IM00PC	IC0EPC	IAP0PC	IPR0PC
Satin chrome	IM00SC	IC0ESC	IAP0SC	IPR0SC
Polished chrome with white crystal effect			IAP0PR	



SMARTLATCH

The Smartlatch is a new innovative latch that can be quickly installed in less than 5 minutes, saving tradesmen up to 25 minutes per door.



DRIFT
Polished chrome & satin nickel finish



CURL
Polished chrome & satin nickel finish



TUBE
Satin chrome finish

Internal Accessories

Oak Door Linings, Architraves and Skirtings – Boxed Sets

Constructed with a solid engineered core for added stability and faced with oak veneer. Each set is sufficient for most standard door sizes, available both varnished and unvarnished.



LININGS

Size (mm)	Varnished	Unvarnished
30 x 108	OCL108V	OCL108
30 x 133	OCL133V	OCL133

Each pack is sufficient for a single door

Contents per box:

2 pieces 2100mm - Jambas

1 piece 1050mm - Head

Stops - 12 x 65mm, 2 pieces 2100mm, 1 piece 1050mm



ARCHITRAVES

Size (mm)	Varnished	Unvarnished
18 x 69	OARC69V	OARC69

Each pack is sufficient for both sides of a door

Contents per box:

4 pieces 2200mm

2 pieces 1200mm lengths



SKIRTING

Size (mm)	Varnished	Unvarnished
18 x 144	OSK144V	OSK144

Contents per box:

4 pieces 3000mm lengths

Modern Architrave

The perfect complement for your doors. Veneered on MDF and supplied with sufficient lengths to fit both sides of most standard internal door sizes.



MODERN ARCHITRAVE

Size (mm)	Varnished	Unvarnished
-----------	-----------	-------------

ARCHITRAVES (box quantity for 2 sides single leaf)

Size (mm)	Varnished	Unvarnished
	OCLRA70V	OCLRA70

Contents per box:

4 pieces 2200mm - Jambas 70x20mm

2 pieces 1100mm - Heads 70x10mm

Sovereign Sets

The ultimate embellishment for enhancing oak or painted internal doors in both unfinished and prefinished oak, veneered on MDF.



Each box contains sufficient for one side of a door and includes 2 jambas, 1 head, 2 corner blocks and 2 plinth blocks.

ARCHITRAVE SETS

Size (mm)	Product Code
-----------	--------------

VARNISHED

1100	RPS0V011
1800	RPS0V022

UNVARNISHED

1100	RPS0V011-U
1800	RPS0V022-U

We offer two different head sizes to suit both single leaves and pairs.

Pair Maker

Oak style T-section pair maker.




PAIR MAKER

Size (mm)	Product Code
-----------	--------------

UNVARNISHED

2100	KSPAIRMAKER
------	-------------

External Accessories



Weatherboards

A weatherboard is an essential requirement wherever doors are exposed to rainfall.

OAK WEATHERBOARD

Size (mm)	Timber	Product Code
915	Oak	WB029



DOOR FRAMES



MULLION

Great value exclusive external door frame kits, manufactured using solid oak (unfinished). Laminated construction for extra stability and material economy without losing authenticity.

Lengths supplied are sufficient for most standard door sizes, including a version for pair or sidelight configurations (ODF9457W). A separate boxed mullion is available where a rebate both sides is required for sidelights (DML9468). All components require cutting to size.

Draught strips are included, reversible open in or out. Suitable for use externally but it is essential that complete shelter from direct rain and hot sunshine is provided if appearance and performance is to be maintained. Full treatment with a quality external wood finish is required.

Size (mm)	Product Code
95 x 57 single leaf frame	ODF9457
Contents per box:	
2 pieces 2100mm,	
1 piece 1050mm, Jambas and Head (including draught strip)	
1 piece 1050mm, 130mm x 28mm C&L	
1 piece 1050mm, 17mm x 25mm C&L Converter	
95 x 57 double leaf frame	ODF9457W
Contents per box:	
3 pieces 2100mm, Jambas and Head (including draught strip)	
1 piece 2100mm, 130mm x 28mm C&L	
1 piece 2100mm, 17mm x 25mm C&L Converter	
95 x 68 mullion	DML9468
Contents per box:	
1 piece 2100mm Mullion (including draught strip)	

Glossary of Terms

For a more detailed glossary visit www.jbkind.com

ARCHITRAVE: A decorative moulding that surrounds the door, and bridges the gap between the edge of the frame and the wall.

APERTURE: An opening in a door where glass would be fitted.

BEADING: The mouldings that surround a panel in a solid door, or a pane of glass in a door.

BESPOKE DOORS: Doors that are tailor-made to meet individual requirements. Choosing an alternative to the stock doors from the brochure allows clients to request special sizes and alternative designs to match their specific needs.

CERTIFIRE: An independent, audited process to ensure that Fire Doors are manufactured to specific standards.

CORE CONSTRUCTION: The internal composition of a door.

FD30 FIRE DOORS: Doors that have been tested by an accredited test house to ensure that they are able to resist the passage of fire for more than 30 minutes. Likewise, FD60 fire doors will last at least 60 minutes.

FINISH: The surface of the door. Doors can be supplied finished, (usually with a clear lacquer), or unfinished (natural) where you are able to apply your own finish.

FLAT PANEL: This is a panel on a door which is not raised, bevelled or profiled.

FRAME: The timber components (e.g. linings & casings) that are fitted

within a wall opening to which a door is fixed.

FSC®: The Forest Stewardship Council is an independent organisation that promotes the responsible management of forests worldwide. The FSC standard is recognised globally.

HANDING: Predominantly referring to door pairs, it describes which door in the pair opens first. E.g. RHA (right hand away) or LHA (left hand away)

INLAY: A decorative strip, design or pattern which is embedded into the face of the door. Typically the inlay is made of a complementary material or alternative colour to the door, like a veneer or coloured plastic, and it is flush with the door's surface.

INSERT: Similar to an inlay but usually slightly thicker and it may not be flush with the door's face (front of the door).

LIGHT: This refers to an individual pane of glass within a door e.g. a '2 light' door has two panes of glass.

LININGS/CASINGS: Another name for an internal door frame.

LIPPINGS: These create the door edge and can be reduced slightly in size to fit a specific door opening, without exposing the inner core of the door. Solid lippings (as long as they are large enough) allow the edges of doors to be modulated to form rebated pairs.

MULLION: This is required when fitting an external door with a sidelight.

PRIMED: Doors that have been prepared with an undercoat ready for a top coat finish.

REBATING: This makes doors into a pair, by machining a groove into the edges of two doors, creating a partial overlap where the doors meet.

SAFETY GLASS: Glass that is treated so that, should it break, it does not create sharp shards. All of JB Kind's pre-glazed doors comply with building regulations and meet European standards.

SEMI-SOLID CORE: The centre of the door is part solid and part cellular components.

SIDELIGHT: A panel which is usually fixed at the side of a hinged door. A sidelight is normally a narrow panel of glass set alongside a larger door.

SOLID CORE: A heavy and solid centre to a door, it is normally made from wood-based timber components.

STANDARD CORE: Standard core doors have a cellular structure inside the door. This means that the door is lighter in weight than solid or semi-solid core doors and is well suited to domestic use.

STILE: This refers to the side of the door. Specific terms are hanging stile (hinge side), leading stile (side that opens into a room) and meeting stile (door pairs).

VENEER: A thin slice of timber used as a decorative material on the visible face of the door.



Important
Oak is a by-word for strength and durability but this should not be confused with the fact it is most vulnerable and can easily be degraded if constantly exposed to rain or hot sun.

A South/South Westerly elevation facing the prevailing weather is the worst scenario. To preserve the beautiful appearance and to guarantee long, trouble-free service, it is essential to provide adequate shelter from the worst elements of the weather. Position them back from the front face of the building or fit a canopy/open porchway projecting not less than 1.5m.

LOIRE

Therm-L Exterior

- Oak faced external doors
- Part 'L' compliant
- Prepared ready to finish
- Solid core construction

Distinctive oak faced external doors with environmental credentials. Compliant to Part 'L' of the building regulations, to meet the thermal 'U' (1.8w/m2k) value criteria for new build.

Supplied fitted with insulated glazing units that truly enhance the beauty of the doors. To achieve full thermal insulation properties, the glazed panels have an external face marked upon each door. For this reason, when glass panels are offset, it is necessary to specify left or right as viewed from outside.

Matching sidelights can be reduced from 2057 to 1981mm and 457 to 356mm to fit, if secured in framing. Please note that they are not designed for use as opening doors.



BORDEAUX
U Value 1.6
Clear bevelled safety glass

Height / Width / Thickness mm	Product Code
1981 762 66	OTBOR26
1981 838 66	OTBOR29
2032 813 66	OTBOR28



ALSACE
Shows as left hand (State hand required)
U Value 1.7
Clear bevelled safety glass

Height / Width / Thickness mm	Product Code
1981 762 66	OTALS26L-L
1981 762 66	OTALS26L-R
1981 838 66	OTALS29L-L
1981 838 66	OTALS29L-R



COGNAC
U Value 1.5

Height / Width / Thickness mm	Product Code
1981 838 66	OTCOG29



RHONE SIDELIGHT
U Value 1.9
Clear bevelled safety glass

Height / Width / Thickness mm	Product Code
2057 457 66	OTRH016



Therm-L Exterior continues overleaf



LOIRE

Shows as right hand (State hand required)
U Value 1.7
Clear bevelled safety glass

Height / Width / Thickness mm	Product Code
1981 838 66	OTLOI29L-L
1981 838 66	OTLOI29L-R

Therm-L Exterior continued



Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

THERM-L

PART 'L' COMPLIANT

Important

Oak is a by-word for strength and durability but this should not be confused with the fact it is most vulnerable and can easily be degraded if constantly exposed to rain or hot sun.

A South/South Westerly elevation facing the prevailing weather is the worst scenario. To preserve the beautiful appearance and to guarantee long, trouble-free service, it is essential to provide adequate shelter from the worst elements of the weather. Position them back from the front face of the building or fit a canopy/open porchway projecting not less than 1.5m.



ULLSWATER
U Value 1.7

Height / Width / Thickness mm	Product Code
UNFINISHED	
1981 838 66	OULL29



WINDERMERE
U Value 1.7
Obscure sandblasted glass

Height / Width / Thickness mm	Product Code
UNFINISHED	
1981 838 66	OWIN29



CONISTON
U Value 1.7
Obscure sandblasted glass

Height / Width / Thickness mm	Product Code
UNFINISHED	
1981 838 66	OCON29



NORFOLK
U Value 1.5
Clear glass with black lead cappings

Height / Width / Thickness mm	Product Code
UNFINISHED	
1981 838 66	OTNOR29



BURGUNDY
U Value 1.7
Obscure and clear glass with zinc cappings

Height / Width / Thickness mm	Product Code
UNFINISHED	
1981 838 66	OTBUR29



MOSEL
U Value 1.5
Obscure and clear glass with zinc cappings

Height / Width / Thickness mm	Product Code
UNFINISHED	
1981 838 66	OTMOS29



PIEDMONT SIDELIGHT
U Value 1.9
Obscure and clear glass with zinc cappings

Height / Width / Thickness mm	Product Code
UNFINISHED	
2057 657 66	OTPIE16



RIOJA
U Value 1.7
Obscure and clear glass with zinc cappings

Height / Width / Thickness mm	Product Code
UNFINISHED	
1981 838 66	OTRIO29

Essential Door Care & Maintenance Advice

The principal enemy of timber doors is excess exposure to moisture or dryness. Having left our custody, we have no control over the conditions to which they are subjected and to avoid any subsequent cause for disappointment, we strongly advise the following advice is heeded. If suitable care and treatment is not taken, stresses within wood may be released, resulting in movement or distortion such as swelling, warping, splitting or even discolouration. No liability will be accepted when problems are moisture related.

Storage

On receipt please store laid flat, fully supported off the floor with at least three full width bearers of the same dimension in a dry fully ventilated area, with protective packaging intact. Doors supplied unfinished should be thoroughly sealed on all faces and edges prior to the commencement of any joinery work, although first sizing them may be to advantage.

Wood finishes

There are numerous brands on the market and we fear many are formulated to achieve a low market price rather than quality. Be sure to select one to provide a lasting seal between component parts. Avoid the use of water based finishes, using only good quality solvent based finishes that have recognised sealing properties, ensuring that it is fit for purpose for the situation and conditions in which your door is to be fitted.

Follow the manufacturer's instructions carefully and we recommend keeping a copy of the claims made for the product in the event it fails to perform. It is vital

all finishing systems are applied equally to both sides and edges at the same time. Rapid changes in ambient moisture are extremely detrimental especially when unbalanced.

Danish oil is not suitable for use as a finish on any of our products. The application of a base coat stain or a paint primer alone is not deemed to form a seal.

Installation

When trimming doors, reduce them equally and not excessively from the top and bottom for height, to the hanging edge only for the width, if minimal, but equally with the meeting edge if a greater amount is necessary. Please note our FD30 fire doors have individual limitations in this respect and these cannot be exceeded.

Recesses for hinges (3 No. 75mm internal, 3 No. 100mm external) and mortises for latch / locks etc. should be cut to the minimum recommended sizes. Panel door mortises should not be located at rail joints as this may significantly weaken them. On completion remove doors, taking off all ironmongery and treat every cut / untreated surface liberally with a number of coats before finally refitting, giving particular attention to all exposed end grain where the propensity for ingress / egress of moisture is far greater.

Internal door specific

We strongly advise against the installation of all types of timber doors into a building with recent plastered or screeded areas. Wet sites with enclosed unheated buildings represent extremely detrimental environments and must be

thoroughly dry, without condensation, before doors are introduced. Even our pre-finished doors should not be exposed to inappropriate damp site conditions.

External door specific

Even in times past, it was never advisable or intended that timber entrance doors be fully exposed to the worst elements of our climate, even if well coated. A South / South Westerly elevation is the worst direction for the prevailing weather and exposure to the hottest sun which can seriously degrade external doors.

We recommend they are set back from the front face of the building or covered by a canopy or porch way projecting not less than about 1.5m, regardless of elevation. Always fit with a suitable weatherboard regardless of frame cill type fitted, to prevent droplets of moisture hanging from the door bottom.

Future maintenance is most important to retain good appearance over many years and we recommend washing down with warm water and detergent every two to three years and re-coating.

Quality standards

All external and internal doors are supplied in accordance with BS EN 942:2007 "Timber in Joinery General Classification of Timber Quality", BS 5278:1976/EN25:1975 "Doors measurement of Dimensions and of Defects of Squareness of Door Leaves" and BS EN 951:1999 "Door leaves. Method for measurement of height, width, thickness and squareness".

Any claims against warranty relating to manufacture will be assessed strictly in accordance with the criteria contained within.

Any claims against warranty relating to storage, handling or installation of any of our doors will be assessed against guidelines contained within BS8000 part 5:1990 and British Standard Code of Practice CP151. JB Kind Terms and Conditions of Trading apply.



Safety Glass

To comply with building regulations all our pre-glazed doors meet the requirements of the European standards.

Wood is a natural material and variations in colour should be expected. Colours depicted are representative only and are reproduced as accurately as the printing process will allow. We reserve the right to make alterations or modify specifications without notice. Errors and omissions excepted.

Bespoke Options

Whether you're self-building, renovating your home, purchasing for a development project or you're an interior design expert, you'll want to take a look at JB Kind's bespoke options. The versatility of our bespoke service is ideal for those special requirements.

Timber Veneers & Painted Finishes

Perhaps you love one of the designs from our Door Collection but would prefer it in a different timber veneer or painted finish, or perhaps you would like to create a style that is completely unique and different? Here are some examples of just a few timber veneers and painted finishes that are available - more can be viewed online at jbkind.com.



And don't forget - you can always mix different veneers together.



Let there be light

Whether you prefer a full glazed panel or smaller apertures, there are so many options for a glazed door. Clear, bevelled, diamond cut and etched are some of the most popular glazing types. Let us know what you would like to achieve and we'll advise on the options.



Fire doors


JB Kind can supply bespoke fire doors, in a wide range of solid and glazed options. Supported by the appropriate accreditations, you can be safe and stylish.

For lots more information on the bespoke options that are available, visit jbkind.com or talk to us, we are here to help.



INSPIRATIONAL DOORS.
Undeniable value.

www.jbkind.com



JB Kind Limited
Portal Place, Astron Business Park
Hearthcote Road, Swadlincote,
Derbyshire DE11 9DW
T: 01283 554197
F: 01283 554182
E: info@jbkind.com

Scan with your
smartphone



Contact your local stockist

