

Welcome

Our 2022 Door Collection includes all the designs you've come to know and trust, plus some exciting new door styles too!

Our incredibly popular Urban Industrial range has expanded (p16-25), thanks to its ubercontemporary style, robust construction and value for money. Whether you choose them in black or white, the new Civic and Plaza door designs are perfect for the modern home.

If you're looking for something a little different our striking new Quartz design (p95) really does have the wow factor - or keep things modern and simple with our new 4 Line Horizontal (p105).

Whatever your style and budget, from spacesaving pocket door systems to easy-to-maintain Laminate doors, we'll have the door solution to suit your needs.

This brochure has clickable links to help you find what you want quicker!


Architects, Specifiers and Designers

Our dynamic door designs offer undeniable value as well as compliance with a wide range of UK and European industry standards.

From fire protection and thermal insulation to renewable resources and disabled access, you can rely on JB Kind to provide the quality standards you need. We have recognised third party accreditation from schemes such as Certifire and FSC® chain of custody.

If you have any questions or need some expert advice, don't hesitate to call us on 01283 554197.

3

















What's new for 2022?



Industrial style inspired interiors are the latest go to trend in home design. Linking functional industrial elements with comfortable modern living to create the perfect home!

Our Urban Industrial range has seen unprecedented demand which is why we've added 8 new design options to this uber-contemporary door collection.

The new 6 panel Civic and 10 panel Plaza designs, like our existing industrial interior doors, benefit from robust quality construction and are available pre-finished in both black and white. See pages 18-21.





4 Line Horizontal



We've kept it simple with our new 4 Line Horizontal door.

Its contemporary style offers an excellent quality, entry level smooth moulded skin door. Primed and ready for painting with matching glazed and FD30 fire door options too. See page 105.

Chic and creative – the Quartz!

The Quartz's striking hexagonal design oozes complex creativity with a classy yet laid back labyrinthian design.

Choose from solid and glazed options that are ready primed, waiting for your choice of paint finish. See page 95.





Inspiration Hub

Our new online Inspiration Hub is the perfect place to help inspire your door choice and spark some creativity!

There are real life case studies, customer inspired project images, a large lifestyle gallery as well as the latest trends and tips.



View our Inspiration Hub at jbkind.com/inspiration

Coming soon...

Door Visualiser

Pop over to our brand new Door Visualiser, the first ever online visualisation tool just for internal doors that is exclusive to JB Kind!

Have fun trying out our most popular door designs in a choice of three contemporary room settings. Tweak the room style to suit your own personal taste by changing the wall colours and flooring. Save and share your favourite pictures to help inspire your door choice.

Helping you #chooseyourdoors



View our door visualiser at doorvisualiser.com



We've a rich heritage in timber products





Over 150 years and we're still going strong!

JB Kind's business has always diversified and moved with the times, including manufacturing goods for the military during both World Wars and more recently timber pallets.



In 1983, JB Kind introduced a new line of business, a door division! Offering a new and innovative approach to supplying affordable, quality door designs proved so successful, the business turned exclusively to doors in 2007 and we haven't looked back since!









Today, we offer more than just doors

At our purpose built head office and distribution centre in Derbyshire, we offer a number of different door related products and services.

Whether you require tailor made bespoke doors in a different design or size, pre-assembled internal doorsets or a professional spray paint finish service in any colour you like - we can help.

Space saving pocket door systems that are easy to install and an attractive selection of handle packs that include everything you need to fit a door, are also available.

In-house Joinery service

Our team of experienced joiners offer a range of services related to door installation. These include, glazing FD30 fire doors and rebating doors into pairs.







Certifications & Memberships

Our dedication to meeting the highest standards for our customers is illustrated by our continuous achievement of the UK quality standard to the ISO9001 accreditation. In addition, we are affiliated to the British Woodworking Federation (BWF) and Timber Research and Development Association (TRADA) which together set the industry standards for the supply of wood products into the UK.








Look for FSC® certified products

FSC® Certified chain of custody door supplier

We hold our own FSC® chain of custody certification for certain doors within our collection. Chain of custody certification ensures that the systems within our business allow us to track the door from the day we buy it, through to the day we deliver it. Wherever you see FSC® Certified within a product description that door has been produced from certified materials and other controlled sources.



Get Inspired...



At our showroom we welcome visitors from across the UK to view the largest range of JB Kind doors in the country.

From architects and specifiers, to developers, self builders and renovators, we offer exclusive access to the showroom, Monday to Friday on an appointment only basis.

Based in Swadlincote, South Derbyshire, JB Kind's showroom is conveniently

located just 10 minutes from either junction 11 or 13 on the M42.

You will be able to view more than 70 doors on display from our latest and most popular door ranges, as well as a double pocket door system, a working bi-fold door and rebated door pair.

We have many partners throughout the UK with our doors on display, so please consult us for the closest to you or visit our online Supplier Locator.





View our Virtual Showroom tour at jbkind.com/about/door-showroom

BOOK TODAY...

Please call 01283 554197 to make an appointment or complete our online appointment form





Social media

Follow us on social media for inspirational ideas, news and much more.











Instagram - be inspired by #realhomes that have fitted our doors and don't forget to share photos of your projects by tagging us in at #jbkinddoors.



Did you know that we have lots of helpful product and 'how to' video: on YouTube?



Brochures, trends, help and more

Visit jbkind.com to find lots more information to help you make your door choices. Including information on finishes, sizes and the latest interior trends.

Plus, there are product focus brochures, FAQs, How to advice and videos and our bespoke services are all available for you to browse through.



View our brochures at jbkind.com/brochure

Ready to buy?

We don't sell doors direct, instead all our doors can be ordered from Builders Merchants and Door Retailer partners across the UK, as well as via our approved Online Partners.

Just go to the **Where to Buy** section on **jbkind.com** and search our Supplier Locator to find your closest retailer, as well as links to our Online Partners.




Find your nearest retailer at jbkind.com/about/where-to-buy





How to choose your doors



Measuring up

To make sure you purchase the right door sizes, take the following measurements.

Door width: measure the top, middle and bottom of the door frame. The widest measurement determines the width of the door. Door height: measure inside the vertical side of the frame. The longest length determines the height required. Remember to make allowance for any floor covering and fitting tolerances (normally 2-3mm on long edges and top edge).

NB. You can plane door edges slightly to reduce the size. If required, please call us for details of the lipping size.



Door size conversion chart:

A little help if you need to work out the metric and imperial equivalent for door sizes.

Height & Width

Metric (mm)	Imperial (inches)	Imperial (feet & inches)
1981 x 457	78" x 18"	6'6" x 1'6"
1981 x 533	78" x 21"	6'6" x 1'9"
1981 x 610	78" x 24"	6'6" x 2'0"
1981 x 686	78" x 27"	6'6" x 2'3"
1981 x 711	78" x 28"	6'6" x 2'4"
1981 x 762	78" x 30"	6'6" x 2'6"
1981 x 838	78" x 33"	6'6" x 2'9"
1981 x 915	78" x 36"	6'6" x 3'0"
1981 x 1067	78" x 42"	6'6" x 3'6"
1981 x 1168	78" x 46"	6'6" x 3'10"
1981 x 1220	78" x 48"	6'6" x 4'0"
1981 x 1372	78" x 54"	6'6" x 4'6"
1981 x 1524	78" x 60"	6'6" x 5'0"
2032 x 813	80" x 32"	6'8" x 2'8"
2134 x 915	84" x 36"	7'0" x 3'0"
2040 x 526	80¼" x 20 ¹¹ /16"	6'8¼" x 1'8 ¹¹ /16"
2040 x 626	80¼ x 245⁄8"	6'8¼" x 2'05/8"
2040 x 726	80¼ x 285⁄8"	6'8¼" x 2'45⁄8"
2040 x 826	80¼ x 32½"	6'8¼" x 2'8½"
2040 x 926	80¼" x 36 ⁷ /16"	6'8¼" x 3'0 ⁷ ⁄16"

STEP 1

Choose your preferred door style

Browse through and select your favourite door designs, colours and finishes. Not forgetting, a matching glazed partner, should you wish to add some extra light.



STEP 4

Pick the right handle

A stylish handle really does finish off a door. Take a look at our Door Handle Packs. pages 114-116, supplied with everything you need

to fit a door.

STEP 2

Check the sizes available

If one of our standard door sizes does not fit your requirements, check if a special size can be ordered through our Bs Bespoke Options service, page 12.

STEP 5

Price up your doors

JB Kind's doors can be purchased through Builders Merchants and Door Retailer partners across the UK, any of which will be happy to provide a quote. Either call us on 01283 554197 for details of your local supplier or visit our online Supplier Locator at jbkind.com.

Alternatively you can Buy Online via one of our approved Online Partners and your doors will just be a click away.

STEP 3

Consider how the doors will be fitted

- Do you need any door pairs? If so, take a look at our Door Pair rebating service page 15.
- Would a Pocket Door System help create some extra space? Ideal for renovation and new build projects, see pages 110-113.
- Will you require any fire doors? Most of our door designs offer an FD30 fire door option.
- Ensuites, wardrobes and cupboards often require a space saving solution. Consider a matching bi-fold option, pocket door system or invest in some sliding door tracking.



Fire Doors

Fire doors are a serious business, and that's why we invest our time, energy and money to ensure that we have one of the most comprehensive, and certified, collections of fire doors in the UK.

As responsible suppliers of fire resistant doors, we ensure that all of our FD30 doors have been tested in accordance with either the British BS476 pt22 or European EN1634-1:2000 standards. All of our fire doors have a Fire Test Assessment report which is available upon request and outlines in detail exactly what you can and can't do when fitting any particular door. All fire doors are glazed with fire-rated glass.

FD30 fire door pairs: please note that not all FD30 fire doors offered within this brochure are certificated for use as pairs. Please contact us for more information.

For more information on fire doors, including details on Glazed Fire Doors & Part M (Mobility) visibility requirements, log on to jbkind.com or call 01283 554197.

Finding your fire doors

Look out for the or icons that are adjacent to product codes throughout the brochure.

For a more detailed breakdown of the fire door options by range. See our online 'At a Glance Guide' that shows the standard stock and bespoke options for both solid and glazed FD30 fire doors, at jbkind.com/info-centre/ fire-doors

Certificated Fire Doors

Fire doors certificated by Warringtonfire are identified by Certifire FD30 Fire door. JB Kind's membership of the BWF Fire Door Alliance Scheme supports the promotion of third party certification.









Bespoke Options

Whether you're self-building, renovating your home, purchasing for a development project or you're an interior design expert, you'll want to take a look at JB Kind's bespoke options. The versatility of our bespoke service is ideal for those special requirements.

Many of our door designs have bespoke options available. Look out for the Bs icon adjacent to product images.



Make your mark

Perhaps you love one of the designs from our Door Collection but would prefer it in a different timber veneer or painted finish, or maybe you would like to create a style that is completely unique and different?



Head to our website for more info jbkind.com/products/bespoke-door-options



Made to measure

There are a wide range of standard door sizes available, however, sometimes you just cannot avoid an awkwardly sized door opening. Many of the doors from our collection can be produced to order as a special size.



Bespoke glazing

Whether you prefer a full glazed panel or smaller apertures, there are so many options for a glazed door. Clear, bevelled, diamond cut and etched are some of the most popular glazing types. Let us know what you would like to achieve and we'll advise on the options.



Fire doors

JB Kind can supply bespoke fire doors, in a wide range of solid and glazed options. Supported by the appropriate accreditations, you can be safe and stylish.



Colour Options Paint Service

All the colours of the spectrum

Bring colour to your home and make a style statement by painting your doors any colour you like!

Painting doors can be fiddly and time consuming, so let us take the hassle away and arrange for your doors to be professionally spray painted prior to delivery. All you have to do is tell us your preferred RAL Classic colour and we will do the rest.

Our White Classic and White Moulded door ranges are suitable for this service – look out for the icon as you browse through the brochure.

Quattro in RAL 7016 Anthracite Grey

Ripple Glazed in RAL 7030 Stone Grey

Osborne in RAL 1019 Grey Beige

BENEFITS

Save time

No need to prepare (de-nib/sand) doors prior to painting and paint several coats on each side, allowing for drying time too!

Cost saving

Eliminate the cost of purchasing paint and equipment, plus labour if you employ someone to do the job for you.

Perfect finish

Spray painting gives a smooth factory finish without brush marks or uneven coverage.

Colour choice


You really can have any colour on the RAL Classic spectrum. Even if you would like to paint your doors a shade of white, we will ensure they have the perfect finish.

Most popular RAL colours

The RAL Classic colour chart offers many different shades, so you should be able to find your perfect hue. As a guide, here are some of our customers favourites and you'll see that shades with a grey undertone are currently very popular.




Note: Our painting service typically takes 3-4 weeks including delivery. Touch up kits are available to order. Colours shown are representative only. Please be aware that the appearance of RAL colours can vary depending on the absorbency level of the door face. Subject to terms and conditions.



Rebated Door Pairs


If you would like to fit a first-class door pair, we would recommend considering Rebated Meeting Stiles. Rebating means removing a section along the vertical edge of each door where they meet to allow them to fit snugly together, eliminating the small gap that you would see with square meeting stiles (two doors fitted side by side).

A number of door designs held within our stock ranges are suitable for rebating with a short lead time (see table below). This service is offered through our in-house joinery workshop. If your preferred door type is not listed, please check if our Bespoke Options service is available, as they could be made to order.



Doors that can be rebated into a pair from stock

Range	Door Designs
Urban Industrial	All door designs
Oak Contemporary	Tigris Oak & Medina (sizes: 686 & 762mm)
Oak Classic	Dove Pairs (ready rebated)
Oak Shaker	All door designs (except fire doors & bi-folds)
Oak Cottage	Thames + glazed partners (except fire doors & bi-fold)
Walnut	Axis
White Classic	All door designs (except fire doors)
White Contemporary	All door designs (except Ripple)
	Contact us for fire door options
White Shaker	All door designs (except fire doors & bi-folds)
White Moulded	Classique 6 Light Pairs (ready rebated)





NEW Civic Black

Finish:

Black or white painted finish

Style:

6 industrial style panels

Glazing:

Clear flat safety glass

All glazed doors are constructed with individual panes for added stability

No risk of drilling into glass on glazed doors

Construction:

Solid framing and lock blocks

Robust 9mm MDF panels for solid doors

Other:

10mm trimming allowance on bottom rail Suitable for regular door ironmongery

Rebated door pairs can be ordered from stock with a short lead time

NEW Civic Black





PRE-	FINIS	HED	
Size	(mm)		Code
1981	610	35	UCIV20BL
1981	686	35	UCIV23BL
1981	762	35	UCIV26BL
1981	838	35	UCIV29BL

| PRE-FINISHED | Size (mm) | Code | 1981 | 610 | 35 | UCIV20GBL | 1981 | 686 | 35 | UCIV23GBL | 1981 | 762 | 35 | UCIV26GBL | 1981 | 838 | 35 | UCIV29GBL |

Add the finishing touch... see page 115



NEW Civic White



PRE-	PRE-FINISHED				
Size	(mm)		Code		
1981	610	35	UCIV20WH		
1981	686	35	UCIV23WH		
1981	762	35	UCIV26WH		
1981	838	35	UCIV29WH		

NEW Civic White Clear Glass



PRE-FINISHED				
Size	(mm)		Code	
1981	610	35	UCIV20GWH	
1981	686	35	UCIV23GWH	
1981	762	35	UCIV26GWH	
1981	838	35	UCIV29GWH	



Black or white painted finish

Style:

10 industrial style panels

Glazing:

Clear flat safety glass

All glazed doors are constructed with individual panes for added stability

No risk of drilling into glass on glazed doors

Construction:

Solid framing and lock blocks

Robust 9mm MDF panels for solid doors

Other:

10mm trimming allowance on bottom rail Suitable for regular door ironmongery Rebated door pairs can be ordered from stock with a short lead time



NEW Plaza Black



PRE-FINISHED				
Size	(mm)		Code	
1981	610	35	UPLA20BL	
1981	686	35	UPLA23BL	
1981	762	35	UPLA26BL	
1981	838	35	UPLA29BL	

NEW Plaza Black Clear Glass



RE-FINISHED				
Size	(mm)		Code	
981	610	35	UPLA20GBL	
981	686	35	UPLA23GBL	
981	762	35	UPLA26GBL	
981	838	35	UPLA29GBL	

NEW Plaza White

see page 115 🤇



PRE-FINISHED					
Size	(mm)		Code		
1981	610	35	UPLA20WH		
1981	686	35	UPLA23WH		
1981	762	35	UPLA26WH		
1981	838	35	UPLA29WH		

NEW Plaza White Clear Glass



PRE-FINISHED					
Size	(mm)		Code		
1981	610	35	UPLA20GWH		
1981	686	35	UPLA23GWH		
1981	762	35	UPLA26GWH		
1981	838	35	UPLA29GWH		





City Black

Tinted Glass

Finish:

Black or white painted finish

Style:

Art deco style panels

Glazing:

Clear flat safety glass

City Black is also available with tinted glass All glazed doors are constructed with individual panes for added stability

No risk of drilling into glass on glazed doors

Construction:

Solid framing and lock blocks Robust 9mm MDF panels for solid doors

Other:

10mm trimming allowance on bottom rail Suitable for regular door ironmongery Rebated door pairs can be ordered from stock with a short lead time

City Black



35 UCIT20BL

1981 762 35 UCIT26BL

1981 838 35 UCIT29BL

1		
ш		
П		
ı		
ı		
PRE-FIN	ISHED	

City Black

Clear Glass

		Ш	
		37	
		П	I
		1	
		н	
		DDE	
е		PRE Size	
20G	BL	1981	

ш		١
ш		ı
		ı
		ı
		ı
		ı
		Ê
PRE-FIN Size (mr	Code	

1981 610 35 UCIT UCIT23GBL 1981 686 35 1981 762 35 UCIT26GBL 1981 838 35 UCIT29GBL

762 35 UCIT26GGBL

1981 610 1981 686 35 UCIT23BL

Add the finishing touch... see page 115

City White Clear Glass



City White



PRE-FINISHED					
Size ((mm)		Code		
1981	610	35	UCIT20WH		
1981	686	35	UCIT23WH		
1981	762	35	UCIT26WH		
1981	838	35	UCIT29WH		

City White Clear Glass



PRE-FINISHED				
Size	(mm)		Code	
1981	610	35	UCIT20GWH	
1981	686	35	UCIT23GWH	
1981	762	35	UCIT26GWH	
1981	838	35	UCIT29GWH	



Black or white painted finish

Style:

Ladder style panels

Glazing:

Clear flat safety glass

All glazed doors are constructed with individual panes for added stability

No risk of drilling into glass on glazed doors **Construction**:

Solid framing and lock blocks

Robust 9mm MDF panels for solid doors

Other:

10mm trimming allowance on bottom rail Suitable for regular door ironmongery Rebated door pairs can be ordered from stock with a short lead time





Metro Black



PRE-FINISHED					
Size	(mm)		Code		
1981	610	35	UMET20BL		
1981	686	35	UMET23BL		
1981	762	35	UMET26BL		
1981	838	35	UMET29BL		

Metro Black Clear Glass



RE-FINISHED					
ize	(mm)		Code		
981	610	35	UMET20GBL		
981	686	35	UMET23GBL		
981	762	35	UMET26GBL		
281	838	35	UMFT29GBI		

Metro White



PRE-FINISHED					
Size (mm)			Code		
1981	610	35	UMET20WH		
1981	686	35	UMET23WH		
1981	762	35	UMET26WH		
1981	838	35	UMET29WH		

Metro White Clear Glass



	1 114131	ILD	
Size	(mm)		Code
1981	610	35	UMET20GWH
1981	686	35	UMET23GWH
1981	762	35	UMET26GWH
1981	838	35	UMET29GWH









Pre-finished oak veneer with real wood grooves

5 ladder style panels

Glazing:

Emral/Bela: Clear flat safety glass with raised beading

Medina: Clear diamond cut safety glass with raised beading

Other:

Certifire FD30 Fire doors

Add the finishing touch... see page 116



Tigris Oak



Tigris and Emral are available in Walnut and White, see pages 61 & 89.



Laminate versions are available in Cinza, Lava and Ivory, see pages 67 & 65.










PRE-FINISHED					
Size (mm)		Code		
1981	533	35	OISI19		
1981	610	35	OISI20		
1981	686	35	OISI23		
1981	762	35	OISI26		
1981	838	35	OISI29		
2040	626	40	OISI626		
2040	726	40	OISI726		
2040	826	40	OISI826		
1981	533	44	OISI19FD30		
1981	610	44	OISI20FD30		
1981	686	44	OISI23FD30		
1981	762	44	OISI26FD30		
1981	838	44	OISI29FD30		
2040	726	44	OISI726FD30 🍑		
2040	826	44	OISI826FD30 🍑		
2040	926	44	OISI926FD30 🎍		
Rebated door pairs available					
from s	from stock for 35mm				
610/6	610/686/762/838mm sizes.				



Emral Oak



PRE-FINISHED					
Size	(mm)		Code		
1981	686	35	OEMR23		
1981	762	35	OEMR26		
1981	838				
1981	686	44	OEMR23FD30		
1981	762	44	OEMR26FD30		
1981	838	44	OEMR29FD30		

Medina



Bs						
PRE-FINISHED						
Size	(mm)		Coc			
981	686	35	OMI			

to order.

IED23G 1981 762 35 OMED26G 1981 838 35 OMED29G 2040 626 40 OMED626G 2040 726 40 OMED726G 2040 826 40 OMED826G Rebated door pairs available from stock for 35mm 686/762/838mm sizes. Glazed fire doors are available

Bela





		~		
PRE-FINISHED				
Size ((mm)		Code	
1981	610	35	OBEL20	
1981	686	35	OBEL23	
1981	762	35	OBEL26	
1981	838	35	OBEL29	

Bespoke options

Solid core construction





Pre-finished oak veneer with MDF grooves

Style:

3 ladder style panels

Glazing:

Clear flat safety glass with flush beading

Other:

FD30 Fire doors (solid core construction)

Add the finishing touch... see page 116



Mistral Oak



Mistral Oak and Mistral Oak Glazed are also available in Walnut and White, see pages 59 & 87.





PRE-FINISHED				
mm)		Code		
533	35	OMIS19		
610	35	OMIS20		
686	35	OMIS23		
762	35	OMIS26		
838	35	OMIS29		
526	40	OMIS526		
626	40	OMIS626		
726	40	OMIS726		
826	40	OMIS826		
610	44	OMIS20FD30		
686	44	OMIS23FD30 🎍		
762	44	OMIS26FD30 🎍		
838	44	OMIS29FD30		
726	44	OMIS726FD30 🎍		
826	44	OMIS826FD30		
926	44	OMIS926FD30		
	533 610 686 762 838 526 626 726 826 610 686 762 838 726 826	533 35 610 35 686 35 762 35 838 35 526 40 626 40 726 40 826 40 610 44 686 44 762 44 838 44 726 44		



Mistral Oak Glazed



Mistral Oak Bi-fold



Bi-folds are easy to install into existing flush linings (without door stop). Supplied ready hinged with pivots, brackets and a sliding track. Please note that the actual bi-fold supplied is slightly smaller than the door size listed, to accommodate tracking.







PRE-FINISHED				
Size (mm)		Code	
1981	686	35	OMIS23G	
1981	762	35	OMIS26G	
1981	838	35	OMIS29G	
2040	626	40	OMIS626G	
2040	726	40	OMIS726G	


2040 726 40 OMIS726G 2040 826 40 OMIS826G Glazed fire doors with raised beading available to order.



PRE-FINISHED

Size (mm) 1981 762 35 OMISBF26 Mistral Oak Bi-fold is also available in White, see page 87.





Semi-solid core construction



Unfinished oak veneer with real oak grooves

Style:

7 ladder style panels

Glazing:

Clear safety glass with raised beading

Other:

FD30 Fire doors

Add the finishing touch... see page 116




Bs Bespoke options

Solid core construction

Palomino













UNFI	UNFINISHED*			
Size	(mm)		Code	
1981	610	35	OPAL20	
1981	686	35	OPAL23	
1981	762	35	OPAL26	
1981	838	35	OPAL29	
1981	610	44	OPAL20FD30 🍑	
1981	686	44	OPAL23FD30	
1981	762	44	OPAL26FD30 🍑	
1981	838	44	OPAL29FD30 🍑	



Size (mm)			Code	
1981	686	35	OPAL23G	
1981	762	35	OPAL26G	
1981	838	35	OPAL29G	
Glazed fire doors available				
to order wth clear flat glass.				





WALNUT

Finish:

Pre-finished oak veneer

Style:

Sirocco: Grooved into MDF with alternate horizontal and vertical veneers

Ostria: Horizontal veneers with vertical stiles

Glazing:

Clear flat safety glass with flush beading

Other:

- Certifire FD30 Fire doors
- FD30 Fire doors

All fire doors are solid core construction

Add the finishing touch... see page 116



Sirocco





SIZE	(111111)		Code
1981	610	35	OSIR20
1981	686	35	OSIR23
1981	762	35	OSIR26
1981	838	35	OSIR29
1981	686	44	OSIR23FD30
1981	762	44	OSIR26FD30
1981	838	44	OSIR29FD30

Sirocco Glazed






PRE-FINISHED 1981 686 35 OSIR23G 762 35 OSIR26G 1981 838 35 OSIR29G Glazed fire doors with raised beading available to order.

Ostria







Ostria Glazed





Bs	
RE-FI	NISHED
izo (n	am)

TILL THUSHED				
Size	(mm)		Code	
1981	686	35	OOST23G	
1981	762	35	OOST26G	
1981	838	35	OOST29G	
Glazed fire doors with				
raised beading available				
to order.				

Bs Bespoke options Semi-solid core construction



Pre-finished oak veneer

Style:

Chartwell/Blenheim: Dark wood inlay Clementine/Spencer: Walnut inlay

Glazing:

Clear flat safety glass with raised beading Blenheim FD30: is clear flat fire glass

Other:

Certifire FD30 Fire doors

FD30 Fire doors

All fire doors are solid core construction

Add the finishing touch... see page 116

Chartwell






Dark wood inlay





Clementine





Clementine





Size	(mm)		Code
1981	533	35	CCLE19
1981	610	35	CCLE20
1981	686	35	CCLE23
1981	762	35	CCLE26
1981	838	35	CCLE29
1981	686	44	CCLE23FD30
1981	762	44	CCLE26FD30
1981	838	44	CCLE29FD30

Spencer





PRE-FINISHED				
Size	Code			
1981	686	35	CSPE23	
1981	762	35	CSPE26	
1981	838	35	CSPE29	
Glazed fire doors available				
to or	der.			





Bs

PRE-FINISHED

1981 533 35

1981 762 35

Size (mm)

1981 610 35 CCHA20

1981 686 35 CCHA23

1981 838 35 CCHA29

1981 762 44

Semi-solid core construction

Code

CCHA19

CCHA26

CCHA26FD30

1981 686 44 CCHA23FD30 0

1981 838 44 CCHA29FD30 0



Unfinished and pre-finished oak veneer

Style:

Raised shaped panels

Glazing:

Clear bevelled safety glass

Other:

♦ FD30 Fire doors

Pairs: rebated meeting stiles, left hand open away



UNFINISHED				
Size (mm)		Code	
1981	457	35	OTRE16	
1981	533	35	OTRE19	
1981	610	35	OTRE20v	
1981	686	35	OTRE23v	
1981	762	35	OTRE26v	
1981	838	35	OTRE29v	
2032	813	35	OTRE28	
1981	686	44	OTRE23FD30v	
1981	762	44	OTRE26FD30v	
1981	838	44	OTRE29FD30v	

Trent



Dove



JNFINISHED*						
Size	(mm)		Code			
1981	610	35	ODOV20			
1981	686	35	ODOV23			
001	700	7.5	0001/201			

1981 838 35 ODOV29

Dove Pairs





UNFINISHED*				
Size	(mm)		Code	
1981	1219	35	ODOV40	
1981	1372	35	ODOV46	
1981	1524	35	ODOV50	





Unfinished oak veneer

Style:

Flat recessed panels

Glazing:

Severn: Clear flat safety glass

Churnet: Diamond leaded safety glass

Other:

♦ FD30 fire doors

- v Pre-finished size available from stock
- Pre-finished available to order
- Solid core construction



UNFINISHED*

Size (mm)		Code
1981	610	35	ODER20
1981	686	35	ODER23
1981	762	35	ODER26
1981	838	35	ODER29
2032	813	35	ODER28
1981	686	44	ODER23FD30 🍑
1981	762	44	ODER26FD30 🍑
1981	838	44	ODER29FD30 🍑

Derwent



Severn





UNFINISHED*				
Size	(mm)		Code	
1981	686	35	OSEV23G	
1981	762	35	OSEV26G	
1981	838	35	OSEV29G	

Churnet





UNFINISHED*					
Size	(mm)		Code		
1981	686	35	OCHUDL23		
1981	762	35	OCHUDL26		
10.01	272	35	OCHLIDI 30		



Pre-finished oak veneer

Style:

Raised shaped panels

Glazing:

Clear flat safety glass

Other:

FD30 Fire doors

Add the finishing touch... see page 116

Sherwood






1981 838 44 VSO4P29FD30 🌢

Grizedale





Dean



PRE-	PRE-FINISHED					
Size	(mm)		Code			
1981	686	35	VSO6L2P23G			
1981	762	35	VSO6L2P26G			
1981	838	35	VSO6L2P29G			

Charnwood



Arden





	_			
PRE-FINISHED				
Size	(mm)		Code	
1981	762	35	VSO6L1P26G	
1981	838	35	VSO6L1P29G	

Gisburn





PRE-FINISHED						
Size	(mm)		Code			
981	686	35	VSO10L23G			
981	762	35	VSO10L26G			
981	838	35	VSO10L29G			



PRE-	FINIS	HED	
Size	(mm)		Code
1981	533	35	VSO2P19
1981	610	35	VSO2P20
1981	686	35	VSO2P23
1981	762	35	VSO2P26
1981	838	35	VSO2P29
1981	686	44	VSO2P23FD30 🎍
1981	762	44	VSO2P26FD30 🍑
1981	838	44	VSO2P29FD30 🎍

Solid core construction





Unfinished oak veneer

Style:

Eden/Darwen: Flat panel with decorative muntins

Mersey: Raised shaped panels

Glazing:

Clear flat safety glass

Other:

♦ FD30 Fire doors

Add the finishing touch... see page 116



Eden









ļ		
INISHED	*	U
(mm)	Code	S

1981	610	35	OEDE20
1981	686	35	OEDE23
1981	762	35	OEDE26
1981	838	35	OEDE29
2040	626	40	OEDE626
2040	726	40	OEDE726
2040	826	40	OEDE826

UNF

1981 686 44 OEDE23FD30 **1**981 762 44 OEDE26FD30 **1** 1981 838 44 OEDE29FD30 0 2040 726 44 OEDE726FD30 2040 826 44 OEDE826FD30 6

JNFINISHED*

3126 (111111/		Code
1981	686	35	ODAR23G
1981	762	35	ODAR26G
1981	838	35	ODAR29G
2040	726	40	ODAR726G
2040	826	40	ODAR826G

Mersey



Mersey (shown fiinished)



UNFINISHED*			
de		m)	Size (
ER20	5	10	1981
ER23	5	86	1981
ER26	5	62	1981
ER29	5	38	1981
ER26FD30 🍑	4	62	1981
ER29FD30 🍑	4	38	1981
ER20 ER23 ER26 ER29 ER26FD30 🎍	5 5 5 4	10 86 62 38 62	1981 1981 1981 1981 1981

Humber





UNFINISHED*

Size ((mm)		Code	
981	762	35	OHUM26	
981	838	35	OHUM29	

Pre-finished available to order

Solid core construction



Pre-finished oak veneer

Style:

Wide shaker panel design

Glazing:

Clear flat safety glass

Other:

♦ FD30 Fire doors

Rebated door pairs can be ordered from stock (not fire doors) with a short lead time.

Axis Oak



Axis Oak Glazed



Axis Oak is also available in Walnut and White, see pages 60 & 93.






PRE-FINISHED			
Size	(mm)		Code
1981	610	35	VOAXI20
1981	686	35	VOAXI23
1981	762	35	VOAXI26
1981	838	35	VOAXI29
1981	686	44	VOAXI23FD30
1981	762	44	VOAXI26FD30

1981 838 44 VOAXI29FD3O



PRE-FINISHED				
Size ((mm)		Code	
1981	686	35	VOAXI23G	
1981	762	35	VOAXI26G	
1981	838	35	VOAXI29G	

see page 116









Unfinished oak veneer

Style:

Recessed flat panels

Glazing:

Clear flat safety glass

Other:

FD30 Fire doors

Rebated door pairs can be ordered from stock (not fire doors) with a short lead time.

Add the finishing touch... see page 116





Rushmore Oak





UNFINISHED*

Size	(mm)		Code
1981	610	35	ORUS20
1981	686	35	ORUS23
1981	762	35	ORUS26
1981	838	35	ORUS29
1981	686	44	ORUS23FD30 🍑
1981	762	44	ORUS26FD30 🍑
1981	838	44	ORUS29FD30

Rushmore Oak is also available in White, see page 100.

Snowdon





INFINICIER

UNFINISHED*			
Size (mm	1)	Code	
1981 610	35	OSNO20	
1981 68	6 35	OSNO23	
1981 76	2 35	OSNO26	
1981 83	8 35	OSNO29	
2040 62	6 40	OSNO626	
2040 72	6 40	OSNO726	
2040 82	6 40	OSNO826	
1981 68	6 44	OSNO23FD30 🍑	
1981 76	2 44	OSNO26FD30 🍑	
1981 83	8 44	OSNO29FD30 🎍	
2040 72	6 44	OSNO726FD30 🍑	
2040 82	6 44	OSNO826FD30 🍑	

Snowdon Bi-fold

Rushmore Oak (shown finished)





UNFINISHED*

ONTHVISHED
Size (mm) Code
1981 762 35 OSNOBF26
Bi-folds are easy to install into
existing flush linings (without
door stop). Supplied ready
hinged with pivots, brackets
and a sliding track. Please note
that the door opening size is
listed and that the actual bi-fold
supplied is slightly smaller to
accommodate tracking.

Nevis





UNFINISHED*				
Size ((mm)		Code	
1981	686	35	ONEV23	
1981	762	35	ONEV26	
1981	838	35	ONEV29	
2040	726	40	ONEV726	
2040	826	40	ONEV826	

Pre-finished available to order

Solid core construction

T: 01283 554197 47

WHITE





Finish:

Unfinished oak veneer

Style:

Recessed flat panels

Glazing:

Clear flat safety glass

Fuji FD30: clear flat safety glass with raised beading

Other:

FD30 Fire doors

Rebated door pairs can be ordered from stock (not fire doors) with a short lead time.

Bi-folds are easy to install into existing flush linings (without door stop). Supplied ready hinged with pivots, brackets and a sliding track. Please note that the actual bi-fold supplied is slightly smaller than the door size listed, to accommodate tracking.



Make a statement with a pocket door system

see page 110

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Add the finishing touch...

see page 116

Pre-finished available to order

Solid core construction

Etna





UNFI	NISHE	ED*	
Size	(mm)		Code
1981	610	35	OETN20

1981 686 35 OETN23 1981 762 35 OETN26 1981 838 35 OETN29

1981 686 44 OETN23FD30 • 1981 762 44 OETN26FD30 • 1981 838 44 OETN29FD30 • 1981 838 44 OETN29FD30

Etna Bi-fold






UNFINISHED*

Size	(mm)		Code	
1981	762	35	OETNBF26	

48 www.jbkind.com





T: 01283 554197

1981 762 44 OEIG26FD30 **№** 1981 838 44 OEIG29FD30 **№**



Unfinished & pre-finished oak veneer

Style

Grooved panels are full door thickness

Glazing:

1 Light: Clear flat safety glass with etched lines

1 Light FD30: clear fire glass with etched lines and raised beading

Other:

18mm long edge lippings

FD30 Fire doors

Rebated door pairs can be ordered from stock (not fire doors) with a short lead time.

Thames





The grooved centre panel is full door thickness





Thames 1 Light (shown finished)





UNFI	NISHE	D		PRE-I	INISH	HED	
Size (mm)		Code	Size (mm)		Code
1981	457	35	OTHA16	1981	457	35	VOTHA16
1981	533	35	OTHA19	1981	533	35	VOTHA19
1981	610	35	OTHA20	1981	610	35	VOTHA20
1981	686	35	OTHA23	1981	686	35	VOTHA23
1981	711	35	OTHA24	1981	711	35	VOTHA24
1981	762	35	OTHA26	1981	762	35	VOTHA26
1981	838	35	OTHA29	1981	838	35	VOTHA29
2040	626	40	OTHA626	2040	626	40	VOTHA626
2040	726	40	OTHA726	2040	726	40	VOTHA726
2040	826	40	OTHA826	2040	826	40	VOTHA826
2040	926	40	OTHA926	2040	926	40	VOTHA926
1981	610	44	OTHA20FD30	1981	610	44	VOTHA20FD30
1981	686	44	OTHA23FD30	1981	686	44	VOTHA23FD30
1981	762	44	OTHA26FD30	1981	762	44	VOTHA26FD30
1981	838	44	OTHA29FD30	1981	838	44	VOTHA29FD30
2040	726	44	OTHA726FD30	2040	726	44	VOTHA726FD30
2040	826	44	OTHA826FD30	2040	826	44	VOTHA826FD30
2040	926	44	OTHA926FD30 🎍	2040	926	44	VOTHA926FD30

Thames 1 Light




UNFIN	UNFINISHED							
Size (mm)		Code					
1981	686	35	OTHA1L23					
1981	762	35	OTHA1L26					
1981	838	35	OTHA1L29					
2040	626	40	OTHA1L626					
2040	726	40	OTHA1L726					
2040	826	40	OTHA1L826					
PRE-F	INIS	HED						
1981	686	35	VOTHA1L23					
1981	762	35	VOTHA1L26					
1981	838	35	V0THA1L29					
2040	626	40	VOTHA1L626					

2040 726 40 VOTHA1L726

2040 826 40 VOTHA1L826

Thames 1 Light FD30





Bs Bespoke options

* Pre-finished available to order

Solid core construction

WHITE





Finish:

Unfinished & pre-finished oak veneer

Style:

Grooved panels are full door thickness

Glazing:

6 Light: Clear flat safety glass 1/2 light: Clear flat safety glass with etched lines

Other:

18mm long edge lippings Rebated door pairs can be ordered from stock (not fire doors) with a short lead time.



UNFINISHED

Size (mm)		Code
1981	686	35	OTHA6L23
1981	762	35	OTHA6L26
1981	838	35	OTHA6L29
2040	626	40	OTHA6L626
2040	726	40	OTHA6L726
2040	826	40	OTHA6L826
PRE-F	INIS	HED	
1981	686	35	VOTHA6L23
1981	762	35	VOTHA6L26
1981	838	35	VOTHA6L29

Thames 6 Light



Thames 1/2 Light



UNFI	NISHE	D	
Size	(mm)		Code
1981	686	35	OTHAVL23
1981	762	35	0THAVL26
1981	838	35	0THAVL29
PRE-	FINIS	HED	
1981	686	35	VOTHAVL23
1001	762	35	VOTHAVL26

1981 838 35 VOTHAVL29

Thames Bi-fold





J	NF	=1	NI	Sŀ	łΕ	D*

Size (mm) Code
1981 762 35 OTHABF26
Easy to install into existing flush linings
(without door stop). Supplied ready hinged
with pivots, brackets and a sliding track.
Please note that the door opening size is
listed and that the actual bi-fold supplied
is slightly smaller to accommodate tracking.



Prefinished oak veneer

Style:

Full length vertical grooves

Clear flat safety glass with raised beading

Other:

Certifire FD30 Fire doors

Add the finishing touch... see page 116

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Bs Bespoke options

Pre-finished available to order

Solid core construction



Bs	
RE-F	INISHED
size (r	nm)

Size	(mm)		Code
1981	610	35	VOCHE20
1981	686	35	VOCHE23
1981	762	35	VOCHE26
1981	838	35	VOCHE29
1981	686	44	VOCHE23FD30
1981	762	44	VOCHE26FD30
1981	838	44	VOCHE29FD30 €

Cherwell



Cherwell Glazed







PRE-FINISHED Size (mm)

1981 686 35 VOCHE23G 762 VOCHE26G 1981 838 35 VOCHE29G Glazed fire doors available to order.



WALNUT

Finish:

Panelled doors: Pre-finished oak veneer Ledged: Unfinished oak

Style:

Natural knotty appearance 4 Panel/DX: recessed flat panels

Ledged: individual planks fixed with ledges

Glazing:

4 Panel: Clear flat safety glass DX: Opaque flat safety glass

Add the finishing touch... see page 115



Rustic Oak 4 Panel



Rustic Oak 4 Panel Glazed



PRE-FINISHED 1981 762 35 RO4P2TL26

Rustic Oak DX

Solid core construction



PRE-	FINISI	HED	
Size	(mm)		Code
1981	610	35	RODX20
1981	686	35	RODX23
1981	762	35	RODX26
1981	838	35	RODX29

Rustic Oak DX Glazed





PRE-FINISHED					
Size (mm)		Code		
1981	762	35	RODXTL26		

Rustic Oak Ledged

1981 686 35 RO4P23

1981 838 35 RO4P29

RO4P20

PRE-FINISHED

1981 610 35

1981 762 35 RO4P26



Back view



Back view with braces



If you wish to create a Ledged and Braced style, the Braces are available separately.


Note: 40mm thickness = 20mm plank + 20mm ledge



UNF	INISHED
Cizo	(mm)

1981	686	40	ROLED23	
1981	762	40	ROLED26	
1981	838	40	ROLED29	







Pre-finished Walnut veneer

Tigris/Emral: 5 ladder style panels, grooved into real wood

Mistral: 3 ladder style panels, grooved into MDF Glazing:

Emral: Clear flat safety glass with raised beading Mistral: Clear flat safety glass with flush beading

Certifire FD30 Fire doors

FD30 Fire doors

All fire doors are solid core construction

Add the finishing touch... see page 116



Tigris Walnut







Tigris and Emral are available in Oak and White, see pages 29 & 85.



Laminate versions are available in Cinza, Lava and Ivory, see pages 67 & 65.







Bs PRE-FINISHED

Size (mm)

to order.

1981 686 35 1981 762 35 WEMR26 1981 838 35 WEMR29 Glazed fire doors available

WEMR23 WEMR26

PRE-	PRE-FINISHED						
Size	(mm)		Code				
1981	610	35	WTIG20				
1981	686	35	WTIG23				
1981	762	35	WTIG26				
1981	838		WTIG29				
1981	686	44	WTIG23FD30				
1981	762	44	WTIG26FD30				
1981	838	44	WTIG29FD30				



Solid core construction

Semi-solid core construction

Mistral Walnut



Bs	
PRE-FI	NISHED

Size (mm)		Code
1981	610	35	WMIS20
1981	686	35	WMIS23
1981	762	35	WMIS26
1981	838	35	WMIS29
2040	526	40	WMIS526
2040	626	40	WMIS626
2040	726	40	WMIS726
2040	826	40	WMIS826
1981	686	44	WMIS23FD30 🎍
1981	762	44	WMIS26FD30 🎍
1981	838	44	WMIS29FD30 🎍
2040	726	44	WMIS726FD30 🍑
2040	826	44	WMIS826FD30 🍑
2040	926	44	WMIS926FD30

Mistral Walnut Glazed





		9						
RE-F	RE-FINISHED							
Size (mm)		Code					
981	686	35	WMIS23G					
981	762	35	WMIS26G					
981	838	35	WMIS29G					
2040	626	40	WMIS626G					
2040	726	40	WMIS726G					
2040	826	40	WMIS826G					
Glazed fire doors with raised								
			ble to order.					

Mistral Walnut is available in Oak and White, see pages 31 & 87







Pre-finished Walnut veneer

Style:

Wide shaker panel design

Glazing:

Clear flat safety glass

Other:

FD30 Fire doors

Rebated door pairs can be ordered from stock (not fire doors) with a short lead time.

Add the finishing touch... see page 116

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

- Matching door pairs cannot be guaranteed
- Bespoke options
- Solid core construction
- Semi-solid core construction



Axis Walnut



Axis Walnut Glazed





-	_	_	-			
		-		k I I	CII	_
	۲ĸ	E-	ы	INI	SH	υ

LIVE	1 114131	ILD	
Size	(mm)		Code
1981	686	35	VWAXI23G
1981	762	35	VWAXI26G
1981	838	35	VWAXI29G



VWAXI20

VWAXI26

VWAXI23FD30

VWAXI26FD30



PRE-FINISHED Size (mm) 1981 610 35

1981 686 44

762 44

838 44

1981 686 35 VWAXI23

1981 762 35

1981 838 35 VWAXI29

1981





Finish: Pre-finished Walnut veneer

Style:

Fernor/Franquette: Flush horizontal grained veneer

Lara/Parisienne: 5 horizontal grained panels grooved into real wood

Glazing:

Clear flat safety glass with raised beading

Other:

Certifire FD30 Fire doors

All fire doors are solid core construction

Fernor





Size	(mm)		Code
1981	610	35	WFER20
1981	686	35	WFER23
1981	762	35	WFER26
1981	838	35	WFER29
1981	610	44	WFER20FD30
1981	686	44	WFER23FD30
1981	762		WFER26FD30
1981	838	44	WFER29FD30

Franquette





Lara





PRE-	PRE-FINISHED					
Size	(mm)		Code			
1981	610	35	WLAR20			
1981	686	35	WLAR23			
1981	762	35	WLAR26			
1981	838	35				
1981	610	44	WLAR20FD30			
1981	686	44	WLAR23FD30			
1981	762	44	WLAR26FD30			
1981	838	44	WLAR29FD30			

Parisienne





PRE-FINISHED							
Size (mm) Code							
1981	686	35	WPAR23				
1981	762	35	WPAR26				
1981	838	35	WPAR29				
Glazed fire doors available							

to order.



Contemporary elegance – Laminate doors offer a consistent, durable finish in a selection of on-trend coloured wood effect finishes – perfect for all interiors.



URBAN INDUSTRIAL

LAMINATES

PAINTED FINISH WHITE

DOOR HANDLE PACKS

EXTERNAL EXTREME

Pre-finished laminate with grey and ivory coloured wood effect

5 ladder style panels with grey (Lava) and light (Ivory) coloured grooves

Clear flat safety glass with raised beading

Other:

FD30 Fire doors

All fire doors are solid core construction

If trimming is required the door edges will need retouching. See website for colour match information.

Add the finishing touch... see page 116



Tigris Lava



Tigris Lava Glazed



Tigris is also available in Cinza, Oak, Walnut and White, see pages 67, 29, 59 & 85.





939	

PRE-FINISHED						
Size	(mm)		Code			
1981	610	35	LAVTIG20			
1981	686	35	LAVTIG23			
1981	762	35	LAVTIG26			
1981	838	35	LAVTIG29			
1981	610	44	LAVTIG20FD30 🍑			
1981	686	44	LAVTIG23FD30			
1981	762	44	LAVTIG26FD30			
1981	838	44	LAVTIG29FD30 🍑			

PRE	-FII	NISHE	D

Size	(mm)		Code
1981	686	35	LAVTIG23G
1981	762	35	LAVTIG26G
1981	838	35	LAVTIG29G

Tigris Ivory





PRE-FINISHED

Size ((mm)		Code
1981	610	35	IVOTIG20
1981	686	35	IVOTIG23
1981	762	35	IVOTIG26
1981	838		IVOTIG29
1981	610	44	IVOTIG20FD30 🍑
1981	686	44	IVOTIG23FD30 🎍
1981	762	44	IVOTIG26FD30 🎍
1981	838	44	IVOTIG29FD30

Tigris Ivory Glazed





PRE-FINISHED

1 111101		
(mm)		Code
686	35	IVOTIG23G
762	35	IVOTIG26G
838	35	IVOTIG29G
	(mm) 686 762	762 35

Semi-solid core construction



Pre-finished laminate with dark grey coloured wood effect

Style:

5 ladder style panels with dark grey coloured grooves

Glazing:

Clear flat safety glass with raised beading

FD30 Fire doors

All fire doors are solid core construction

If trimming is required the door edges will need retouching. See website for colour match information.



Tigris Cinza









1981 610 35 CINTIG20 1981 686 35 CINTIG23 1981 762 35 CINTIG26 1981 838 35 CINTIG29 CINTIG20FD30 1981 610 44 CINTIG23FD30 CINTIG26FD30 1981 686 44 762 44 1981

PRE-FINISHED Size (mm)

838 44

1981

Tigris is also available in Oak, Walnut, Lava, Ivory and White, see pages 29, 59, 65 & 85.









Pre-finished laminate with grey (Colorado) and oak (Hudson) coloured wood effect

Grooved cottage style central panel

Glazing:

Colorado: Clear flat safety glass with etched lines and raised beading

Hudson: Clear flat safety glass with raised beading

Other:

FD30 Fire doors

All fire doors are solid core construction

If trimming is required the door edges will need retouching. See website for colour match information.

Add the finishing touch... see page 116



Colorado



Colorado Glazed





PRE-FINISHED				
Size (mm)			Code	
1981	610	35	LCOLO20	
1981	686	35	LCOLO23	
1981	762	35	LCOLO26	
1981	838	35	LCOLO29	
1981	610	44	LCOLO20FD30	
1981	686	44	LCOLO23FD30	
1981	762	44	LCOLO26FD30	
1981	838	44	LCOLO29FD30 🍑	

-27

PRE-FINISHED				
Size (mm)			Code	
1981	686	35	LCOLO23G	
1981	762	35	LCOLO26G	
1981	838	35	LCOLO29G	

Hudson





PRE-FINISHED

Size (mm)		Code
1981	610	35	LHUD20
1981	686	35	LHUD23
1981	762	35	LHUD26
1981	838	35	LHUD29
2040	626	40	LHUD626
2040	726	40	LHUD726
2040	826	40	LHUD826
1981	610	44	LHUD20FD30
1981	686	44	LHUD23FD30 🎐
1981	762	44	LHUD26FD30 🍑
1981	838	44	LHUD29FD30
2040	626	44	LHUD626FD30
2040	726	44	LHUD726FD30
2040	826	44	LHUD826FD30
2040	926	44	LHUD926FD30 🍑

Hudson Glazed





PRE-FINISHED				
Size (Code	
1981	686	35	LHUDG23	
1981	762	35	LHUDG26	
1981	838	35	LHUDG29	
2040	626	40	LHUDG626	
2040	726	40	LHUDG726	
2040	826	40	LHUDG826	

Semi-solid core construction



Pre-finished laminate with smoky grey (Fumo) and dark grey (Cinza) coloured wood effect

Style:

Central panel is slightly recessed

Glazing:

Clear flat safety glass with raised beading

Other:

FD30 Fire doors

All fire doors are solid core construction

If trimming is required the door edges will need retouching. See website for colour match information.





PRE-FINISHED				
Size	(mm)		Code	
1981	610	35	LALAFUM20	
1981	686	35	LALAFUM23	
1981	762	35	LALAFUM26	
1981	838	35	LALAFUM29	
1981	686	44	LALAFUM23FD30 🍑	
1981	762	44	LALAFUM26FD30 🌢	
1981	838	44	LALAFUM29FD30 🍑	

Alabama Fumo



Alabama Fumo Glazed





PRE-FINISHED				
Size	(mm)		Code	
1981	686	35	LALAFUMG23	
1981	762	35	LALAFUMG26	

Semi-solid core construction



Add the finishing touch... see page 116



Alabama Cinza



Alabama Cinza Glazed







Size	(mm)		Code
1981	610	35	LALACIN20
1981	686	35	LALACIN23
1981	762	35	LALACIN26
1981	838	35	LALACIN29
1981	686	44	LALACIN23FD30 🍑
1981	762	44	LALACIN26FD30 🍑
1981	838	44	LALACIN29FD30

PRE-FINISHED

0120	(/		COGC
1981	610	35	LALACIN20
1981	686	35	LALACIN23
1981	762	35	LALACIN26
1981	838	35	LALACIN29
1981	686	44	LALACIN23FD30 🌢
1981	762	44	LALACIN26FD30 🌢
1981	838	44	LALACIN29FD30 🎍

PRE-FINISHED

Size	(mm)		Code	
1981	686	35	LALACING23	
1981	762	35	LALACING26	
1981	838	35	LALACING29	

PAINTED FINISH

Painted finish doors use state-of-the-art technology to create realistic timber graining in a choice of colours – achieving a perfect, uniform look.



Painted mid-grey finish with vertical grain

Style:

Pintado: Plain flush

Ardosia: Flush with grey coloured grooves

Glazing:

Clear flat safety glass with raised beading

Other:

Certifire FD30 Fire doors

All fire doors are solid core construction

If trimming is required the door edges will need retouching. See website for colour match information.

Add the finishing touch... see page 116



Pintado Grey



NGPINT20

NGPINT23

NGPINT26

NGPINT29

44 NGPINT20FD30

44 NGPINT23FD30 762 44 NGPINT26FD30 🍑

44 NGPINT29FD30 🍑

Bs PRE-FINISHED

1981 686 35

1981 686

Size (mm)

1981 610

1981 610 35

1981 762 35 1981

838 35

838





Bs	
UJ	



Ardosia

Ardosia Glazed





PRE-	PRE-FINISHED			
Size	(mm)		Code	
1981	610	35	NARD20	
1981	686	35	NARD23	
1981	762	35	NARD26	
1981	838	35	NARD29	
1981	610	44	NARD20FD30	
1981	686	44	NARD23FD30	
1981	762	44	NARD26FD30	
1981	838	44	NARD29FD30	

Ardosia Glazed

000







		·			
PRE-FINISHED					
Size	(mm)		Code		
1981	686	35	NARD23G		
1981	762	35	NARD26G		
1981	838	35	NARD29G		
Glazed fire doors available					
to or	der.				

Bespoke options - mininium quantity may apply

Semi-solid core construction Standard core construction



URBAN INDUSTRIAL

WALNUT

LAMINATES

PAINTED FINISH

DOOR HANDLE PACKS

EXTERNAL EXTREME

Painted oak colour finish with vertical grain

Style:

5 horizontal panels, grooved into MDF

Glazing:


Clear flat safety glass with raised beading

Other:

Certifire FD30 Fire doors

All fire doors are solid core construction

If trimming is required the door edges will need retouching. See website for colour match information.



Tate



Louvre





Bs	~0	8	M
PRE-	FINISH	HED	
Size ((mm)		Code
1001	COC	7.5	CIOI

Size	(mm)		Code
1981	686	35	GLOU23
1981	762	35	GLOU26
1981	838	35	GLOU29
Glaze	d fire	doo	rs available
to or	der.		


Add the finishing touch... see page 116




Bs Bespoke options - mininium quantity may apply









White primed

Style:

Flat panels with decorative flush mouldings

Glazing:

Clear flat safety glass

Belton Etched: inner etched panel with a clear perimeter

Other:

FD30 Fire doors

FSC® Certified

Rebated door pairs can be ordered from stock (not fire doors) with a short lead time.

Add the finishing touch... see page 116

Osborne





PRIMED				
Size	(mm)		Code	
1981	610	35	SOSB20	
1981	686	35	SOSB23	
1981	762	35	SOSB26	
1981	838	35	SOSB29	
1981	610	44	SOSB20FD30	
1981	686	44	SOSB23FD30	
1981	762	44	SOSB26FD30	
1981	838	44	SOSB29FD30	

Belton





PI	RIMI	ED		
Si	ze (mm)		Code
19	81	610	35	SBEL20
19	81	686	35	SBEL23
19	81	762	35	SBEL26
19	81	838	35	SBEL29
19	81	610	44	SBEL20FD30
19	81	686	44	SBEL23FD30
19	81	762	44	SBEL26FD30
10	Ω1	272	11	SBEL 20ED30

Belton Clear Glazed






PRIM	ED			
Size	(mm)		Code	
1981	610	35	SBEL1L20	
1981	686	35	SBEL1L23	
1981	762	35	SBEL1L26	
1981	838	35	SBEL1L29	

Belton **Etched Glazed**






PRIM	ED		
Size	(mm)		Code
1981	686	35	SBEL1LETC23
1981	762	35	SBEL1LETC26
1981	838	35	SBEL1LETC29









White primed

Style:

Flat panels with decorative flush mouldings

Glazing:

Clear flat safety glass

Other:

FD30 Fire doors

FSC® Certified

Rebated door pairs can be ordered from stock (not fire doors) with a short lead time.

Add the finishing touch...

see page 116



Hardwick





PRIMED				
Size	(mm)		Code	
1981	610	35	SHAR20	
1981	686	35	SHAR23	
1981	762	35	SHAR26	
1981	838	35	SHAR29	
1981	610	44	SHAR20FD30	
1981	686	44	SHAR23FD30	
1981	762	44	SHAR26FD30	
1981	838	44	SHAR29FD30	



Catton





PRIMED

Size	(mm)		Code
1981	610	35	SCAT20
1981	686	35	SCAT23
1981	762	35	SCAT26
1981	838	35	SCAT29
1981	610	44	SCAT20FD30
1981	686	44	SCAT23FD30
1981	762	44	SCAT26FD30 🌢
1981	838	44	SCAT29FD30

Catton Glazed



PRIMED

Size	(mm)		Code	
1981	610	35	SCAT3L20	
1981	686	35	SCAT3L23	
1981	762	35	SCAT3L26	
1981	838	35	SCAT3L29	



Colour Options Service Solid core construction



Pre-finished white

Style:

5 ladder style panels, grooved into MDF

Clear flat safety glass with flush beading

Other:

Certifire FD30 Fire doors

All fire doors are solid core construction Rebated door pairs can be ordered from stock (not bi-fold or fire doors) with a short lead time. Contact us for fire door options.

Add the finishing touch... see page 116

Tigris White



Tigris and Emral are available in Oak and Walnut, see pages 29 & 59.





Laminate versions are available in Cinza, Lava and Ivory, see pages 65 & 67.







PRE-FINISHED						
Size	(mm)		Code			
1981	610	35	LTIG20			
1981	686	35	LTIG23			
1981	762	35	LTIG26			
1981	838	35	LTIG29			
1981	610	44	LTIG20FD30			
1981	686	44	LTIG23FD30			
1981	762	44	LTIG26FD30			
1981	838	44	LTIG29FD30			

Emral White

Emral White





PRE-FINISHED

Size (mm) 1981 686 35 LEMR23G 1981 762 35 LEMR26G 1981 838 35 LEMR29G Glazed fire doors with raised beading available to order.

Tigris White Bi-fold



Bi-folds are easy to install into existing flush linings (without door stop). Supplied ready hinged with pivots, brackets and a sliding track. Please note that the actual bi-fold supplied is slightly smaller than the door size listed, to accommodate tracking.






PRE-FINISHED

1981 762 35 LTIGBF26

Bespoke options





URBAN INDUSTRIAL

OAK

WALNUT

LAMINATES

WHITE PAINTED FINISH

DOOR HANDLE PACKS

EXTERNAL EXTREME

Style:

3 ladder style panels, grooved into MDF

Clear flat safety glass with flush beading

Other:

FD30 Fire doors

All fire doors are solid core construction FSC® Certified

Rebated door pairs can be ordered from stock (not bi-fold or fire doors) with a short lead time. Contact us for fire door options.

Add the finishing touch... see page 115



Mistral White



Mistral White is also available in Oak and Walnut, see pages 31 & 59.





	- married						
PRIME	PRIMED						
Size (mm)		Code				
1981	610	35	LMIS20				
1981	686	35	LMIS23				
1981	762	35	LMIS26				
1981	838	35	LMIS29				
2040	526	40	LMIS526				
2040	626	40	LMIS626				
2040	726	40	LMIS726				
2040	826	40	LMIS826				
1981	686	44	LMIS23FD30				
1981	762	44	LMIS26FD30				
1981	838	44	LMIS29FD30				
2040	726	44	LMIS726FD30				
2040	826	44	LMIS826FD30				
2040	926	44	LMIS926FD30				



Mistral White Glazed



Mistral White Bi-fold





Bi-folds are easy to install into existing flush linings (without door stop). Supplied ready hinged with pivots, brackets and a sliding track. Please note that the actual bi-fold supplied is slightly smaller than the door size listed, to accommodate tracking.

Bs 🧠




PRIMED						
Size (mm)		Code			
1981	686	35	LMIS23G			
1981	762	35	LMIS26G			
1981	838	35	LMIS29G			
2040	626	40	LMIS626G			
2040	726	40	LMIS726G			
2040	826	40	LMIS826G			
Glazed fire doors with raised						
beadi	na av	ailab	le to order.			




PRIMED						
Size	(mm)		Code			
1981	762	35	LMISBF26			

Mistral White Bi-fold is also available in Oak, see page 31.





WHITE



Finish:

White primed

Style:

Apollo/Barbican: MDF face with ladder style feature grooves Savoy/Phoenix: Grooved cottage style central panel Ripple: Textured effect

Glazing:

Barbican: Etched flat safety glass with clear rectangular pattern and raised beading

Clear flat safety glass with flush (Ripple) and raised (Phoenix) beading

Other:

FD30 Fire doors

All fire doors are solid core construction, apart from Ripple which are semi-solid

FSC® Certified

Rebated door pairs can be ordered from stock (not Ripple or fire doors) with a short lead time. Contact us for fire door options.

Add the finishing touch...



Bespoke options

Semi-solid core construction Standard core construction



Bs	~00g
PRIME	D
Size (r	nm)

Size	(mm)		Code
1981	610	35	LAPO20
1981	686	35	LAPO23
1981	762	35	LAPO26
1981	838	35	LAPO29
1981	610	44	LAPO20FD30 🎍
1981	686	44	LAPO23FD30 🎍
1981	762		LAPO26FD30 🎍
1981	838	44	LAPO29FD30 🍑

Apollo



Barbican






_ D	RI	м	ᆮ	г
	L/I	1,1	ᆮ	u

PRIMED					
Size ((mm)		Code		
1981	686	35	LBAR23		
1981	762	35	LBAR26		
1981	838	35	LBAR29		
1981	762	44	LBAR26FD30 🍑		
1981	838	44	LBAR29FD30 🌢		











				,		
PRIMED			PRIN	1ED		
Size (mn	1)	Code	Size	(mm)		Code
1981 610	35	LSAV20	1981	686	35	LPHO2
1981 68	6 35	LSAV23	1981	762	35	LPHO2
1981 76	2 35	LSAV26	1981	838	35	LPHO2
1981 83	8 35	LSAV29				
1981 610	3 44	LSAV20FD30				
1981 68	6 44	LSAV23FD30				
1981 76	2 44	LSAV26FD30				
1981 83	8 44	LSAV29FD30				





PRIM	ED			PI
Size	(mm)		Code	Si
1981	610	35	RIP20	19
1981	686	35	RIP23	19
1981	762	35	RIP26	19
1981	838	35	RIP29	
1981	686	45	RIP23FD30	
1981	762	45	RIP26FD30	
1981	838	45	RIP29FD30	



PRIM	ED			
Size ((mm)		Code	
1981	686	35	RIP23G	
1981	762	35	RIP26G	
1981	838	35	RIP29G	





Adelphi/Dominion: White primed Elektra/Lyric/Novello: Pre-finished white

Style:

MDF face with feature grooves

Glazing:

Dominion: Etched flat safety glass with clear rectangular pattern and raised beading

Other:

- Certifire FD30 Fire doors
- FD30 Fire doors

All fire doors are solid core construction FSC® Certified (Adelphi and Dominion only) Rebated door pairs can be ordered from stock (not bi-fold or fire doors) with a short lead time.

Add the finishing touch... see page 116

- Matching door pairs cannot be guaranteed
- Bespoke options
- Standard core construction

Adelphi





Adelphi Bi-fold



Bi-folds are easy to install into existing flush linings (without door stop). Supplied ready hinged with pivots, brackets and a sliding track. Please note that the actual bi-fold supplied is slightly smaller than the door size listed, to accommodate tracking.





PRIM	ED			
Size	(mm)		Code	
1981	762	35	LADERE26	

Μ

LADE20

LADE23 35

LADE26

LADE29

762 44 LADE26FD30 🌢

838 44 LADE29FD30 🍑

LADE23FD30 🍑

Bs

PRIMED Size (mm) 1981 610 35

1981 762

1981 686 44

1981


1981 686 35

1981 838 35

WHITE



Dominion







00				
PRE-	FINISI	HED		
Size	(mm)		Code	
1981	610	35	LELE20	
1981	686	35	LELE23	
1981	762	35	LELE26	
1981	838	35	LELE29	
1981	686	44	LELE23FD30	
1981	762	44	LELE26FD30	
1981	838	44	LELE29FD30	



	100					
PRE-	RE-FINISHED					
Size ((mm)		Code			
981	610	35	LLYR20			
981	686	35	LLYR23			
981	762	35	LLYR26			
981	838	35	LLYR29			
981	686	44	LLYR23FD30			
981	762	44	LLYR26FD30			
981	838	44	LLYR29FD30			



Novello

Bs	T.	eg .	
PRE-	FINIS	HED	
Size	(mm)		Code
981	610	35	LNOV20
981	686	35	LNOV23
981	762	35	LNOV26
981	838	35	LNOV29
981	762	44	I NOV26F

1981 762 44 LNOV26FD30 **1**981 838 44 LNOV29FD30 **1**



White primed

Style:

Wide shaker panel design

Axis Ripple: Textured ripple effect centre panel

Glazing:

Clear flat safety glass

Other:

FD30 Fire doors

All fire doors are solid core construction FSC® Certified

Rebated door pairs can be ordered from stock (not fire doors or bi-folds) with a short lead time.


Add the finishing touch...





Axis White







PRIM	ED			
Size	(mm)		Code	
1981	686	35	SAXI23G	
1981	762	35	SAXI26G	
1981	838	35	SAXI29G	

Axis White Ripple



PRIM	PRIMED					
Size	Size (mm) Code					
1981	610	35	SAXIRIP20			
1981	686	35	SAXIRIP23			
1981	762	35	SAXIRIP26			
1981	838	35	SAXIRIP29			



Axis White Bi-fold



Axis White Glazed Bi-fold



SIZE	(111111)		Code
1981	610	35	SAXI20
1981	686	35	SAXI23
1981	762	35	SAXI26
1981	838	35	SAXI29
1981	686	44	SAXI23FD30
1981	762	44	SAXI26FD30 🍑
1981	838	44	SAXI29FD30 🍑

PRIMED

PRIM	ΕD			PR
Size	(mm)		Code	Siz
1981	686	35	SAXI23G	198
1981	762	35	SAXI26G	198
1981	838	35	SAXI29G	198
				198

PRIM	PRIMED					
Size	(mm)		Code			
1981	610	35	SAXIRIP20			
1981	686	35	SAXIRIP23			
1981	762	35	SAXIRIP26			
1981	838	35	SAXIRIP29			

PRIM	ED			
Size	(mm)		Code	
1981	762	35	SAXIBF26	



PRIM	ED			
Size	(mm)		Code	
1981	762	35	SAXIBFG26	

Bi-folds are easy to install into existing flush linings (without door stop). Supplied ready hinged with pivots, brackets and a sliding track. Please note that the actual bi-fold supplied is slightly smaller than the door size listed, to accommodate tracking.

Axis White is also available in Oak and Walnut, see pages 45 & 60.







Solid core construction Semi-solid core construction



URBAN INDUSTRIAL

LAMINATES

PAINTED FINISH

EXTERNAL EXTREME

Style:

Geometric hexagonal design

Glazing:

Clear flat safety glass

Other:

FSC® Certified

Rebated door pairs can be ordered from stock with a short lead time

Add the finishing touch... see page 116



NEW Quartz



	- ,	ν_	_	
_			_	_
Р	RI	M	F	В

Size	(mm)		Code	
1981	686	35	CQTZ23	
1981	762	35	CQTZ26	
1981	838	35	CQTZ29	

NEW Quartz Glazed





DDIMED

PRIM	ΕD			
Size	(mm)		Code	
1981	686	35	CQTZ23G	
1981	762	35	CQTZ26G	

Solid core construction



URBAN INDUSTRIAL

740

WALNUT

LAMINATES

PAINTED FINISH

TIT//

DOOR HANDLE PACKS



URBAN INDUSTRIAL

OAK

LAMINATES

PAINTED FINISH WHITE

DOOR HANDLE PACKS

EXTERNAL EXTREME

97

Finish:

White primed

Style:

Retro sunshine door

Glazing:

Clear or etched flat safety glass

Other:

FSC® Certified

Rebated door pairs can be ordered from stock with a short lead time.

Aurora Etched Glazed is not suitable as a door pair.

Add the finishing touch... see page 116



Aurora






PRIMED						
Size ((mm)		Code			
1981	686	35	CAUR23			
1981	762	35	CAUR26			
1981	838	35	CAUR29			

Aurora Clear Glazed





Aurora **Etched Glazed**







Aurora Etched Glazed has opaque

Solid core construction



White primed

Style:

Recessed flat panels

Glazing:

Clear flat safety glass

Other:

FD30 Fire doors

Eccentro fire doors are solid core construction, Geo are semi-solid

FSC® Certified

Rebated door pairs can be ordered from stock (not fire doors) with a short lead time.

Add the finishing touch... see page 116



Geo

PRIMED

1981 762 44 SGEO26FD30 🌢

1981 838 44 SGEO29FD30 🌢







-0

PRIMED	
Size (mm)	

Size	(mm)		Code	Size	(mm))
1981	610	35	SGEO20	1981	686	
1981	686	35	SGEO23	1981	762	
1981	762	35	SGEO26	1981	838	
1981	838	35	SGEO29			
1981	686	44	SGEO23FD30			

Eccentro



Eccentro Glazed



KINED							
Size	(mm)		Code				
981	610	35	SECC20				
981	686	35	SECC23				
981	762	35	SECC26				
981	838	35	SECC29				
981	686	44	SECC23FD30 🎍				
981	762	44	SECC26FD30 🎍				
001	070	4.4	CECCOOEDZO				

PRIMED							
Size	(mm)		Code				
1981	686	35	SECC23G				
1981	762	35	SECC26G				
1981	838	35	SECC29G				

Solid core construction 1981 838 44 SECC29FD30 Semi-solid core construction WHITE



Finish: White primed Style: Recessed flat panels

Glazing: Clear flat safety glass

Other:

FD30 Fire doors FSC® Certified

Rebated door pairs can be ordered from stock (not fire doors or bi-folds) with a short lead time.

Rushmore White



	· _	

,			
PRIM	ED		
Size ((mm)		Code
1981	610	35	CRUS20
1981	686	35	CRUS23
1981	762	35	CRUS26
1981	838	35	CRUS29
1981	686	44	CRUS23FD30 🍑

1981 762 44 CRUS26FD30 🍑

1981 838 44 CRUS29FD30 0

Rushmore White Glazed







1981

Barbados

	1	

1								
	PRIMED							
	(mm)		Code					
1981	610	35	CBAR20					
1981	686	35	CBAR23					
1981	762	35	CBAR26					
1981	838	35	CBAR29					

686 44 CBAR23FD30

1981 762 44 CBAR26FD30 • 1981 838 44 CBAR29FD30 •

Dominica



PRIM	ED			
Size ((mm)		Code	
981	686	35	CDOMI23	
981	762	35	CDOMI26	
981	838	35	CDOMI29	

100 www.jbkind.com

PRIMED


Rushmore

White is also

see page 47.

available in Oak,

Size (mm) Code 1981 762 35 CRUSTL26



Antigua




Tobago



Tobago FD30 fire door has raised beading




Bi-folds are easy to install into existing flush linings (without door stop). Supplied ready hinged with pivots, brackets and a sliding track. Please note that the actual bi-fold supplied is slightly smaller than the door size listed, to accommodate tracking.



Antigua Bi-fold





Tobago Bi-fold





PRIMED Size (mm) Code 1981 762 35 CTOBBF26

Solid core construction

PRIM	ED		
Size	(mm)		Code
1981	610	35	CANTI20
1981	686	35	CANTI23
1981	762	35	CANTI26
1981	838	35	CANTI29
1981	686	44	CANTI23FD30
1981	762	44	CANTI26FD30 🍑
1981	838	44	CANTI29FD30



White primed

Style:

Recessed flat panels

Jamaica/Trinidad: includes decorative muntins.

Glazing:

Clear flat safety glass

Other:

FD30 Fire doors

FSC® Certified

Rebated door pairs can be ordered from stock (not fire doors or bi-folds) with a short lead time.



Jamaica



Trinidad



PRIM	ED			
Size	(mm)		Code	
1981	610	35	CJAM20	
1981	686	35	CJAM23	
1981	762	35	CJAM26	
1981	838	35	CJAM29	

1981 686 44 CJAM23FD30 0

1981 762 44 CJAM26FD30 4 1981 838 44 CJAM29FD30 4 PRIMED

Size (mm) Code

1981 686 35 CTRI23

1981 762 35 CTRI26

1981 838 35 CTRI29

Solid core construction

Montserrat



Cayman



PRIM	ED			PRIM	ED			
Size	(mm)		Code	Size	(mm)		Code	
1981	610	35	CMON20	1981	686	35	CCAY23	
1981	686	35	CMON23	1981	762	35	CCAY26	
1981	762	35	CMON26	1981	838	35	CCAY29	
1981	838	35	CMON29					
1981	610	44	CMON20FD30					
1981	686	44	CMON23FD30					
1981	762	44	CMON26FD30					
1981	838	44	CMON29FD30					

Montserrat Bi-fold



	Ш
	1

CCAYBF26

Cayman Bi-fold

PRIMED		PRIMED
Size (mm)	Code	Size (mm)
1981 762 35	CMONBF26	1981 762 35

Bi-folds are easy to install into existing flush linings (without door stop). Supplied ready hinged with pivots, brackets and a sliding track. Please note that the actual bi-fold supplied is slightly smaller than the door size listed, to accommodate tracking.



Quattro/4 Line Horizontal: White primed, smooth effect

Style:

Moulded panel

Glazina:

Clear flat safety glass with flush beading Cottage 1 Light: clear with etched lines

FD30 Fire doors

All fire doors are semi-solid core construction

FSC® Certified

Add the finishing touch... see page 116

Colour Options Paint Service

Looking to paint your doors a different colour? Let us take the hassle away and arrange for your doors to be professionally spray painted. Our White Moulded doors are suitable for this service – look out for the 💸 icon. Contact us with your preferred RAL Classic colour reference and we'll do the rest! See page 14 for more information.

NEW 4 Line Horizontal



NEW 4 Line Horizontal Glazed





PRIM	PRIMED SMOOTH					
Size	(mm)		Code			
1981	610	35	PAT20			
1981	686	35	PAT23			
1981	762	35	PAT26			
1981	838	35	PAT29			
1981	610	44	PAT20FD30			
1981	686	44	PAT23FD30 🌢			
1981	762	44	PAT26FD30			
1981	838	44	PAT29FD30			

PRIMED SMOOTH

1981 762 35 PAT26G

Standard core construction

Colour Options Service (not suitable for smooth finish doors)

Quattro





PRIM	PRIMED SMOOTH					
Size ((mm)		Code			
1981	610	35	QUA20			
1981	686	35	QUA23			
1981	711	35	QUA24			
1981	762	35	QUA26			
1981	838	35	QUA29			
1981	610	44	QUA20FD30 🍑			
1981	686	44	QUA23FD30 🌢			
1981	762	44	QUA26FD30 🍑			
1981	838	44	QUA29FD30 🍑			

Quattro Glazed





PRIM	ED SN	100	TH	
Size	(mm)		Code	
1981	686	35	QUA4L23	
1981	762	35	QUA4L26	
1981	838	35	QUA4L29	

Cottage 5





PRIMED GRAINED

Size	(mm)		Code
1981	610	35	MCOT520
1981	686	35	MCOT523
1981	762	35	MCOT526
1981	838	35	MCOT529
1981	610	44	MCOT520FD30
1981	686	44	MCOT523FD30
1981	762	44	MCOT526FD30
1981	838	44	MCOT529FD30

Cottage 1 Light







PRIMED GRAINED				
Size	(mm)		Code	
1981	686	35	MCOT51L23	
1981	762	35	MCOT51L26	
1981	838	35	MCOT51L29	



PRIMED GRAINED

686 35

40 CAP726

44

1981 686 44 CAP23FD30 4

1981 838 44 CAP29FD30

CAP20

CAP23

CAP26

CAP826

CAP20FD30

CAP26FD30 **4**

1981 610 35

1981 762 35

2040 826 40

2040 726 44

1981

1981 838 35 CAP29

1981 762 44

2040 726

1981 610

Finish

White primed grained and smooth effect

Style:

Moulded panel

Glazing:

Andorra: etched with clear rectangular pattern

Canterbury 2 Light & Bi-fold:

Grained: etched flat safety glass with clear

diamond pattern lines and flush beading Smooth: clear flat safety glass with flush beading


Canterbury 2 Light FD30: Clear flat fire glass with raised beading

Other:

FD30 Fire doors


All fire doors are semi-solid core construction

FSC® Certified



Colour Options Service (not suitable for smooth finish doors)

Caprice



Andorra





FRIII	PRIMED GRAINED				
Size	(mm)		Code		
1981	686	35	CAPAND23		
1981	762	35	CAPAND26		
1981	838	35	CAPAND29		

www.jbkind.com

106

Canterbury



PRIMED GRAINED 1981 610 35 CAN20

1981 838 35

2040 626 40

2040 726 40

2040 826 40

1981 762 44

2032 813 44

PRIMED SMOOTH Size (mm) 1981 610 35

762 35

1981 686 35

1981

1981 838 35

1981 610

1981

1981 711

1981

2032 813

2032 813 35 CAN28

CAN29

CAN626

CAN726

CAN826

CANHH23

CANHH26

CANHH28 2040 726 44 CANHH726 0

SMCAN20

SMCAN23

SMCAN26

SMCAN29

44 SMCANHH20 🍑

44 SMCANHH24 🍑

44 SMCANHH28 🍑 2040 926 44 SMCANHH926 0

686 44 SMCANHH23

762 44 SMCANHH26 🌢

1981 838 44 SMCANHH29 0

1981 610 44 CANHH20 🌢 1981 686 44

1981 838 44 CANHH29 de

2040 826 44 CANHH826 de 2040 926 44 CANHH926 de

1981 686 35 CAN23

1981 711 35 CAN24

1981 762 35 CAN26

Canterbury 2 panel



J.		J

~W	
DIME	D GDAINE

PRIMED GRAINED 2 PANEL						
Size (mm)		Code			
1981	457	35	CAN16			
1981	533	35	CAN19			
2040	526	40	CAN526			

Canterbury 2 Light FD30





PRIMED GRAINED					
	Size	(mm)		Code	
	1981	762	44	CANGL26FD30	b
	1981	838	44	CANGL29FD30	b

Canterbury 2 Light









PRIMED GRAINED ETCHED GLASS

nm)		Code
686	35	CANGL23
762	35	CANGL26
838	35	CANGL29
813	35	CANGL28
726	40	CANGL726
	686 762 838 813	686 35 762 35 838 35 813 35

PRIMED SMOOTH							
CLEAR GLASS							
1981	686	35	SMCANGLC23				
1981	762	35	SMCANGLC26				
1981	838	35	SMCANGLC29				

Canterbury Bi-fold



Canterbury Glazed Bi-fold





PRIMED GRAINED

1981 762 35 CANBFGLT26

Add the finishing touch...





Colour Options **Paint Service**

Contact us with your preferred RAL Classic colour reference and we'll do the rest!



Size (mm) 35 1981 610 CANBF20 762 35 CANBF26

IMPORTANT:

Moulded panel doors are vulnerable to high humidity. Make sure plasterwork etc. has been allowed to dry out sufficiently before fitting them in new or refurbished homes.



White primed grained and smooth effect

Style:

Moulded panel

Glazing:

Faro: clear flat safety glass with flush beading

Decima: clear bevelled safety glass with brushed chrome camings and raised perimeter beading

Edwardian: etched flat safety glass with clear diamond pattern lines and flush beading

Classique: clear flat safety glass with flush beading

Other:

FD30 Fire doors

All fire doors are semi-solid core construction, apart from Faro which is solid FSC® Certified

Faro FD30 has clear flat safety glass with etched lines and raised perimeter beading.

Faro





PRIMED GRAINED

0.20	(/		0000	
1981	686	35	CAPFAR23	
1981	762	35	CAPFAR26	
1981	838	35	CAPFAR29	

1981 762 44 CAPFAR26FD30 838 44 CAPFAR29FD30 🌢

Decima





FKIII	PRIMED GRAINED						
Size	(mm)		Code				
1981	686	35	CCAPDEC23				
1981	762	35	CCAPDEC26				
1981	838	35	CCAPDEC29				

Edwardian 2 Light







DDIMED GDAINED

L IZII-I	LD 01	\/\!!!	LD	
Size	(mm)		Code	
1981	686	35	EDGLS23	
1981	762	35	EDGLS26	
1981	838	35	EDGLS29	

Colonist



Colonist 3 panel



Classique



PRIMED GRAINED

838 35

762 44

35 CLA28

Size (mm)

1981 610 35 CLA20

2032 813

2040 726 40 CLA726

2040 826 40 1981 686 44 CLAHH23 de

1981 533

1981 686 35 CLA23

1981 711 35 CLA24

1981 762 35 CLA26

1981

1981

Classique 6 Light



Classique Bi-fold





CLAGLS23

CLAGLS26

CLAGLS29

PRIMED GRAINED

2032 813 35 CLAGLS28

1981 686 35 1981 762 35

Size (mm)

1981 838 35





	41	7	
PRIM	ED GF	RAIN	ED
Size	(mm)		Code
1981	610	35	CLABF20
1981	762	35	CL ARE26



DDIMER	GDAINE

PRIMED GRAINED						
Size (mm) Code						
1981	610	35	COL20			
1981	686	35	COL23			
1981	711	35	COL24			
1981	762	35	COL26			
1981	838	35	COL29			
2032	813	35	COL28			
2040	626	40	COL626			
2040	726	40	COL726			
2040	826	40	COL826			
1981	610	44	COLHH20 🎍			
1981	686	44	COLHH23			
1981	762	44	COLHH26			
1981	838	44	COLHH29			
2032	813	44	COLHH28			
2040	726	44	COLHH726			
2040	826	44	COLHH826			
2040	926	44	COLHH926			

DDIMED CMOOTH

PRIMI	ED SN	100	ГН
1981	610	35	SMCOL20
1981	686	35	SMCOL23
1981	762	35	SMCOL26
1981	838	35	SMCOL29
2032	813	35	SMCOL28
1981	686	44	SMCOLHH23
1981	762	44	SMCOLHH26
1981	838	44	SMCOLHH29
2032	813	44	SMCOLHH28

Grained



PRIMED GRAINED 3 PANEL

1981 533 35 COL19

2040 526 40 COL526

PRIMED SMOOTH 3 PANEL

1981 457 35 SMCOL16 1981 533 35 SMCOL19

Size (mm) 1981 457 35 COL16



PRIMED GRAINED Size (mm) 1981 762 35 COLBF26 1981 914 35 COLBF30

1981 838 44 CLAHH29

CLA19

CLA29

CLA826

CLAHH26



Classique 6 Light Pairs



Add the finishing touch...

see page 116

Bi-folds are easy to install into existing flush linings (without door stop). Supplied ready hinged with pivots, brackets and a sliding track. Please note that the actual bi-fold supplied is slightly smaller than the door size listed, to accommodate tracking.







1981 1220 35 CLAGLSPR40



Standard core construction

Colour Options Service (not suitable for smooth finish doors)





A pocket door system that enables doors to slide conveniently into a wall cavity and save space whilst looking incredibly stylish.

Easy to install* with a rigid frame, our pocket door systems are supplied pre-assembled so that they can be fitted in half the time of other brands.

Available for both single and double door situations in a selection of sizes, almost all of JB Kind's internal doors are suitable for use as a pocket door. You can also choose from a selection of pocket door accessories too!

Key features:

- · Easy to install* rigid frame, supplied pre-assembled
- · Fitted in half the time of other brands
- · Designed for stud and plasterboard
- Door is fitted after all installation and decoration has been completed, avoiding any potential damage to your door.
- Door choice can be changed in the future without structural alteration to the wall.
- · Compatible sliding door hardware available
- Available in single and double format

*We always recommend using a professional fitter.





Pocket door cassette:


The cassette structure is made from 0.5mm galvanised steel, with the sides formed from single pieces of pressed steel which is corrugated for complete stability. Transverse ribs fixed to the corrugations further re-inforce the structure and allow fixing of plasterboard direct to the cassette. The internal pocket cavity is protected by a cover during installation.

Spacer bars:


Twin spacer bars are supplied that are fixed between the cassette and jamb during installation to ensure the structure remains square.

Specifications:






Single Pocket Door



Double Pocket Door



Single and Double Pocket Door - Size Guide

Door Size (individual)		Clear Opening Size (walkthrough area)		Structural Opening Size of the Unit			Finished Wall Thickness	
		Single	Double		Single	Double		
Width mm	Height mm	Width (OW)	Width (OW)	Height (OH)	Width (SW)	Width (SW)	Height (SH)	mm
686	1981	650	1300	1970	1425	2742	2075	125
762	1981	740	1500	1970	1625	3142	2075	125
838	1981	800	1600	1970	1725	3342	2075	125
915	1981	890	1800	1970	1925	3742	2075	125

Single Pocket Door System

Code	Door Si	ze	Code	Single D	oor Size
(mm)	Width	Height	(mm)	Width	Height
POCSYSSGL686	686	1981	DBLLEAFKIT686	686	1981
POCSYSSGL762	762	1981	DBLLEAFKIT762	762	1981
POCSYSSGL838	838	1981	DBLLEAFKIT838	838	1981
POCSYSSGL915	915	1981	DBLLEAFKIT915	915	1981

Double Pocket Door

Conversion Kit*

*For a double pocket door you will need to purchase two single pocket door systems and a double leaf conversion kit. eg. 2 x POCSYSSGL686 and 1 x DBLLEAFKIT686

Additional Accessories



Code	
SCDAMPER	Soft close damper unit
ACLOSER	Automatic door closer
DBLSIMOP	Double simultaneous operator
CIRCPULL	Flush Door Pull Pack (satin stainless
	steel, includes 2 circular flush pulls and
	a round finger pull for the door edge)
CIRCBATHLOCK	Bathroom Door Hook Lock Pack (satin stainless steel,
	includes turn and release, hook latch, adjustable
	keep and finger pull)

Timber Accessory Kits

Available in either white primed or varnished oak, Accessory Kits are required to complete pocket door installation.



Single pocket door kit (shown in oak)

Includes: 2 x cover moulds with brush seals, header cover and jamb with seals

Code	Oak Varnished
SGLVOAC	single pocket door kit
DBLVOAC	double pocket door kit



Double pocket door kit (shown as white primed)

Includes: 4 x cover moulds with brush seals and 2 x header covers

Code	White Primed
SGLWPRIAC	single pocket door kit
DBLWPRIAC	double pocket door kit



How to order a Pocket Door System: Your step by step guide

STEP 1

Single or Double Pocket Door System

Use our size guide tables to check your requirements. For a double pocket door, you will need to purchase two single pocket door systems and a double leaf conversion kit.

STEP 2

Choose your door design

The majority of our door designs are suitable for use as pocket doors. However, some doors that have raised mouldings and 44mm fire doors are not suitable. Please get in touch if you're in any doubt.

STEP 3

Timber accessory kits

You will need an accessory kit as the pocket door system cannot be installed without one. Choose from either white primed or varnished oak, available for both single and double options.

STEP 4

Door Grooving

The bottom edge of the door will need to be grooved to fit in the floor guide of a pocket system.

If required, our in-house joinery workshop can pre-groove your doors prior to delivery, for a small charge.

STEP 5

Optional accessories

Automatic Door Closer: is a self-closing system that enables the door to glide into place automatically after being opened.

Double simultaneous operator: enables a double pocket door to open and close simultaneously.

Soft-close damper unit: applies a brake making sure that the door moves slowly and smoothly to a close.

STEP 6

Door furniture

Choose from either a bathroom privacy lock or flush door pull.

STEP 7

Finding a JB Kind door supplier

Take a look at the Supplier Locator on our website or approved Online Partners.

Once you've chosen a place to purchase from, then just hand over all of your requirements and your doors and pocket systems should be with you in no time!

If you do have any questions, our expert JB Kind team is on hand to help you out, just call 01283 554197 or email info@jbkind.com



OAK

S WALNUT

PAINTED FINISH LAMINATES

WHITE

DOOR HANDLE PACKS

EXTERNAL EXTREME

DOOR HANDLE PACKS

Door Handle Latch Packs are the perfect partner for your JB Kind doors

Enjoy the convenience of a stylish door handle latch pack, supplied with everything that you need to fit your door in one box. Each pack comes with a pair of handles, a latch, a keep and three quality ball bearing hinges.

Check out our chrome handle packs, as they come with a time saving SmartLatch. This innovative latch can be quickly installed in less then 5 minutes, saving tradesmen up to 25 minutes per door. This time-saving advantage is a real plus point, as less cutting out of the door is required.

Smartlatch: Fit in under five minutes

Step one: Using a 25mm drill bit, bore out to 75mm in depth.



Step two: Using the same bit, drill the hole for the spindle.



Step three: Then simply insert the latch.



Step four: Fit handles.



NEW Raven Copper Copper finish



Raven Copper Standard latch pack RAVCULP Privacy latch pack RAVCUPP





Raven Black
Standard latch pack RAVLP
Privacy latch pack RAVPP



^{*}Raven handle packs do not include a smart latch.



Our chrome privacy latch packs come with a revolutionary push button, which means there is no requirement to purchase or fit a separate bathroom lock.

With a 10 year parts and mechanism guarantee, the premium stainless steel and zinc diecast construction provides that all important peace of mind when purchasing our chrome handle packs.

Please note: the hinges provided in our latch packs are not suitable for use with fire doors. Fire door hinges are available separately, call 01283 554197 for details.

Roller Polished and satin chrome finish



Roller
Standard latch pack IROLLP Privacy latch pack IROLPP

Wave Polished chrome finish



Wave Standard latch pack IWAVLP Privacy latch pack IWAVPP

Curl Polished chrome and satin nickel finish



Curl Standard latch pack ICURLP Privacy latch pack ICURPP



Blade Satin chrome finish



Blade
Standard latch pack IBLALP Privacy latch pack IBLAPP

Drift Polished chrome and satin nickel finish



Drift
Standard latch pack IDRILP Privacy latch pack IDRIPP

Tube Satin chrome finish



Tube
Standard latch pack ITUBLP Privacy latch pack ITUBPP



Essential Door Care & Maintenance Advice

The principal enemy of timber doors is excess exposure to moisture or dryness. Having left our custody, we have no control over the conditions to which they are subjected and to avoid any subsequent cause for disappointment, we strongly advise the following advice is heeded. If suitable care and treatment is not taken to prevent the free passage of moisture either into or out of the wooden door, stresses within timber may be released resulting in movement or distortions such as swelling, shrinking, warping, splitting, twisting or even discolouration. We are unable to accept any liability for any failings where they have arisen due to the free passage of moisture.

Storage

Upon receipt, check your doors carefully for condition and suitability, as claims made later may not be considered. Please store doors laid flat, fully supported off the floor with at least three full width bearers of the same dimension in a dry fully ventilated area, with protective packaging intact. Doors supplied unfinished should be thoroughly sealed on all faces and edges prior to the commencement of any joinery work, although first sizing them may be to advantage. We recommend that veneered doors are sealed using Manns Extra Tough Interior Varnish or Manns Door oil.

Wood finishes

There are numerous brands on the market and we fear many are formulated to achieve a low market price rather than quality. We have tested Manns Extra Tough Interior Varnish and Manns Door Oil which have produced excellent results. For this reason we strongly recommend the use of one of these two finishes to help protect the guarantee. Either of these two finishes will provide a lasting seal between component parts. Good quality solvent or acrylic finishes may be used, but check they are suitable for use with timber laminates or veneers. Follow the treatment manufacturer's instructions carefully and avoid over applying the treatment, particularly the first coat.

We recommend keeping a copy of the claims made for the product in the event it fails to perform. It is vital all finishing systems are applied equally to both sides and edges at the same time. Rapid changes in ambient moisture are extremely detrimental especially when unbalanced.

Natural oils such as Danish oil, tung oil and linseed oil are not suitable for use with any of our products. These solutions are penetrating oils and are not suitable for use with veneered doors. The application of a base coat stain or paint primer alone is not deemed to form a seal. Failures related to treatment will be assessed based on their application and the claims made by their manufacturer.

Installation

Check the door for suitability prior to commencing work. Claims made later may not be considered. When trimming doors, reduce them equally and not excessively from the top and bottom for height, to the hanging edge only for the width, if minimal, but equally with the meeting edge if a greater amount is necessary.

Recesses for hinges (3 No. 75mm internal, 3 No. 100mm external) and mortises for latch/locks etc. should be cut to the minimum recommended sizes. Panel door rail joints will be significantly weakened if mortises are located there. On completion remove doors, taking off all ironmongery and treat every cut/untreated surface liberally with a number of coats of an appropriate treatment before finally refitting. Remember to pay attention to all edges of your door, particularly any exposed end grain where the propensity for moisture is much greater.

Installation - Fire doors

When fitting our FD30 fire doors, please note that there are strict limitations about how much they can be trimmed and these must not be exceeded. Ironmongery used in the installation of fire doors must be strictly in accordance with the door's certification and appropriate for use with a fire door.

Internal door specific

We strongly advise against the installation of all types of timber doors into a building with recent plastered or screeded areas. Wet sites with enclosed unheated buildings represent extremely detrimental environments and must be thoroughly dry, without condensation, before doors are introduced. Even our pre-finished doors should not be exposed to inappropriate damp site conditions.

External door specific

Even in times past, it was never advisable or intended that timber entrance doors be fully

exposed to the worst elements of our climate, even if well coated. A South / South Westerly elevation is the worst direction for the prevailing weather and exposure to the hottest sun which can seriously degrade external doors.

We recommend they are set back from the front face of the building or covered by a canopy or porch way projecting not less than about 1.5m, regardless of elevation. Always fit with a suitable weatherboard regardless of frame cill type fitted, to prevent droplets of moisture hanging from the door bottom.

Future maintenance is most important to retain good appearance over many years and we recommend washing down with warm water and detergent every two to three years and re-coating.

Quality standards

All external and internal doors are supplied in accordance with BS EN 942:2007 "Timber in Joinery General Classification of Timber Quality", BS 5278:1976/EN25:1975 "Doors measurement of Dimensions and of Defects of Squareness of Door Leaves" and BS EN 951:1999 "Door leaves. Method for measurement of height, width, thickness and squareness".

Any claims against warranty relating to manufacture will be assessed strictly in accordance with the criteria contained within.

Any claims against warranty relating to storage, handling or installation of any of our doors will be assessed against guidelines contained within BS8000 part 5:1990 and British Standard Code of Practice CP151. JB Kind Terms and Conditions of Trading apply.

Safety Glass

To comply with building regulations all our pre-glazed doors meet the requirements of the European standards.

IMPORTANT

Wood is a natural material and variations in colour and graining should be expected. Note: With door pairs we cannot guarantee an exact veneer match.

Colours depicted are representative only and are reproduced as accurately as the printing process will allow.

For a perfect finish...

Applying a quality finish to your internal doors ensures their long term appearance and performance.

We recommend the following finishing products that have been tested on our unfinished oak internal doors with excellent results.

Please refer to www.mannsuk.com for more information and to purchase these products directly.

All-in-one natural hard wax oil that dries to a natural, clear matt finish.





Clear, water based varnish that is available in 4 sheen levels.









Our External Extreme door range has revolutionised the replacement front door market!

Constructed with an exceptionally durable and dimensionally stable top layer of MEDITE®TRICOYA®EXTREME and sealed with a factory applied paint finish, ensuring that the doors can withstand all weathers – and to illustrate just how confident we are, we issue every External Extreme door with a 10 year guarantee!

All External Extreme doors are:

- Weather resistant
- Supplied with a 10 year guarantee
- Suitable for fitting in a day!
- Supplied with a weather bar
- Perfect for over painting



Head to our website for more info jbkind.com/products/external-doors





Traditionally used for cladding and facias, MEDITE®TRICOYA®EXTREME's hard-wearing and weather resistant properties make it perfect for use within the structure of external doors.



DURABLE

Longer lasting, perfect for external use.



SUSTAINABLY SOURCED

FSC® Certified. Wood used from sustainable sources.



LOWER MAINTENANCE COSTS

Extended periods between exterior coatings maintenance.



PERFECT FOR COATING

Improved stability and durability enhances service life of the coating. Damaged coating will not affect the core.



ENHANCED STABILITY

Swelling and shrinking dramatically reduced.



RESISTANT TO FUNGAL DECAY Effective barrier to fungal decay.



Finish:

Pre-finished white

Style:

Tigris: Grooved ladder style panels Thames: Grooved cottage style panels Colonial/2XG: Raised panels

Glazing:

Pilkington™ double glazed units Tigris/Colonial: opal flat glass Thames/2XG: clear flat glass

Other:

Composite core Weather bar included FSC® Certified



Tigris Extreme



U Value 1.4

 PRE-FINISHED

 Size (mm)
 Code

 1981
 838
 44
 EXTIG29


Tigris Glazed Extreme



U Value 1.6

PRE-FINISHED

Size (mm) Code 1981 838 44 EXTIG29G



U Value 1.4

PRE-FINISHED

Size (mm) Code 1981 838 44 EXTHA29









Colonial 4 Panel



2XG Extreme

PRE-FINISHED Size (mm) 1981 838 44 EXTHA29G

PRE-FINISHED Size (mm) Code 1981 838 44 EX4P29 PRE-FINISHED Size (mm) Code 1981 838 44 EX4PTL29

PRE-FINISHED Size (mm) 1981 762 44 1981 838 44 E2XG1P26G E2XG1P29G

INDEX - Doors & Accessories

2XG Extreme	External Extreme	121
4 Line Horizontal / Glazed	White Moulded	105
Adelphi / Bi-fold	White Contemporary	90
Alabama Cinza / Glazed	Laminates	71
Alabama Fumo / Glazed	Laminates	70
Andorra	White Moulded	106
Antigua / Bi-fold	White Shaker	101
Apollo	White Contemporary	88
Arden	Oak Classic	41
Ardosia / Glazed	Painted Finish	75
Aurora / Glazed	White Shaker	97
Axis Oak / Glazed	Oak Shaker	45
Axis Ripple	White Shaker	93
Axis Walnut / Glazed	Walnut	60
Axis White / Glazed / Bi-folds	White Shaker	93
Barbados	White Shaker	100
Barbican	White Contemporary	88
Bela	Oak Contemporary	29
Belton / Glazed	White Classic	81
Blade	Door Handle Packs	116
Blenheim	Oak Contemporary	37
Canterbury / Glazed / Bi-folds	White Moulded	107
•	White Moulded	106
Caprice Catton / Glazed	White Classic	83
	White Classic White Shaker	
Cayman / Bi-fold Charnwood		103
	Oak Classic	41
Chartwell Charad	Oak Contemporary	37
Cherwell / Glazed	Oak Cottage	53
Churnet	Oak Classic	39
City Black / Glazed	Urban Industrial	23
City White / Glazed	Urban Industrial	23
Civic Black / Glazed	Urban Industrial	19
Civic White / Glazed	Urban Industrial	19
Classique / Glazed / Pairs / Bi-fold	White Moulded	109
Clementine	Oak Contemporary	37
Colonial 4 Panel Extreme / Glazed	External Extreme	121
Colonist / Bi-fold	White Moulded	109
Colorado / Glazed	Laminates	69
Cottage 5 / Glazed	White Moulded	105
Curl	Door Handle Packs	116
Darwen	Oak Classic	43
Dean	Oak Classic	41
Decima	White Moulded	108
Derwent	Oak Classic	39
Dominica	White Shaker	100
Dominion	White Contemporary	91
Dove / Pairs	Oak Classic	38
Drift	Door Handle Packs	116
Eccentro / Glazed	White Shaker	99
Eden	Oals Classia	40
	Oak Classic	43
Edwardian Glazed	White Moulded	108
Edwardian Glazed Eiger		
	White Moulded	108
Eiger	White Moulded Oak Shaker	108 49
Eiger Elektra	White Moulded Oak Shaker White Contemporary	108 49 91
Eiger Elektra Emral Oak	White Moulded Oak Shaker White Contemporary Oak Contemporary	108 49 91 29
Eiger Elektra Emral Oak Emral Walnut	White Moulded Oak Shaker White Contemporary Oak Contemporary Walnut	108 49 91 29 59
Eiger Elektra Emral Oak Emral Walnut Emral White Etna / Bi-fold	White Moulded Oak Shaker White Contemporary Oak Contemporary Walnut White Contemporary Oak Shaker	108 49 91 29 59 85 48
Eiger Elektra Emral Oak Emral Walnut Emral White Etna / Bi-fold Faro	White Moulded Oak Shaker White Contemporary Oak Contemporary Walnut White Contemporary Oak Shaker White Moulded	108 49 91 29 59 85 48 108
Eiger Elektra Emral Oak Emral Walnut Emral White Etna / Bi-fold Faro Fernor	White Moulded Oak Shaker White Contemporary Oak Contemporary Walnut White Contemporary Oak Shaker White Moulded Walnut	108 49 91 29 59 85 48 108 61
Eiger Elektra Emral Oak Emral Walnut Emral White Etna / Bi-fold Faro Fernor Franquette	White Moulded Oak Shaker White Contemporary Oak Contemporary Walnut White Contemporary Oak Shaker White Moulded Walnut Walnut	108 49 91 29 59 85 48 108 61
Eiger Elektra Emral Oak Emral Walnut Emral White Etna / Bi-fold Faro Fernor Franquette Fuji / FD30 / Bi-fold	White Moulded Oak Shaker White Contemporary Oak Contemporary Walnut White Contemporary Oak Shaker White Moulded Walnut Walnut Walnut Oak Shaker	108 49 91 29 59 85 48 108 61 61
Eiger Elektra Emral Oak Emral Walnut Emral White Etna / Bi-fold Faro Fernor Franquette Fuji / FD30 / Bi-fold Geo / Glazed	White Moulded Oak Shaker White Contemporary Oak Contemporary Walnut White Contemporary Oak Shaker White Moulded Walnut Walnut Walnut Oak Shaker White Shaker	108 49 91 29 59 85 48 108 61 61 49
Eiger Elektra Emral Oak Emral Walnut Emral White Etna / Bi-fold Faro Fernor Franquette Fuji / FD30 / Bi-fold	White Moulded Oak Shaker White Contemporary Oak Contemporary Walnut White Contemporary Oak Shaker White Moulded Walnut Walnut Walnut Oak Shaker	108 49 91 29 59 85 48 108 61 61

Hardwick	White Classic	83
Hudson / Glazed	Laminates	69
Humber	Oak Classic	43
Jamaica	White Shaker	103
Lara	Walnut	61
Louvre	Painted Finish	77
Lyric	White Contemporary	91
Matterhorn	Oak Shaker	49
Medina	Oak Contemporary	29
Mersey	Oak Classic	43
Metro Black / Glazed	Urban Industrial	25
Metro White / Glazed	Urban Industrial	25
Mistral Oak / Glazed / Bi-fold	Oak Contemporary	31
Mistral Walnut / Glazed	Walnut	59
Mistral White / Glazed / Bi-fold	White Contemporary	87
Montserrat / Bi-fold	White Shaker	103
Nevis	Oak Shaker	47
Novello	White Contemporary	91
Osborne	White Classic	81
Ostria / Glazed	Oak Contemporary	35
Palomino / Glazed	Oak Contemporary	33
Parisienne	Walnut	61
Phoenix	White Contemporary	89
Pintado Grey / Glazed	Painted Finish	75
Plaza Black / Glazed	Urban Industrial	21
Plaza White / Glazed	Urban Industrial	21
Pocket Doors & Accessories	Pocket Door Systems	110-113
Quartz / Glazed	White Shaker	95
Quattro / Glazed	White Moulded	105
Raven Black / Copper	Door Handle Packs	115
Ripple / Glazed	White Contemporary	89
Roller	Door Handle Packs	116
Rushmore Oak	Oak Shaker	47
Rushmore White / Glazed	White Shaker	100
Rustic Oak 4 Panel	Oak Cottage	55
Rustic Oak DX	Oak Cottage	55
Rustic Oak Ledged Proced Vit Book	Oak Cottage	55
Rustic Oak Ledged - Brace Kit Pack Savoy	Oak Cottage White Contemporary	55 89
Severn	Oak Classic	
Sherwood	Oak Classic	39 41
Sirocco / Glazed	Oak Contemporary	
Snowdon / Bi-fold	Oak Shaker	35
Spencer	Oak Contemporary	47
Tate	Painted Finish	37
Thames Extreme / Glazed	External Extreme	77 121
Thames Oak	Oak Cottage	51
Thames 1 Light / FD30	Oak Cottage	51
Thames 6 Light	Oak Cottage Oak Cottage	
Thames 1/2 Light	Oak Cottage Oak Cottage	52 52
Thames Bi-fold	Oak Cottage	52 52
Tigris Cinza / Glazed	Laminates	67
Tigris Extreme / Glazed	External Extreme	120
Tigris Ivory / Glazed	Laminates	65
Tigris Lava / Glazed	Laminates	65
Tigris Oak	Oak Contemporary	29
Tigris Walnut	Walnut	
Tigris White / Bi-fold	White Contemporary	59 85
Tobago / Bi-fold	White Shaker	101
Trent	Oak Classic	38
Trinidad	White Shaker	103
Tube	Door Handle Packs	116
IUDO	DOOL LIGHTIGHT FACES	110
Wave	Door Handle Packs	116



Follow our doors











Visit our website to view an interactive version of this brochure.

Contact your local stockist





JB Kind Limited Portal Place, Astron Business Park, Hearthcote Road, Swadlincote, Derbyshire DE11 9DW T: 01283 554197 F: 01283 554182 E: info@jbkind.com

