


The Finish

Our White Classic doors are supplied primed ready for a paint finish of your choice. Whether you choose to stay with white or opt for a modern shade with a grey undertone or go completely black, you have the flexibility to match your doors to your interior theme.

The Style

The White Classic range takes inspiration from the Regency era, offering four designs: Belton, Catton, Hardwick and Osborne. Each design features one or more recessed flat panels that are enhanced with attractive flush mouldings, perfect for modern and classic interiors.




Construction

Solidly constructed: the stiles and rails on the 35 mm doors have a solid core, faced with MDF/HDF. The central recessed panels are 9mm solid MDF/HDF and the mouldings are also formed from MDF/HDF.

The 44mm FD30 fire doors are constructed with a solid fire-resistant core.

All glazed doors are fitted with clear flat safety glass and an etched safety glass option is also available for the Belton.







We can take the hassle away and arrange for your doors to be professionally spray painted prior to delivery. All you have to do is confirm your preferred RAL Classic colour and we will do the rest. [minimum order of 10 doors applies]

Save time

No need to prepare (de-nib/sand) doors prior to painting and paint several coats on each side, allowing for drying time too!

Cost saving

Eliminate the cost of purchasing paint and equipment, plus labour if you employ someone to do the job for you.

Perfect finish

Spray painting gives a smooth factory finish without brush marks or uneven coverage.

Colour choice

You really can have any colour on the RAL Classic spectrum. Even if you would like to paint your doors a shade of white, we will ensure they have the perfect finish.

Colour inspiration:

Here are some of our customer favourites


















1019 Grey Beige


5011 Steel Blue

9005 Jet Black

Note: Our painting service typically takes 3-4 weeks including delivery. Touch up kits are available to order. Colours shown are representative only. Please be aware that the appearance of RAL colours can vary depending on the absorbency level of the door face. Subject to terms and conditions.



Catton painted in RAL 6004 Blue Green




Classic simplicity

The Belton door keeps things simple with one large, recessed panel, enhanced with flush mouldings which add that perfect finishing touch and style.

Primed white ready for a choice of paint finish, the doors are robust and solidly constructed.

Glazed Belton doors offer two options, one with a full clear flat safety glass panel, the other features an etched safety glass panel, giving the choice of two different looks.

▶ FD30 Fire doors are available from stock.




Belton



Size (mm)		Code			
PRIM	PRIMED				
1981	610 35	SBEL20			
1981	686 35	SBEL23			
1981	762 35	SBEL26			
1981	838 35	SBEL29			
1981	610 44	SBEL20FD30 🌢			
1981	686 44	ISBEL23FD30 ♦			
1981	762 44	SBEL26FD30 🌢			
1981	838 44	SBEL29FD30 🌢			

Belton Clear Glazed



Size (mml		Code	
			Code	
PRIM	ED			
1981	610	35	SBEL1L20	
1981	686	35	SBEL1L23	
1981	762	35	SBEL1L26	
1981	838	35	SBEL1L29	

Belton Etched Glazed




Size (mm) Code

1981 686 35 SBEL1LETC23 1981 762 35 SBEL1LETC26 1981 838 35 SBEL1LETC29

PRIMED



HARDWICK



C&LOUR OPTIONS Paint Service

Traditional favourite

The Hardwick offers a popular two panel option favoured by many and the flush mouldings around the perimeter of the panels are what really accentuate this doors' design.

Primed ready for a paint finish, you have the option to paint these solidly constructed doors any colour you wish.

We recommend pairing with the Belton Clear/ Etched Glass, should you require a matching glazed option.

▶ FD30 Fire doors are available from stock.



Hardwick



Size (mm) Code
PRIMED
1981 610 35 SHAR20
1981 686 35 SHAR23
1981 762 35 SHAR26
1981 838 35 SHAR29
1981 610 44 SHAR20FD30 🌢
1981 686 44 SHAR23FD30 🌢
1981 762 44 SHAR26FD30 🌢
1981 838 44 SHAR29FD30 🌢

OSBORNE



C&LOUR OPTIONS Paint Service

Stately design

The Osborne, also known as our 'letterbox' door, brings some stately style to the modern home.

The three different sized recessed panels with flush mouldings, are what give this door its' character.

Primed and ready for a paint finish, the Osborne looks beautiful finished in white or a different colour of choice.

We recommend pairing with the Belton Clear/Etched Glass, should you require a matching glazed option.

▶ FD30 Fire doors are available from stock.

@our.foreverhome15




Osborne



Size ((mm)	Code
PRIM	ED	
1981	610 35	SOSB20
1981	686 35	SOSB23
1981	762 35	SOSB26
1981	838 35	SOSB29
1981	610 44	SOSB20FD30 🌢
1981	686 44	SOSB23FD30 🌢
1981	762 44	SOSB26FD30 🎍
1981	838 44	SOSB29FD30 🌢



CATTON



C&LOUR OPTIONS Paint Service

Delightful style

The Catton's three recessed panels with flush mouldings is a stylish design that will look fantastic in any room, contemporary or traditional.


Whether you chose to paint the primed finish white or an alternative colour, these solidly constructed doors will certainly make a statement.

The glazed Catton door is fitted with clear flat safety glass.

▶ FD30 Fire doors are available from stock.

@holdsworth_construction





Catton

Catton Glazed





Size (mm)			Code	
PRIMED				
1981	610	35	SCAT20	
1981	686	35	SCAT23	
1981	762	35	SCAT26	
1981	838	35	SCAT29	
1981	610	44	SCAT20FD30 è	
1981	686	44	SCAT23FD30 ♦	
1981	762	44	SCAT26FD30 🌢	
1981	838	44	SCAT29FD30 🌢	

Size	(mm)	Code	
PRIM	ED		
1981	610 35	SCAT3L20	
1981	686 35	SCAT3L23	
1981	762 35	SCAT3L26	
1981	838 35	SCAT3L29	

Installation

Our White Classic doors are supplied primed and we recommend using 3 hinges to hang each door to prevent warping. We advise fitting the door with all ironmongery prior to painting. Remove the door from the frame and all ironmongery, give the door a light sand and to remove any nibs, wipe down with a damp cloth and then apply a top coat of paint. Take care to seal any edges and cut outs with the paint to avoid future ingress/egress of moisture that could compromise the doors' performance and invalidate its warranty.

For fire door installation, please consult the fire certification.

Trimming:

	MAXIMUM TRIMMING			
	off each long edge	off top edge	off bottom edge	
35mm standard & glazed doors	5mm	10mm	10mm	

Trimming allowances are for guidance only and if required should be kept to a minimum. Please note that framing sizes may vary due to the manufacturing process of trimming a door to its finished size.

Rebated door pairs:

35mm White Classic doors can be ordered as a rebated door pair (where a small section along the vertical edge of each door is removed so that they fit snugly together). Please ask for more information

Door Care

To keep your White Classic doors in top condition, we recommend freshening their paint finish every 2-3 years. During the interim periods, we advise cleaning the face of the doors on a regular basis with a damp cloth and mild detergent, followed by a dry cloth.

Door Handle Packs Take a look at our range of handle packs, which include a pair of handles, a latch and 3 high quality, stainless steel ball bearing hinges. More styles available, see website.

#realhomes

$@holdsworth_construction\\$



@our. for ever home 15



@no3onthefields





Book a visit to our Showroom

At our showroom in Swadlincote, South Derbyshire, we have the largest display of JB Kind Doors in the UK. To book simply call 01283 554197 or fill out the appointment form on our website.



See these doors on our Door Visualiser

All the White Classic doors are on our Door Visualiser. See how they look against different wall colours and flooring types.

Let us help you #chooseyourdoors >



Follow us on Social Media









