

DOOR COLLECTION 2023



Welcome

Our 2023 Door Collection showcases a diversity of door designs, from firm favourites to innovative new styles.

Industrial and Scandi interiors (and the doors inspired by these), continue to be popular, alongside the UK's love of laminates. Hence, JB Kind have created the new Cosmo Grey door that integrates seamlessly into the Urban Industrial family with all the benefits of durability and consistency that laminate brings. The stunning graphite grey laminate finish fits in perfectly with the top interior trend of using mixed metals.

A new selection of handle packs (with everything you need to fit a door) have been introduced which are sure to be the perfect accompaniment for your doors. Whether you prefer a soft touch black, satin grey or chrome/stainless steel finish, the choices are plentiful and affordable.

Whatever your budget or design dream, we're confident we'll have the door solution to meet your needs.

Architects, Specifiers and Designers

Our dynamic door designs offer undeniable value as well as compliance with a wide range of UK and European industry standards.

From fire protection and thermal insulation to renewable resources and disabled access, you can rely on JB Kind to provide the quality standards you need. We have recognised third party accreditation from schemes such as Certifire.

If you have any questions or need some expert advice, don't hesitate to call us on 01283 554197.

Contents

About JB Kind Doors	pages 4-5
Choosing your doors	pages 6-7
Where to buy	page 7
Where to see our doors	page 8
Responsible suppliers	page 9
Get inspired	page 10-11
Internal Doors	pages 12-117
Pocket Door Systems	pages 118-121
Door Furniture	pages 122-125
External Doors	pages 126-129
Our Services	
Bespoke Options	page 130
PAS 24 Security Doorsets	pages 132-133
Colour Options	pages 134-135
Rebated Door Pairs	page 135
Essential door care & maintenance advice	page 136
Index	page 137



Working with timber since 1870



Like to know more about our history?
Visit jbkind.com/about/history



Over 150 years and we're still going strong!

Our founder John Blower Kind built up a successful timber merchant and box manufacturing business up until his death in 1905. A family ethos has continued until this day and the business has always diversified and moved with the times.

We've manufactured boxes for the military during both world wars and supplied well known companies such as Fyffes bananas, Ovaltine and Johnnie Walker.

Moving into the manufacture of timber pallets in the 1960's, our business has always had timber at its heart.



40 years in doors

We're celebrating a special anniversary this year – 40 years since we started selling doors in 1983!

Initially a side-line alongside JB Kind's timber milling and pallet manufacturing divisions, the door business boomed and we moved to solely supplying doors in 2007.

Door styles and our brochures have changed quite a bit during this time! We're proud to say that innovation is inherent in our business and we continue to design and supply the latest interior door trends.

Today, we offer more than just doors

At our purpose built head office and distribution centre in Derbyshire, we offer a number of different door related products and services.

Whether you require tailor made bespoke doors in a different design or size,

pre-assembled doorsets or a professional spray paint finish service in any colour you like - we can help.

Space saving pocket door systems that are easy to install and an attractive selection of handle packs that include everything you need to fit a door, are also available.



Choosing your doors



How to measure up

To make sure you purchase the right door sizes, take the following measurements.

Door width: measure the top, middle and bottom of the door frame. The widest measurement determines the width of the door.
Door height: measure inside the vertical side of the frame. The longest length determines the height required. Remember to make allowance for any floor covering and fitting tolerances (normally 2-3mm on long edges and top edge).

NB. You can plane door edges slightly to reduce the size. If required, please call us for details of the lipping size.



Door size conversion chart:

A little help if you need to work out the metric and imperial equivalent for door sizes.

Height & Width		
Metric (mm)	Imperial (inches)	Imperial (feet & inches)
1981 x 457	78" x 18"	6'6" x 1'6"
1981 x 533	78" x 21"	6'6" x 1'9"
1981 x 610	78" x 24"	6'6" x 2'0"
1981 x 686	78" x 27"	6'6" x 2'3"
1981 x 711	78" x 28"	6'6" x 2'4"
1981 x 762	78" x 30"	6'6" x 2'6"
1981 x 838	78" x 33"	6'6" x 2'9"
1981 x 915	78" x 36"	6'6" x 3'0"
1981 x 1067	78" x 42"	6'6" x 3'6"
1981 x 1168	78" x 46"	6'6" x 3'10"
1981 x 1220	78" x 48"	6'6" x 4'0"
1981 x 1372	78" x 54"	6'6" x 4'6"
1981 x 1524	78" x 60"	6'6" x 5'0"
2032 x 813	80" x 32"	6'8" x 2'8"
2134 x 915	84" x 36"	7'0" x 3'0"
2040 x 526	80¼" x 20⅞"	6'8¼" x 1'8⅞"
2040 x 626	80¼" x 24⅝"	6'8¼" x 2'0⅝"
2040 x 726	80¼" x 28⅝"	6'8¼" x 2'4⅝"
2040 x 826	80¼" x 32½"	6'8¼" x 2'8½"
2040 x 926	80¼" x 36⅞"	6'8¼" x 3'0⅞"

Things to consider

Finish


Choosing new internal doors involves making a decision on whether they come fully finished or primed/unfinished ready for a top coat of paint or varnish.



Unfinished Finished Primed

Glazing beads

Many glazed doors have beading (mouldings) that surround the glass panes, sometimes these are flush or raised. We confirm the beading types in our product details.



Flush beading Raised beading

Core construction

Doors vary in construction and the typical compositions are:

- Solid** – a solid centre made from wood-based timber components.
- Semi-solid** – both solid and cellular components
- Standard** – a cellular, hollow core that is lighter in weight



Solid Semi-solid Standard

Door style

Do you know your flush, from your cottage to your panelled? We recommend choosing your favourite style, as it will help narrow down your search.



Flush Cottage Panelled


Where to buy

We do not sell doors direct, instead all our doors can be ordered from approved Online Partners and Builders Merchants / Door Retailer partners across the UK.

Visit the Where to Buy section on jbkind.com or contact us for details of your closest retailer.



Find your nearest retailer at jbkind.com/about/where-to-buy



Where to see our doors



At our showroom we welcome visitors from across the UK to view the largest range of JB Kind doors in the country.

From architects and specifiers, to developers, self builders and renovators, we offer exclusive access to the showroom, Monday to Friday on an appointment only basis.

Based in Swadlincote, South Derbyshire, JB Kind's showroom is conveniently located just 10 minutes from either junction 11 or 13 on the M42.

You will be able to view more than 70 doors on display from our latest and most popular door ranges, as well as a double pocket door system, a working bi-fold door and rebated door pair.

We have many partners throughout the UK with our doors on display, so please contact us for details of your closest showroom.

BOOK TODAY...

Please call 01283 554197 to make an appointment or complete our online appointment form.



Or view our Virtual Showroom tour at jbkind.com/about/door-showroom

Responsible suppliers

FSC® Certified chain of custody door supplier

We hold our own FSC® chain of custody certification for certain doors within our collection. Chain of custody certification ensures that the systems within our business allow us to track the door from the day we buy it, through to the day we deliver it. Wherever you see FSC® Certified within a product description that door has been produced from certified materials and other controlled sources.



Fire Doors

Fire doors are a serious business, and that's why we invest our time, energy and money to ensure that we have one of the most comprehensive, and certified, collections of fire doors in the UK.

As responsible suppliers of fire resistant doors, we ensure that all of our FD30 doors have been tested in accordance with either the British BS476 pt22 or European EN1634-1:2000 standards. All of our fire doors have a Fire Test Assessment report which is available upon request and outlines in detail exactly what you can and can't do when fitting any door. All glazed fire doors are fitted with fire-rated glass.

FD30 fire door pairs: please note that not all FD30 fire doors offered within this brochure are certificated for use as pairs. Please contact us for more information.

For more information on fire doors, including details on Glazed Fire Doors & Part M (Mobility) visibility requirements, log on to jbkind.com or call **01283 554197**.

Finding your fire doors

Look out for the 🔥 or 🔵 icons that are adjacent to product codes throughout the brochure.

For a more detailed breakdown of the fire door options by range. See our online 'At a Glance Guide' that shows the standard stock and bespoke options for both solid and glazed FD30 fire doors, at jbkind.com/info-centre/fire-doors

Certificated Fire Doors

Fire doors certificated by Warringtonfire are identified by 🔵 Certifire FD30 Fire door. JB Kind's membership of the BWF Fire Door Alliance Scheme supports the promotion of third party certification.



Certifications & Memberships

Our dedication to meeting the highest standards for our customers is illustrated by our continuous achievement of the UK quality standard to the ISO9001 accreditation and our affiliation to the British Woodworking Federation (BWF).



Guarantee

We are proud of the quality of our products and use the best materials, manufacturing processes and control systems to ensure a high quality of workmanship. For more information on our product guarantees, please visit jbkind.com



Get Inspired...


Door Visualiser

Helping to make door choices easier

The Door Visualiser is the UK's first online door visualisation tool and it's exclusive to JB Kind!

This innovative tool will help you try out more than 70 of our most popular door designs in a choice of room settings. You can tweak the room style to suit your own personal taste by changing the wall colours and flooring, then save and share your favourite pictures.

The perfect way to try before you buy! **#chooseyourdoors**



Choose a door


Paint the walls

Change the flooring



Scan the QR code and start choosing your new doors

or view online at doorvisualiser.com



Brochures, trends and more

Visit jbkind.com to find lots more information to help you make your door choices. Including information on finishes, sizes and the latest interior trends.

Plus, there are product focus brochures, FAQs, how to advice, videos and our bespoke services are all available for you to browse through.




View our brochures at jbkind.com/brochure

Real home inspiration

Follow us on instagram for inspirational homes, self builds and renovation projects, news and much more.


See our doors in **#realhomes** and don't forget to share photos of your projects by tagging us in at **#jbkinddoors**.



@our.foreverhome15




@boomtoon_betterment



@kd_carpentry



@project_34_selfbuild



@scandiahus



URBAN INDUSTRIAL

Combining the cool appeal
of the urban landscape with
the stylish lines of modern living



URBAN INDUSTRIAL LAMINATE

Finish:
Finished graphite grey laminate

Style:
3 ladder style panels

Glazing:
Clear flat safety glass
All glazed doors are constructed with individual panes for added stability
No risk of drilling into glass on glazed door

Construction:
Solid framing and lock blocks
Robust 9mm solid panels

Other:
10mm trimming allowance on bottom rail
Suitable for regular door ironmongery
Rebated door pairs can be ordered from stock with a short lead time



FINISHED				
Size (mm)				Code
1981 610 35				UGRCOS20
1981 686 35				UGRCOS23
1981 762 35				UGRCOS26
1981 838 35				UGRCOS29

NEW
Cosmo Grey



NEW Cosmo Grey
Clear Glass



FINISHED				
Size (mm)				Code
1981 610 35				UGRCOS20G
1981 686 35				UGRCOS23G
1981 762 35				UGRCOS26G
1981 838 35				UGRCOS29G

Add the finishing touch...
see page 124



VI View in our
Door Visualiser





Make a statement with a pocket door system see page 118

City Black, @project_34_selfbuild

URBAN INDUSTRIAL PAINTED

Finish:

Black or white painted finish

Style:

Art deco style panels

Glazing:

Clear flat safety glass

City Black is also available with tinted glass

All glazed doors are constructed with individual panes for added stability

No risk of drilling into glass on glazed doors

Construction:

Solid framing and lock blocks

Robust 9mm MDF panels for solid doors

Other:

10mm trimming allowance on bottom rail

Suitable for regular door ironmongery

Rebated door pairs can be ordered from stock with a short lead time



 View in our Door Visualiser

Add the finishing touch... see page 124



City Black Clear Glass

City Black



FINISHED

Size (mm)	Code
1981 610 35	UCIT20BL
1981 686 35	UCIT23BL
1981 762 35	UCIT26BL
1981 838 35	UCIT29BL

City Black Clear Glass



FINISHED

Size (mm)	Code
1981 610 35	UCIT20GBL
1981 686 35	UCIT23GBL
1981 762 35	UCIT26GBL
1981 838 35	UCIT29GBL

City Black Tinted Glass



FINISHED

Size (mm)	Code
1981 762 35	UCIT26GGBL

City White



FINISHED

Size (mm)	Code
1981 610 35	UCIT20WH
1981 686 35	UCIT23WH
1981 762 35	UCIT26WH
1981 838 35	UCIT29WH

City White Clear Glass



FINISHED

Size (mm)	Code
1981 610 35	UCIT20GWH
1981 686 35	UCIT23GWH
1981 762 35	UCIT26GWH
1981 838 35	UCIT29GWH

- Finish:**
Black or white painted finish
- Style:**
5 Ladder style panels
- Glazing:**
Clear flat safety glass
All glazed doors are constructed with individual panes for added stability
No risk of drilling into glass on glazed doors
- Construction:**
Solid framing and lock blocks
Robust 9mm MDF panels for solid doors
- Other:**
10mm trimming allowance on bottom rail
Suitable for regular door ironmongery
Rebated door pairs can be ordered from stock with a short lead time



Metro White

Metro Black



Add the finishing touch...
see page 124



Metro Black
Clear Glass



Metro White



Metro White
Clear Glass



FINISHED			
Size (mm)		Code	
1981 610 35	UMET20BL		
1981 686 35	UMET23BL		
1981 762 35	UMET26BL		
1981 838 35	UMET29BL		



FINISHED			
Size (mm)		Code	
1981 610 35	UMET20GBL		
1981 686 35	UMET23GBL		
1981 762 35	UMET26GBL		
1981 838 35	UMET29GBL		



FINISHED			
Size (mm)		Code	
1981 610 35	UMET20WH		
1981 686 35	UMET23WH		
1981 762 35	UMET26WH		
1981 838 35	UMET29WH		



FINISHED			
Size (mm)		Code	
1981 610 35	UMET20GWH		
1981 686 35	UMET23GWH		
1981 762 35	UMET26GWH		
1981 838 35	UMET29GWH		

Vi View in our
Door Visualiser

Make a
statement with
a pocket door
system
see page 118

Metro Black Clear Glass



Civic Black Clear Glass

Make a statement with a pocket door system
see page 118

URBAN INDUSTRIAL PAINTED

Finish:

Black or white painted finish

Style:

6 industrial style panels

Glazing:

Clear flat safety glass

All glazed doors are constructed with individual panes for added stability

No risk of drilling into glass on glazed doors

Construction:

Solid framing and lock blocks

Robust 9mm MDF panels for solid doors

Other:

10mm trimming allowance on bottom rail

Suitable for regular door ironmongery

Rebated door pairs can be ordered from stock with a short lead time



Add the finishing touch...
see page 124



View in our Door Visualiser



Civic White Clear Glass

Civic Black



Civic Black Clear Glass



FINISHED

Size (mm)	Code
1981 610 35	UCIV20BL
1981 686 35	UCIV23BL
1981 762 35	UCIV26BL
1981 838 35	UCIV29BL



FINISHED

Size (mm)	Code
1981 610 35	UCIV20GBL
1981 686 35	UCIV23GBL
1981 762 35	UCIV26GBL
1981 838 35	UCIV29GBL

Civic White



Civic White Clear Glass



FINISHED

Size (mm)	Code
1981 610 35	UCIV20WH
1981 686 35	UCIV23WH
1981 762 35	UCIV26WH
1981 838 35	UCIV29WH



FINISHED

Size (mm)	Code
1981 610 35	UCIV20GWH
1981 686 35	UCIV23GWH
1981 762 35	UCIV26GWH
1981 838 35	UCIV29GWH

Finish:

Black or white painted finish

Style:

10 industrial style panels

Glazing:

Clear flat safety glass

All glazed doors are constructed with individual panes for added stability

No risk of drilling into glass on glazed doors

Construction:

Solid framing and lock blocks

Robust 9mm MDF panels for solid doors

Other:

10mm trimming allowance on bottom rail

Suitable for regular door ironmongery

Rebated door pairs can be ordered from stock with a short lead time



Plaza White Clear Glass

Plaza Black



Plaza Black Clear Glass



Plaza White



Plaza White Clear Glass



Add the finishing touch...

see page 124



Make a statement with a pocket door system

see page 118

Plaza Black



FINISHED			
Size (mm)		Code	
1981 610 35		UPLA20BL	
1981 686 35		UPLA23BL	
1981 762 35		UPLA26BL	
1981 838 35		UPLA29BL	



FINISHED			
Size (mm)		Code	
1981 610 35		UPLA20GBL	
1981 686 35		UPLA23GBL	
1981 762 35		UPLA26GBL	
1981 838 35		UPLA29GBL	



FINISHED			
Size (mm)		Code	
1981 610 35		UPLA20WH	
1981 686 35		UPLA23WH	
1981 762 35		UPLA26WH	
1981 838 35		UPLA29WH	



FINISHED			
Size (mm)		Code	
1981 610 35		UPLA20GWH	
1981 686 35		UPLA23GWH	
1981 762 35		UPLA26GWH	
1981 838 35		UPLA29GWH	

View in our Door Visualiser



LAMINATES

Contemporary elegance –
Laminate doors offer a consistent,
durable finish in a selection of
on-trend coloured wood effect
finishes – perfect for all interiors.

Finish:

Finished laminate with light grey and ivory coloured wood effect

Style:

5 ladder style panels with matching coloured grooves

Glazing:

Clear flat safety glass with raised beading

Construction:

Semi-solid core construction

Other:

🔥 FD30 Fire doors

All fire doors are solid core construction

If trimming is required the door edges will need retouching. See website for colour match information.



Add the finishing touch...

see page 124




Tigris Light Grey



Tigris Light Grey Glazed



Tigris is also available in Dark Grey, Oak, Walnut and White, see pages 29, 37, 67 & 87.



Tigris Ivory



Tigris Ivory Glazed



FINISHED

Size (mm)		Code
1981 610 35		LAVTIG20
1981 686 35		LAVTIG23
1981 762 35		LAVTIG26
1981 838 35		LAVTIG29
1981 610 44		LAVTIG20FD30 🔥
1981 686 44		LAVTIG23FD30 🔥
1981 762 44		LAVTIG26FD30 🔥
1981 838 44		LAVTIG29FD30 🔥



FINISHED

Size (mm)		Code
1981 686 35		LAVTIG23G
1981 762 35		LAVTIG26G
1981 838 35		LAVTIG29G



FINISHED

Size (mm)		Code
1981 610 35		IVOTIG20
1981 686 35		IVOTIG23
1981 762 35		IVOTIG26
1981 838 35		IVOTIG29
1981 610 44		IVOTIG20FD30 🔥
1981 686 44		IVOTIG23FD30 🔥
1981 762 44		IVOTIG26FD30 🔥
1981 838 44		IVOTIG29FD30 🔥



FINISHED

Size (mm)		Code
1981 686 35		IVOTIG23G
1981 762 35		IVOTIG26G
1981 838 35		IVOTIG29G

View in our Door Visualiser

Tigris Light Grey

Make a statement with a pocket door system
see page 118



Finish:

Finished laminate with dark grey coloured wood effect

Style:

5 ladder style panels with dark grey coloured grooves

Glazing:

Clear flat safety glass with raised beading

Construction:

Semi-solid core construction

Other:

🔥 FD30 Fire doors

All fire doors are solid core construction

If trimming is required the door edges will need retouching. See website for colour match information.



FINISHED

Size (mm)	Code
1981 610 35	CINTIG20
1981 686 35	CINTIG23
1981 762 35	CINTIG26
1981 838 35	CINTIG29
1981 610 44	CINTIG20FD30 🔥
1981 686 44	CINTIG23FD30 🔥
1981 762 44	CINTIG26FD30 🔥
1981 838 44	CINTIG29FD30 🔥

Tigris Dark Grey



Add the finishing touch...
see page 124



Tigris Dark Grey Glazed



FINISHED

Size (mm)	Code
1981 686 35	CINTIG23G
1981 762 35	CINTIG26G
1981 838 35	CINTIG29G

Tigris is also available in Oak, Walnut, Light Grey, Ivory and White, see pages 37, 67, 27 & 87.



Vi View in our Door Visualiser

Make a statement with a pocket door system
see page 118

Tigris Dark Grey



Tigris Dark Grey Glazed



Colorado Grey

Make a statement with a pocket door system
see page 118

Finish:
Finished laminate with grey (Colorado Grey) and oak (Hudson) coloured wood effect

Style:
Grooved cottage style central panel

Glazing:
Colorado Grey: Clear flat safety glass with etched lines and raised beading
Hudson: Clear flat safety glass with raised beading

Construction:
Semi-solid core construction

Other:
🔥 FD30 Fire doors
All fire doors are solid core construction
If trimming is required the door edges will need retouching. See website for colour match information.



Colorado Grey



FINISHED	
Size (mm)	Code
1981 610 35	LCOLO20
1981 686 35	LCOLO23
1981 762 35	LCOLO26
1981 838 35	LCOLO29
1981 610 44	LCOLO20FD30 🔥
1981 686 44	LCOLO23FD30 🔥
1981 762 44	LCOLO26FD30 🔥
1981 838 44	LCOLO29FD30 🔥

Add the finishing touch...
see page 124



Colorado Grey Glazed



FINISHED	
Size (mm)	Code
1981 686 35	LCOLO23G
1981 762 35	LCOLO26G
1981 838 35	LCOLO29G



Hudson

Hudson



Hudson Glazed



FINISHED	
Size (mm)	Code
1981 610 35	LHUD20
1981 686 35	LHUD23
1981 762 35	LHUD26
1981 838 35	LHUD29
2040 626 40	LHUD626
2040 726 40	LHUD726
2040 826 40	LHUD826
1981 610 44	LHUD20FD30 🔥
1981 686 44	LHUD23FD30 🔥
1981 762 44	LHUD26FD30 🔥
1981 838 44	LHUD29FD30 🔥
2040 626 44	LHUD626FD30 🔥
2040 726 44	LHUD726FD30 🔥
2040 826 44	LHUD826FD30 🔥
2040 926 44	LHUD926FD30 🔥

FINISHED	
Size (mm)	Code
1981 686 35	LHUDG23
1981 762 35	LHUDG26
1981 838 35	LHUDG29
2040 626 40	LHUDG626
2040 726 40	LHUDG726
2040 826 40	LHUDG826

View in our Door Visualiser



Finish:
Finished laminate with either a light smoky grey or dark grey coloured wood effect

Style:
Central panel is slightly recessed

Glazing:
Clear flat safety glass with raised beading

Construction:
Semi-solid core construction

Other:
🔥 FD30 Fire doors

All fire doors are solid core construction

If trimming is required the door edges will need retouching. See website for colour match information.



View in our Door Visualiser

Alabama Light Grey



FINISHED		
Size (mm)		Code
1981 610 35		LALAFUM20
1981 686 35		LALAFUM23
1981 762 35		LALAFUM26
1981 838 35		LALAFUM29
1981 686 44		LALAFUM23FD30 🔥
1981 762 44		LALAFUM26FD30 🔥
1981 838 44		LALAFUM29FD30 🔥

Alabama Light Grey Glazed



FINISHED		
Size (mm)		Code
1981 686 35		LALAFUMG23
1981 762 35		LALAFUMG26
1981 838 35		LALAFUMG29

Add the finishing touch... see page 124



Alabama Dark Grey



FINISHED		
Size (mm)		Code
1981 610 35		LALACIN20
1981 686 35		LALACIN23
1981 762 35		LALACIN26
1981 838 35		LALACIN29
1981 686 44		LALACIN23FD30 🔥
1981 762 44		LALACIN26FD30 🔥
1981 838 44		LALACIN29FD30 🔥

Alabama Dark Grey Glazed



FINISHED		
Size (mm)		Code
1981 686 35		LALACING23
1981 762 35		LALACING26
1981 838 35		LALACING29



OAK

Oak gives a beautiful, natural feel to any room. This versatile, timeless wood looks stunning whether you go for a contemporary or traditional design.

Finish:

Finished oak veneer with real wood grooves

Style:

5 ladder style panels

Glazing:

Emral/Bela: Clear flat safety glass with raised beading

Medina: Clear diamond cut safety glass with raised beading

Construction:

Solid core construction

Other:

🔥 Certifire FD30 Fire doors



Add the finishing touch...


see page 124




Tigris Oak



Tigris and Emral are available in Walnut and White, see pages 67 & 87.



Laminate versions are available in Dark Grey, Light Grey and Ivory, see pages 29 & 27.



FINISHED

Size (mm)	Code
1981 533 35	OIS119
1981 610 35	OIS120
1981 686 35	OIS123
1981 762 35	OIS126
1981 838 35	OIS129
2040 626 40	OIS1626
2040 726 40	OIS1726
2040 826 40	OIS1826
1981 533 44	OIS19FD30 🔥
1981 610 44	OIS20FD30 🔥
1981 686 44	OIS23FD30 🔥
1981 762 44	OIS26FD30 🔥
1981 838 44	OIS29FD30 🔥
2040 726 44	OIS1726FD30 🔥
2040 826 44	OIS1826FD30 🔥
2040 926 44	OIS1926FD30 🔥

Rebated door pairs available from stock for 35mm 610/686/762/838mm sizes.

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Make a statement with a pocket door system

see page 118

Tigris Oak



Medina

Emral Oak



FINISHED

Size (mm)	Code
1981 686 35	OEMR23
1981 762 35	OEMR26
1981 838 35	OEMR29
1981 686 44	OEMR23FD30 🔥
1981 762 44	OEMR26FD30 🔥
1981 838 44	OEMR29FD30 🔥

Medina



FINISHED

Size (mm)	Code
1981 686 35	OMED23G
1981 762 35	OMED26G
1981 838 35	OMED29G
2040 626 40	OMED626G
2040 726 40	OMED726G
2040 826 40	OMED826G

Rebated door pairs available from stock for 35mm 686/762/838mm sizes. Glazed fire doors are available to order.

Bela



FINISHED

Size (mm)	Code
1981 610 35	OBEL20
1981 686 35	OBEL23
1981 762 35	OBEL26
1981 838 35	OBEL29

🔧 Bespoke options

👁️ View in our Door Visualiser

🔧 Option for PAS 24, see page 132



Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Mistral Oak Glazed

Make a statement with a pocket door system
see page 118

Finish:

Finished oak veneer with MDF grooves

Style:

3 ladder style panels

Glazing:

Clear flat safety glass with flush beading

Construction:

Semi-solid core construction

Bi-fold: Solid core construction

Other:

🔥 FD30 Fire doors (solid core construction)



Add the finishing touch...

see page 124



Mistral Oak



Mistral Oak and Mistral Oak Glazed are also available in Walnut and White, see pages 69 & 89.



FINISHED

Size (mm)		Code
1981 533 35		OMIS19
1981 610 35		OMIS20
1981 686 35		OMIS23
1981 762 35		OMIS26
1981 838 35		OMIS29
2040 526 40		OMIS526
2040 626 40		OMIS626
2040 726 40		OMIS726
2040 826 40		OMIS826
1981 610 44		OMIS20FD30 🔥
1981 686 44		OMIS23FD30 🔥
1981 762 44		OMIS26FD30 🔥
1981 838 44		OMIS29FD30 🔥
2040 726 44		OMIS726FD30 🔥
2040 826 44		OMIS826FD30 🔥
2040 926 44		OMIS926FD30 🔥



Mistral Oak Glazed



Mistral Oak Bi-fold



Bi-folds are easy to install into existing flush linings (without door stop). Supplied ready hinged with pivots, brackets and a sliding track. Please note that the actual bi-fold supplied is slightly smaller than the door size listed, to accommodate tracking.



FINISHED

Size (mm)		Code
1981 686 35		OMIS23G
1981 762 35		OMIS26G
1981 838 35		OMIS29G
2040 626 40		OMIS626G
2040 726 40		OMIS726G
2040 826 40		OMIS826G

Glazed fire doors with raised beading available to order.

FINISHED

Size (mm)		Code
1981 762 35		OMISBF26

Mistral Oak Bi-fold is also available in White, see page 89.



🔧 Bespoke options

🖥️ View in our Door Visualiser

🔧 Option for PAS 24, see page 132

Finish:

Unfinished oak veneer with real wood grooves

Style:

7 ladder style panels

Glazing:

Clear safety glass with raised beading

Construction:

Solid core construction

Other:

🔥 FD30 Fire doors



Add the finishing touch...
see page 124



* Finished available to order

🔧 Bespoke options

👁️ View in our Door Visualiser

🔧 Option for PAS 24,
see page 132


Palomino



Palomino Glazed



Square cut grooves



UNFINISHED*

Size (mm)	Code
1981 610 35	OPAL20
1981 686 35	OPAL23
1981 762 35	OPAL26
1981 838 35	OPAL29
1981 610 44	OPAL20FD30 🔥
1981 686 44	OPAL23FD30 🔥
1981 762 44	OPAL26FD30 🔥
1981 838 44	OPAL29FD30 🔥

UNFINISHED*

Size (mm)	Code
1981 686 35	OPAL23G
1981 762 35	OPAL26G
1981 838 35	OPAL29G

Glazed fire doors available to order with clear flat glass.

Make a statement with a pocket door system
see page 118

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Palomino (shown finished)



Palomino Glazed (shown finished)

Finish:

Finished oak veneer

Style:

Sirocco: Grooved into MDF with alternate horizontal and vertical veneers

Ostria: Horizontal veneers with vertical stiles

Glazing:

Clear flat safety glass with flush beading

Construction:

Semi-solid core construction

Other:

 Certifire FD30 Fire doors

 FD30 Fire doors

All fire doors are solid core construction



Add the finishing touch...

see page 124



Sirocco

Sirocco



Sirocco Glazed






Ostria



Ostria Glazed



FINISHED

Size (mm)	Code
1981 610 35	OSIR20
1981 686 35	OSIR23
1981 762 35	OSIR26
1981 838 35	OSIR29
1981 686 44	OSIR23FD30 
1981 762 44	OSIR26FD30 
1981 838 44	OSIR29FD30 






FINISHED

Size (mm)	Code
1981 686 35	OSIR23G
1981 762 35	OSIR26G
1981 838 35	OSIR29G

Glazed fire doors with raised beading available to order.



FINISHED

Size (mm)	Code
1981 610 35	OOST20
1981 686 35	OOST23
1981 762 35	OOST26
1981 838 35	OOST29
1981 686 44	OOST23FD30 
1981 762 44	OOST26FD30 
1981 838 44	OOST29FD30 



FINISHED

Size (mm)	Code
1981 686 35	OOST23G
1981 762 35	OOST26G
1981 838 35	OOST29G

Glazed fire doors with raised beading available to order.


Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Make a statement with a pocket door system

see page 118

Ostria

 Bespoke options

 Option for PAS 24, see page 132

Finish:

Finished oak veneer

Style:

Chartwell/Blenheim: Dark wood inlay

Clementine/Spencer: Walnut inlay

Glazing:

Clear flat safety glass with raised beading

Blenheim FD30: is clear flat fire glass

Construction:

Chartwell & Blenheim: Semi-solid core construction

Clementine & Spencer: Solid core construction

Other:

🔵 Certifire FD30 Fire doors

🔥 FD30 Fire doors

All fire doors are solid core construction



Add the finishing touch...

see page 124



Clementine

Chartwell



Dark wood inlay



FINISHED

Size (mm)	Code
1981 533 35	CCHA19
1981 610 35	CCHA20
1981 686 35	CCHA23
1981 762 35	CCHA26
1981 838 35	CCHA29
1981 686 44	CCHA23FD30 🔵
1981 762 44	CCHA26FD30 🔵
1981 838 44	CCHA29FD30 🔵

Blenheim



FINISHED

Size (mm)	Code
1981 686 35	CBLE23
1981 762 35	CBLE26
1981 838 35	CBLE29
1981 762 44	CBLE26FD30 🔵
1981 838 44	CBLE29FD30 🔵

Clementine



FINISHED

Size (mm)	Code
1981 533 35	CCLE19
1981 610 35	CCLE20
1981 686 35	CCLE23
1981 762 35	CCLE26
1981 838 35	CCLE29
1981 686 44	CCLE23FD30 🔥
1981 762 44	CCLE26FD30 🔥
1981 838 44	CCLE29FD30 🔥


Spencer



FINISHED

Size (mm)	Code
1981 686 35	CSPE23
1981 762 35	CSPE26
1981 838 35	CSPE29

Glazed fire doors available to order.



Walnut inlay

🔵 Bespoke options

🔵 Option for PAS 24, see page 132

T: 01283 554197

Blenheim

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.



Make a statement with a pocket door system see page 118

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.



Finish:
Unfinished and finished oak veneer

Style:
Raised shaped panels

Glazing:
Clear bevelled safety glass

Construction:
Solid core construction

Other:
🔥 FD30 Fire doors

Dove Pairs: rebated meeting stiles, left hand open away



UNFINISHED			
Size (mm)			Code
1981 457 35	OTRE16*		
1981 533 35	OTRE19*		
1981 610 35	OTRE20v		
1981 686 35	OTRE23v		
1981 762 35	OTRE26v		
1981 838 35	OTRE29v		
2032 813 35	OTRE28*		
1981 686 44	OTRE23FD30v🔥		
1981 762 44	OTRE26FD30v🔥		
1981 838 44	OTRE29FD30v🔥		

Trent



Dove



UNFINISHED*			
Size (mm)			Code
1981 610 35	ODOV20		
1981 686 35	ODOV23		
1981 762 35	ODOV26v		
1981 838 35	ODOV29		

Dove Pairs



UNFINISHED*			
Size (mm)			Code
1981 1219 35	ODOV40		
1981 1372 35	ODOV46		
1981 1524 35	ODOV50		

v Finished size available from stock
* Finished available to order

Finish:
Unfinished oak veneer

Style:
Flat recessed panels

Glazing:
Severn: Clear flat safety glass
Churnet: Diamond leaded safety glass

Construction:
Solid core construction

Other:
🔥 FD30 fire doors



UNFINISHED*			
Size (mm)			Code
1981 610 35	ODER20		
1981 686 35	ODER23		
1981 762 35	ODER26		
1981 838 35	ODER29		
2032 813 35	ODER28		
1981 686 44	ODER23FD30🔥		
1981 762 44	ODER26FD30🔥		
1981 838 44	ODER29FD30🔥		

Derwent



Severn



UNFINISHED*			
Size (mm)			Code
1981 686 35	OSEV23G		
1981 762 35	OSEV26G		
1981 838 35	OSEV29G		

Churnet



UNFINISHED*			
Size (mm)			Code
1981 686 35	OCHUDL23		
1981 762 35	OCHUDL26		
1981 838 35	OCHUDL29		



Make a statement with a pocket door system see page 118

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Finish:
Unfinished oak veneer

Style:
Eden/Darwen: Flat panel with decorative muntins
Mersey: Raised shaped panels

Glazing:
Clear flat safety glass

Construction:
Solid core construction

Other:
FD30 Fire doors



Add the finishing touch... see page 124



Eden



Eden and Darwen are also available in White, see Jamaica and Trinidad on page 105.



UNFINISHED*				
Size (mm)				Code
1981 610 35				OEDE20
1981 686 35				OEDE23
1981 762 35				OEDE26
1981 838 35				OEDE29
1981 686 44				OEDE23FD30
1981 762 44				OEDE26FD30
1981 838 44				OEDE29FD30



Mersey (shown finished)

Darwen



UNFINISHED*				
Size (mm)				Code
1981 686 35				ODAR23G
1981 762 35				ODAR26G
1981 838 35				ODAR29G

Mersey



UNFINISHED*				
Size (mm)				Code
1981 610 35				OMER20
1981 686 35				OMER23
1981 762 35				OMER26
1981 838 35				OMER29
1981 762 44				OMER26FD30
1981 838 44				OMER29FD30

Humber



UNFINISHED*				
Size (mm)				Code
1981 762 35				OHUM26
1981 838 35				OHUM29

* Finished available to order

Finish:
Finished oak veneer

Style:
Raised shaped panels

Glazing:
Clear flat safety glass

Construction:
Solid core construction

Other:
🔥 FD30 Fire doors



Add the finishing touch...
see page 124



Sherwood



FINISHED			
Size (mm)			Code
1981 610 35			VSO4P20
1981 686 35			VSO4P23
1981 762 35			VSO4P26
1981 838 35			VSO4P29
1981 610 44			VSO4P20FD30 🔥
1981 686 44			VSO4P23FD30 🔥
1981 762 44			VSO4P26FD30 🔥
1981 838 44			VSO4P29FD30 🔥

Grizedale



FINISHED			
Size (mm)			Code
1981 610 35			VSO6P20
1981 686 35			VSO6P23
1981 762 35			VSO6P26
1981 838 35			VSO6P29
1981 686 44			VSO6P23FD30 🔥
1981 762 44			VSO6P26FD30 🔥
1981 838 44			VSO6P29FD30 🔥

Dean



FINISHED			
Size (mm)			Code
1981 686 35			VSO6L2P23G
1981 762 35			VSO6L2P26G
1981 838 35			VSO6L2P29G

Charnwood



FINISHED			
Size (mm)			Code
1981 533 35			VSO2P19
1981 610 35			VSO2P20
1981 686 35			VSO2P23
1981 762 35			VSO2P26
1981 838 35			VSO2P29
1981 686 44			VSO2P23FD30 🔥
1981 762 44			VSO2P26FD30 🔥
1981 838 44			VSO2P29FD30 🔥

Arden



FINISHED			
Size (mm)			Code
1981 762 35			VSO6L1P26G
1981 838 35			VSO6L1P29G

Gisburn



FINISHED			
Size (mm)			Code
1981 686 35			VSO10L23G
1981 762 35			VSO10L26G
1981 838 35			VSO10L29G

Make a statement with a pocket door system
see page 118

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.



Make a statement with a pocket door system see page 118

Axis Oak Glazed

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Finish:
Finished oak veneer

Style:
Wide shaker panel design

Glazing:
Clear flat safety glass

Construction:
Solid core construction

Other:
🔥 FD30 Fire doors

Rebated door pairs can be ordered from stock (not fire doors) with a short lead time.



Add the finishing touch... see page 124



Axis Oak



FINISHED			
Size (mm)		Code	
1981 610 35		VOAXI20	
1981 686 35		VOAXI23	
1981 762 35		VOAXI26	
1981 838 35		VOAXI29	
1981 686 44		VOAXI23FD30	🔥
1981 762 44		VOAXI26FD30	🔥
1981 838 44		VOAXI29FD30	🔥

Axis Oak Glazed



FINISHED			
Size (mm)		Code	
1981 686 35		VOAXI23G	
1981 762 35		VOAXI26G	
1981 838 35		VOAXI29G	

Axis Oak is also available in Walnut and White, see pages 70 & 95.



View in our Door Visualiser



Axis Oak

Make a statement with a pocket door system see page 118

Finish:
Unfinished oak veneer

Style:
Recessed flat panels

Glazing:
Clear flat safety glass

Construction:
Solid core construction

Other:
🔥 FD30 Fire doors
Rebated door pairs can be ordered from stock (not fire doors or bi-folds) with a short lead time.



Add the finishing touch... see page 124



Rushmore Oak



Snowdon and Nevis are also available in White, see Montserrat and Cayman on page 105.



UNFINISHED*

Size (mm)	Code
1981 610 35	ORUS20
1981 686 35	ORUS23
1981 762 35	ORUS26
1981 838 35	ORUS29
1981 686 44	ORUS23FD30 🔥
1981 762 44	ORUS26FD30 🔥
1981 838 44	ORUS29FD30 🔥



Rushmore Oak is also available in White, see page 102.

Snowdon



UNFINISHED*

Size (mm)	Code
1981 610 35	OSNO20
1981 686 35	OSNO23
1981 762 35	OSNO26
1981 838 35	OSNO29
1981 686 44	OSNO23FD30 🔥
1981 762 44	OSNO26FD30 🔥
1981 838 44	OSNO29FD30 🔥

Snowdon Bi-fold



UNFINISHED*

Size (mm)	Code
1981 762 35	OSNOBF26

Bi-folds are easy to install into existing flush linings (without door stop). Supplied ready hinged with pivots, brackets and a sliding track. Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.

Nevis



UNFINISHED*

Size (mm)	Code
1981 686 35	ONEV23
1981 762 35	ONEV26
1981 838 35	ONEV29

* Finished available to order
Vi View in our Door Visualiser



Rushmore Oak (shown finished)

Snowdon (shown finished)


Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.



Etna (shown finished)



Eiger (shown finished)



Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Make a statement with a pocket door system
see page 118

Fuji (shown finished)

Finish:
Unfinished oak veneer

Style:
Recessed flat panels


Glazing:
Clear flat safety glass
Fuji FD30: clear flat fire glass with raised beading

Construction:
Solid core construction

Other:
🔥 FD30 Fire doors

Rebated door pairs can be ordered from stock (not fire doors or bi-folds) with a short lead time.

All these doors are also available in White, see Antigua, Barbados, Dominica, and Tobago on pages 102 & 103.



Bi-folds are easy to install into existing flush linings (without door stop). Supplied ready hinged with pivots, brackets and a sliding track. Please note that the actual bi-fold supplied is slightly smaller than the door size listed, to accommodate tracking.

Etna



Etna Bi-fold



UNFINISHED*

Size (mm)	Code
1981 610 35	OETN20
1981 686 35	OETN23
1981 762 35	OETN26
1981 838 35	OETN29
1981 686 44	OETN23FD30 🔥
1981 762 44	OETN26FD30 🔥
1981 838 44	OETN29FD30 🔥

UNFINISHED*

Size (mm)	Code
1981 762 35	OETNBF26

Eiger



Matterhorn



Fuji



Fuji FD30



Fuji Bi-fold



UNFINISHED*

Size (mm)	Code
1981 686 35	OFUJ23
1981 762 35	OFUJ26
1981 838 35	OFUJ29

UNFINISHED*

Size (mm)	Code
1981 686 44	OFUJ23FD30 🔥
1981 762 44	OFUJ26FD30 🔥
1981 838 44	OFUJ29FD30 🔥

UNFINISHED*

Size (mm)	Code
1981 762 35	OFUJBF26

* Finished available to order

View in our Door Visualiser



Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Thames (shown finished)

Make a statement with a pocket door system
see page 118

Finish:

Unfinished & finished oak veneer

Style:

Grooved panels are full door thickness

Glazing:

1 Light: Clear flat safety glass with etched lines

1 Light FD30: clear fire glass with etched lines and raised beading

Construction:

Solid core construction

Other:

18mm long edge lippings

🔥 FD30 Fire doors

Rebated door pairs can be ordered from stock (not fire doors) with a short lead time.


Thames



Add the finishing touch...
see page 124



The grooved centre panel is full door thickness



Clear glass with etched lines



Thames 1 Light (shown finished)

Thames 1 Light



Thames 1 Light FD30



UNFINISHED

Size (mm)	Code
1981 457 35	OTHA16
1981 533 35	OTHA19
1981 610 35	OTHA20
1981 686 35	OTHA23
1981 711 35	OTHA24
1981 762 35	OTHA26
1981 838 35	OTHA29
2040 626 40	OTHA626
2040 726 40	OTHA726
2040 826 40	OTHA826
2040 926 40	OTHA926
1981 610 44	OTHA20FD30 🔥
1981 686 44	OTHA23FD30 🔥
1981 762 44	OTHA26FD30 🔥
1981 838 44	OTHA29FD30 🔥
2040 726 44	OTHA726FD30 🔥
2040 826 44	OTHA826FD30 🔥
2040 926 44	OTHA926FD30 🔥

FINISHED

Size (mm)	Code
1981 457 35	VOTHA16
1981 533 35	VOTHA19
1981 610 35	VOTHA20
1981 686 35	VOTHA23
1981 711 35	VOTHA24
1981 762 35	VOTHA26
1981 838 35	VOTHA29
2040 626 40	VOTHA626
2040 726 40	VOTHA726
2040 826 40	VOTHA826
2040 926 40	VOTHA926
1981 610 44	VOTHA20FD30 🔥
1981 686 44	VOTHA23FD30 🔥
1981 762 44	VOTHA26FD30 🔥
1981 838 44	VOTHA29FD30 🔥
2040 726 44	VOTHA726FD30 🔥
2040 826 44	VOTHA826FD30 🔥
2040 926 44	VOTHA926FD30 🔥



UNFINISHED

Size (mm)	Code
1981 610 35	OTHA1L20*
1981 686 35	OTHA1L23
1981 762 35	OTHA1L26
1981 838 35	OTHA1L29
2040 626 40	OTHA1L626
2040 726 40	OTHA1L726
2040 826 40	OTHA1L826

FINISHED

Size (mm)	Code
1981 686 35	VOTHA1L23
1981 762 35	VOTHA1L26
1981 838 35	VOTHA1L29
2040 626 40	VOTHA1L626
2040 726 40	VOTHA1L726
2040 826 40	VOTHA1L826

UNFINISHED*

Size (mm)	Code
1981 686 44	OTHA1L23FD30 🔥
1981 726 44	OTHA1L26FD30 🔥
1981 838 44	OTHA1L29FD30 🔥

* Finished available to order

🔥 Bespoke options

🔍 View in our Door Visualiser

🔍 Option for PAS 24, see page 132



Thames 6 Light (shown finished)



Thames 1/2 Light (shown finished)



Cherwell

Make a statement with a pocket door system
see page 118

Finish:
Unfinished & finished oak veneer

Style:
Grooved panels are full door thickness

Glazing:
6 Light: Clear flat safety glass
1/2 light: Clear flat safety glass with etched lines

Construction:
Solid core construction

Other:
18mm long edge lippings
Rebated door pairs can be ordered from stock (not fire doors or bi-folds) with a short lead time.



UNFINISHED			
Size (mm)			Code
1981 686 35			OTHA6L23
1981 762 35			OTHA6L26
1981 838 35			OTHA6L29
2040 626 40			OTHA6L26*
2040 726 40			OTHA6L26*
2040 826 40			OTHA6L26*
FINISHED			
1981 686 35			VOTHA6L23
1981 762 35			VOTHA6L26
1981 838 35			VOTHA6L29

Thames 6 Light



Thames 1/2 Light



UNFINISHED			
Size (mm)			Code
1981 686 35			OTHA1L23
1981 762 35			OTHA1L26
1981 838 35			OTHA1L29
FINISHED			
1981 686 35			VOTHA1L23
1981 762 35			VOTHA1L26
1981 838 35			VOTHA1L29

Thames Bi-fold



UNFINISHED*			
Size (mm)			Code
1981 762 35			OTHABF26
Easy to install into existing flush linings (without door stop). Supplied ready hinged with pivots, brackets and a sliding track. Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.			

Finish:
Prefinished oak veneer

Style:
Full length vertical grooves

Glazing:
Clear flat safety glass with raised beading

Construction:
Solid core construction

Other:
Certifire FD30 Fire doors



Add the finishing touch...
see page 124



Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

* Finished available to order
Bespoke options

Cherwell



Cherwell Glazed



FINISHED			
Size (mm)			Code
1981 610 35			VOCHE20
1981 686 35			VOCHE23
1981 762 35			VOCHE26
1981 838 35			VOCHE29
1981 686 44			VOCHE23FD30
1981 762 44			VOCHE26FD30
1981 838 44			VOCHE29FD30



FINISHED			
Size (mm)			Code
1981 686 35			VOCHE23G
1981 762 35			VOCHE26G
1981 838 35			VOCHE29G
Glazed fire doors available to order.			

Finish:

Panelled doors: Finished oak veneer

Ledged: Unfinished oak face

Style:

Natural knotty appearance

4 Panel/DX: recessed flat panels

Ledged: individual planks fixed with ledges

Glazing:

4 Panel: Clear flat safety glass

DX: Opaque flat safety glass

Construction:

Solid core construction

Add the finishing touch...
see page 124



Rustic Oak
4 Panel



FINISHED

Size (mm)	Code
1981 610 35	RO4P20
1981 686 35	RO4P23
1981 762 35	RO4P26
1981 838 35	RO4P29

Rustic Oak
4 Panel Glazed



FINISHED

Size (mm)	Code
1981 762 35	RO4P2TL26

Rustic Oak DX



FINISHED

Size (mm)	Code
1981 610 35	RODX20
1981 686 35	RODX23
1981 762 35	RODX26
1981 838 35	RODX29

Rustic Oak
DX Glazed



FINISHED

Size (mm)	Code
1981 762 35	RODXTL26

* Finished available to order

View in our Door Visualiser

Rustic Oak Ledged
Front view



Back view



Back view with braces



If you wish to create a Ledged and Braced style, the Braces are available separately.

Note:
40mm thickness =
20mm plank +
20mm ledge



UNFINISHED *

Size (mm)	Code
1981 686 40	ROLED23
1981 762 40	ROLED26
1981 838 40	ROLED29

LEDGED BRACE PACK (2 PER PACK)

Size (mm)	Code
1000 120 15	ROLEDBRPACK

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Make a statement with a pocket door system

see page 118

Rustic Oak Ledged (shown finished)



WALNUT

Walnut doors are stylish and refined. This naturally dark coloured wood brings warmth and a touch of luxury to modern classic interiors.

Finish:
Finished walnut veneer

Style:
5 ladder style panels, grooved into real wood

Glazing:
Clear flat safety glass with raised beading

Construction:
Solid core construction

Other:
Certifire FD30 Fire doors
All fire doors are solid core construction



FINISHED			
Size (mm)			Code
1981	610	35	WTIG20
1981	686	35	WTIG23
1981	762	35	WTIG26
1981	838	35	WTIG29
1981	686	44	WTIG23FD30
1981	762	44	WTIG26FD30
1981	838	44	WTIG29FD30

Tigris Walnut



Emral Walnut



Tigris and Emral are available in Oak and White, see pages 37 & 87.



Laminate versions are available in Dark Grey, Light Grey and Ivory, see pages 29 & 27.



FINISHED			
Size (mm)			Code
1981	686	35	WEMR23
1981	762	35	WEMR26
1981	838	35	WEMR29

Glazed fire doors available to order.

Add the finishing touch...
see page 124



- Bespoke options
- View in our Door Visualiser
- Option for PAS 24, see page 132



Tigris Walnut

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Make a statement with a pocket door system
see page 118

Tigris Walnut

Make a statement with a pocket door system see page 118



Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Mistral Walnut

Finish:
Finished walnut veneer

Style:
3 ladder style panels, grooved into MDF

Glazing:
Clear flat safety glass with flush beading

Construction:
Semi-solid core construction

Other:
🔥 FD30 Fire doors
All fire doors are solid core construction



Add the finishing touch... see page 124



Mistral Walnut Glazed

Mistral Walnut



Mistral Walnut is available in Oak and White, see pages 39 & 89.



FINISHED		
Size (mm)		Code
1981 610 35	WMIS20	
1981 686 35	WMIS23	
1981 762 35	WMIS26	
1981 838 35	WMIS29	
2040 526 40	WMIS526	
2040 626 40	WMIS626	
2040 726 40	WMIS726	
2040 826 40	WMIS826	
1981 686 44	WMIS23FD30	🔥
1981 762 44	WMIS26FD30	🔥
1981 838 44	WMIS29FD30	🔥
2040 726 44	WMIS726FD30	🔥
2040 826 44	WMIS826FD30	🔥
2040 926 44	WMIS926FD30	🔥

Mistral Walnut Glazed



FINISHED		
Size (mm)		Code
1981 686 35	WMIS23G	
1981 762 35	WMIS26G	
1981 838 35	WMIS29G	
2040 626 40	WMIS626G	
2040 726 40	WMIS726G	
2040 826 40	WMIS826G	

Glazed fire doors with raised beading available to order.

🔍 Bespoke options
🖥 View in our Door Visualiser
🔒 Option for PAS 24, see page 132



Axis Walnut

Fernor

Lara

Make a statement with a pocket door system
see page 118

- Finish:**
Finished walnut veneer
- Style:**
Wide shaker panel design
- Glazing:**
Clear flat safety glass
- Construction:**
Solid core construction
- Other:**
🔥 FD30 Fire doors
Rebated door pairs can be ordered from stock (not fire doors) with a short lead time.



Add the finishing touch...
see page 124

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

FINISHED		
Size (mm)		Code
1981 610 35	VWAXI20	
1981 686 35	VWAXI23	
1981 762 35	VWAXI26	
1981 838 35	VWAXI29	
1981 686 44	VWAXI23FD30	🔥
1981 762 44	VWAXI26FD30	🔥
1981 838 44	VWAXI29FD30	🔥

Axis is available in Oak and White, see pages 53 & 95.



Axis Walnut



Axis Walnut Glazed



FINISHED		
Size (mm)		Code
1981 686 35	VWAXI23G	
1981 762 35	VWAXI26G	
1981 838 35	VWAXI29G	

- Finish:**
Finished walnut veneer
- Style:**
Fernor/Franquette: Flush horizontal grained veneer
Lara/Parisienne: 5 horizontal grained panels grooved into real wood
- Glazing:**
Clear flat safety glass with raised beading
- Construction:**
Fernor & Franquette: Standard core construction
Lara & Parisienne: Semi-solid core construction
- Other:**
🔥 Certifire FD30 Fire doors
All fire doors are solid core construction

- Matching door pairs cannot be guaranteed
- Bespoke options
- Option for PAS 24, see page 132

Fernor



FINISHED		
Size (mm)		Code
1981 610 35	WFER20	
1981 686 35	WFER23	
1981 762 35	WFER26	
1981 838 35	WFER29	
1981 610 44	WFER20FD30	🔥
1981 686 44	WFER23FD30	🔥
1981 762 44	WFER26FD30	🔥
1981 838 44	WFER29FD30	🔥

Franquette



FINISHED		
Size (mm)		Code
1981 686 35	WFRA23	
1981 762 35	WFRA26	
1981 838 35	WFRA29	
Glazed fire doors available to order.		

Lara



FINISHED		
Size (mm)		Code
1981 610 35	WLAR20	
1981 686 35	WLAR23	
1981 762 35	WLAR26	
1981 838 35	WLAR29	
1981 610 44	WLAR20FD30	🔥
1981 686 44	WLAR23FD30	🔥
1981 762 44	WLAR26FD30	🔥
1981 838 44	WLAR29FD30	🔥

Parisienne



FINISHED		
Size (mm)		Code
1981 686 35	WPAR23	
1981 762 35	WPAR26	
1981 838 35	WPAR29	
Glazed fire doors available to order.		



PAINTED FINISH

Painted finish doors use state-of-the-art technology to create realistic timber graining in a choice of colours – achieving a perfect, uniform look.



Pintado Grey

Make a statement with a pocket door system
see page 118

Finish:
Pintado Grey: Painted mid-grey finish with vertical grain
Ardosia Grey: Painted in a lighter grey finish with vertical grain

Style:
Pintado Grey: Plain flush
Ardosia Grey: Flush with grey coloured grooves

Glazing:
Clear flat safety glass with raised beading

Construction:
Pintado Grey: Semi-solid core construction
Ardosia Grey: Standard core construction

Other:
🔵 Certifire FD30 Fire doors
All fire doors are solid core construction

If trimming is required the door edges will need retouching. See website for colour match information.



Ardosia Grey Glazed

Pintado Grey



Pintado Grey Glazed



FINISHED		
Size (mm)		Code
1981 610 35	NGPINT20	
1981 686 35	NGPINT23	
1981 762 35	NGPINT26	
1981 838 35	NGPINT29	
1981 610 44	NGPINT20FD30	🔵
1981 686 44	NGPINT23FD30	🔵
1981 762 44	NGPINT26FD30	🔵
1981 838 44	NGPINT29FD30	🔵

Ardosia Grey



FINISHED		
Size (mm)		Code
1981 686 35	NGPINT23G	
1981 762 35	NGPINT26G	
1981 838 35	NGPINT29G	

Glazed fire doors available to order.



FINISHED		
Size (mm)		Code
1981 610 35	NARD20	
1981 686 35	NARD23	
1981 762 35	NARD26	
1981 838 35	NARD29	
1981 610 44	NARD20FD30	🔵
1981 686 44	NARD23FD30	🔵
1981 762 44	NARD26FD30	🔵
1981 838 44	NARD29FD30	🔵

Ardosia Grey Glazed



FINISHED		
Size (mm)		Code
1981 686 35	NARD23G	
1981 762 35	NARD26G	
1981 838 35	NARD29G	

Glazed fire doors available to order.



- 🔵 Bespoke options
- 🔵 View in our Door Visualiser
- 🔵 Option for PAS 24, see page 132

Finish:

Painted oak colour effect with vertical grain

Style:

5 horizontal panels, grooved into MDF

Glazing:

Clear flat safety glass with raised beading

Construction:

Standard core construction

Other:

 Certifire FD30 Fire doors


All fire doors are solid core construction

If trimming is required the door edges will need retouching. See website for colour match information.


FINISHED

Size (mm)	Code
1981 610 35	GTAT20
1981 686 35	GTAT23
1981 762 35	GTAT26
1981 838 35	GTAT29
1981 610 44	GTAT20FD30
1981 686 44	GTAT23FD30
1981 762 44	GTAT26FD30
1981 838 44	GTAT29FD30

Tate

Louvre

FINISHED

Size (mm)	Code
1981 686 35	GLOU23
1981 762 35	GLOU26
1981 838 35	GLOU29

Glazed fire doors available to order.

Add the finishing touch...

see page 124



 Matching door pairs cannot be guaranteed

 Bespoke options

Make a statement with a pocket door system
see page 118

Louvre



Tate



WHITE

White doors are wonderful for encouraging light into your home and are the perfect complement for all interior design themes.

Finish

White primed

Style:

Flat panels with decorative flush mouldings

Glazing:

Clear flat safety glass

Belton Etched: inner etched panel with a clear perimeter

Construction:

Solid core construction

Other:

🔥 FD30 Fire doors

FSC® Certified

Rebated door pairs can be ordered from stock (not fire doors) with a short lead time.



Belton



Belton
Clear Glazed



Belton
Etched Glazed



PRIMED

Size (mm)	Code
1981 610 35	SBEL20
1981 686 35	SBEL23
1981 762 35	SBEL26
1981 838 35	SBEL29
1981 610 44	SBEL20FD30 🔥
1981 686 44	SBEL23FD30 🔥
1981 762 44	SBEL26FD30 🔥
1981 838 44	SBEL29FD30 🔥



PRIMED

Size (mm)	Code
1981 610 35	SBEL1L20
1981 686 35	SBEL1L23
1981 762 35	SBEL1L26
1981 838 35	SBEL1L29



PRIMED

Size (mm)	Code
1981 686 35	SBEL1ETC23
1981 762 35	SBEL1ETC26
1981 838 35	SBEL1ETC29

Add the finishing touch...

see page 124



Colour Options Service

Vi View in our Door Visualiser

Colour Options Paint Service

Looking to paint your doors a different colour? Let us take the hassle away and arrange for your doors to be professionally spray painted.

Our White Classic doors are suitable for this service – look out for the icon. Contact us with your preferred RAL Classic colour reference and we'll do the rest!

See page 128 for more information.

Belton (shown painted pale grey)

Make a statement with a pocket door system

see page 118



Belton

Finish

White primed

Style:

Flat panels with decorative flush mouldings

Glazing:

Clear flat safety glass

Construction:

Solid core construction

Other:

🔥 FD30 Fire doors

FSC® Certified

Rebated door pairs can be ordered from stock (not fire doors) with a short lead time.



PRIMED				
Size (mm)				Code
1981 610 35				SCAT20
1981 686 35				SCAT23
1981 762 35				SCAT26
1981 838 35				SCAT29
1981 610 44				SCAT20FD30 🔥
1981 686 44				SCAT23FD30 🔥
1981 762 44				SCAT26FD30 🔥
1981 838 44				SCAT29FD30 🔥

Catton



Catton Glazed



PRIMED				
Size (mm)				Code
1981 610 35				SCAT3L20
1981 686 35				SCAT3L23
1981 762 35				SCAT3L26
1981 838 35				SCAT3L29

Add the finishing touch...

see page 124



Colour Options Service

View in our Door Visualiser



Catton, painted in RAL 6004 Blue Green

Make a statement with a pocket door system see page 118

Catton

Colour Options Paint Service

Contact us with your preferred RAL Classic colour reference and we'll do the rest!

Finish

White primed

Style:

Flat panels with decorative flush mouldings

Construction:

Solid core construction

Other:

🔥 FD30 Fire doors

FSC® Certified

Rebated door pairs can be ordered from stock (not fire doors) with a short lead time.



PRIMED

Size (mm)	Code
1981 610 35	SOSB20
1981 686 35	SOSB23
1981 762 35	SOSB26
1981 838 35	SOSB29
1981 610 44	SOSB20FD30 🔥
1981 686 44	SOSB23FD30 🔥
1981 762 44	SOSB26FD30 🔥
1981 838 44	SOSB29FD30 🔥

Osborne



Hardwick



PRIMED

Size (mm)	Code
1981 610 35	SHAR20
1981 686 35	SHAR23
1981 762 35	SHAR26
1981 838 35	SHAR29
1981 610 44	SHAR20FD30 🔥
1981 686 44	SHAR23FD30 🔥
1981 762 44	SHAR26FD30 🔥
1981 838 44	SHAR29FD30 🔥

Add the finishing touch...

see page 124



Colour Options Service

View in our Door Visualiser



Hardwick

Colour Options Paint Service

Contact us with your preferred RAL Classic colour reference and we'll do the rest!

Make a statement with a pocket door system

see page 118

Osborne

Finish:

Finished white

Style:

5 ladder style panels, grooved into MDF

Glazing:

Clear flat safety glass with flush beading

Construction:

Standard core construction

Other:

 Certifire FD30 Fire doors

All fire doors are solid core construction

Rebated door pairs can be ordered from stock (not bi-fold or fire doors) with a short lead time. Contact us for fire door options.



Add the finishing touch...

see page 124




Tigris White







Tigris and Emral are available in Oak and Walnut, see pages 37 & 67.




Laminate versions are available in Dark Grey, Light Grey and Ivory, see pages 29 & 27.



FINISHED

Size (mm)	Code
1981 610 35	LTIG20
1981 686 35	LTIG23
1981 762 35	LTIG26
1981 838 35	LTIG29
1981 610 44	LTIG20FD30 
1981 686 44	LTIG23FD30 
1981 762 44	LTIG26FD30 
1981 838 44	LTIG29FD30 

Emral White



FINISHED

Size (mm)	Code
1981 686 35	LEMR23G
1981 762 35	LEMR26G
1981 838 35	LEMR29G

Glazed fire doors with raised beading available to order.

Tigris White Bi-fold




Bi-folds are easy to install into existing flush linings (without door stop). Supplied ready hinged with pivots, brackets and a sliding track. Please note that the actual bi-fold supplied is slightly smaller than the door size listed, to accommodate tracking.



FINISHED

Size (mm)	Code
1981 762 35	LTIGBF26

 Bespoke options

 View in our Door Visualiser

 Option for PAS 24, see page 132

Make a statement with a pocket door system
see page 118

Tigris White

Finish:

White primed

Style:

3 ladder style panels, grooved into MDF

Glazing:

Clear flat safety glass with flush beading

Construction:

Standard core construction

Other:

🔥 FD30 Fire doors


All fire doors are solid core construction

FSC® Certified

Rebated door pairs can be ordered from stock (not bi-fold or fire doors) with a short lead time. Contact us for fire door options.



Mistral White



Mistral White is also available in Oak and Walnut, see pages 39 & 69.



PRIMED

Size (mm)	Code
1981 610 35	LMIS20
1981 686 35	LMIS23
1981 762 35	LMIS26
1981 838 35	LMIS29
2040 526 40	LMIS526
2040 626 40	LMIS626
2040 726 40	LMIS726
2040 826 40	LMIS826
1981 686 44	LMIS23FD30 🔥
1981 762 44	LMIS26FD30 🔥
1981 838 44	LMIS29FD30 🔥
2040 726 44	LMIS726FD30 🔥
2040 826 44	LMIS826FD30 🔥
2040 926 44	LMIS926FD30 🔥



PRIMED

Size (mm)	Code
1981 686 35	LMIS23G
1981 762 35	LMIS26G
1981 838 35	LMIS29G
2040 626 40	LMIS626G
2040 726 40	LMIS726G
2040 826 40	LMIS826G

Glazed fire doors with raised beading available to order.

PRIMED

Size (mm)	Code
1981 762 35	LMISBF26

Mistral White Bi-fold is also available in Oak, see page 39.



Add the finishing touch...

see page 124



🔧 Bespoke options

👁️ View in our Door Visualiser

🔒 Option for PAS 24, see page 132



Mistral White Glazed

Mistral White Glazed



Mistral White Bi-fold



Bi-folds are easy to install into existing flush linings (without door stop). Supplied ready hinged with pivots, brackets and a sliding track. Please note that the actual bi-fold supplied is slightly smaller than the door size listed, to accommodate tracking.



Make a statement with a pocket door system
see page 118

Mistral White

Finish:

White primed

Style:

Apollo/Barbican: MDF face with ladder style feature grooves

Savoy/Phoenix: Grooved cottage style central panel

Glazing:

Barbican: Etched flat safety glass with clear rectangular pattern and raised beading

Phoenix: Clear flat safety glass with raised beading

Construction:

Apollo & Barbican: Standard core construction

Savoy & Phoenix: Semi-solid core construction


Other:

FD30 Fire doors

All fire doors are solid core construction

FSC® Certified

Rebated door pairs can be ordered from stock with a short lead time. Contact us for fire door options.



Savoy

Add the finishing touch...
see page 124



Bespoke options

View in our Door Visualiser

Option for PAS 24, see page 132


Apollo



PRIMED

Size (mm)	Code
1981 610 35 LAPO20	
1981 686 35 LAPO23	
1981 762 35 LAPO26	
1981 838 35 LAPO29	
1981 610 44 LAPO20FD30	
1981 686 44 LAPO23FD30	
1981 762 44 LAPO26FD30	
1981 838 44 LAPO29FD30	

Barbican



PRIMED

Size (mm)	Code
1981 686 35 LBAR23	
1981 762 35 LBAR26	
1981 838 35 LBAR29	
1981 762 44 LBAR26FD30	
1981 838 44 LBAR29FD30	

Savoy



PRIMED

Size (mm)	Code
1981 610 35 LSAV20	
1981 686 35 LSAV23	
1981 762 35 LSAV26	
1981 838 35 LSAV29	
1981 610 44 LSAV20FD30	
1981 686 44 LSAV23FD30	
1981 762 44 LSAV26FD30	
1981 838 44 LSAV29FD30	

Phoenix



PRIMED

Size (mm)	Code
1981 686 35 LPHO23	
1981 762 35 LPHO26	
1981 838 35 LPHO29	

Make a statement with a pocket door system

see page 118

Apollo



Dominion



Elektra



Novello

Make a statement with a pocket door system
see page 118

Finish:
Adelphi/Dominion: White primed
Elektra/Lyric/Novello: Finished white

Style:
MDF face with feature grooves

Glazing:
Dominion: Etched flat safety glass with clear rectangular pattern and raised beading

Construction:
Standard core construction

Other:
 Certifire FD30 Fire doors
 FD30 Fire doors
 All fire doors are solid core construction
 FSC® Certified (Adelphi and Dominion only)
 Rebated door pairs can be ordered from stock (not bi-fold or fire doors) with a short lead time.

Adelphi



PRIMED			
Size (mm)		Code	
1981 610 35		LADE20	
1981 686 35		LADE23	
1981 762 35		LADE26	
1981 838 35		LADE29	
1981 686 44		LADE23FD30	
1981 762 44		LADE26FD30	
1981 838 44		LADE29FD30	

Adelphi Bi-fold



Bi-folds are easy to install into existing flush linings (without door stop). Supplied ready hinged with pivots, brackets and a sliding track. Please note that the actual bi-fold supplied is slightly smaller than the door size listed, to accommodate tracking.



PRIMED			
Size (mm)		Code	
1981 762 35		LADEBF26	

Dominion



PRIMED			
Size (mm)		Code	
1981 686 35		LDM23	
1981 762 35		LDM26	
1981 838 35		LDM29	
1981 762 44		LDM26FD30	
1981 838 44		LDM29FD30	

Elektra



FINISHED			
Size (mm)		Code	
1981 610 35		LELE20	
1981 686 35		LELE23	
1981 762 35		LELE26	
1981 838 35		LELE29	
1981 686 44		LELE23FD30	
1981 762 44		LELE26FD30	
1981 838 44		LELE29FD30	

Lyric



FINISHED			
Size (mm)		Code	
1981 610 35		LLYR20	
1981 686 35		LLYR23	
1981 762 35		LLYR26	
1981 838 35		LLYR29	
1981 686 44		LLYR23FD30	
1981 762 44		LLYR26FD30	
1981 838 44		LLYR29FD30	

Novello



FINISHED			
Size (mm)		Code	
1981 610 35		LNOV20	
1981 686 35		LNOV23	
1981 762 35		LNOV26	
1981 838 35		LNOV29	
1981 762 44		LNOV26FD30	
1981 838 44		LNOV29FD30	

Add the finishing touch...
see page 124



Matching door pairs cannot be guaranteed
 Bespoke options

Finish:

White primed

Style:

Wide shaker panel design

Axis Ripple: Textured ripple effect centre panel

Glazing:

Clear flat safety glass

Construction:

Semi-solid core construction

Bi-folds: Solid core construction

Other:

🔥 FD30 Fire doors

All fire doors are solid core construction

FSC® Certified

Rebated door pairs can be ordered from stock (not fire doors or bi-folds) with a short lead time.



Add the finishing touch...

see page 124



Axis White Bi-fold

Axis White



Axis White Glazed



Axis White Ripple



Axis White Bi-fold



Axis White Glazed Bi-fold



PRIMED

Size (mm)	Code
1981 610 35	SAXI20
1981 686 35	SAXI23
1981 762 35	SAXI26
1981 838 35	SAXI29
1981 686 44	SAXI23FD30 🔥
1981 762 44	SAXI26FD30 🔥
1981 838 44	SAXI29FD30 🔥



PRIMED

Size (mm)	Code
1981 686 35	SAXI23G
1981 762 35	SAXI26G
1981 838 35	SAXI29G

PRIMED

Size (mm)	Code
1981 610 35	SAXIRIP20
1981 686 35	SAXIRIP23
1981 762 35	SAXIRIP26
1981 838 35	SAXIRIP29

PRIMED

Size (mm)	Code
1981 762 35	SAXIBF26

PRIMED

Size (mm)	Code
1981 762 35	SAXIBFG26

Bi-folds are easy to install into existing flush linings (without door stop). Supplied ready hinged with pivots, brackets and a sliding track. Please note that the actual bi-fold supplied is slightly smaller than the door size listed, to accommodate tracking.

Axis White is also available in Oak and Walnut, see pages 53 & 70.



Axis Ripple centre panel



View in our Door Visualiser

Make a statement with a pocket door system
see page 118

Axis White

Finish:

White primed

Style:

Geometric hexagonal design

Glazing:

Clear flat safety glass

Construction:

Solid core construction

Other:

FSC® Certified

Rebated door pairs can be ordered from stock with a short lead time



Add the finishing touch...
see page 124



Quartz



Quartz Glazed



PRIMED

Size (mm)	Code
1981 686 35	CQTZ23
1981 762 35	CQTZ26
1981 838 35	CQTZ29



PRIMED

Size (mm)	Code
1981 686 35	CQTZ23G
1981 762 35	CQTZ26G

View in our Door Visualiser



Quartz

Make a
statement with
a pocket door
system
see page 118

Quartz Glazed

Finish:

White primed

Style:

Retro sunshine door

Glazing:

Clear or etched flat safety glass

Construction:

Solid core construction

Other:

FSC® Certified

Rebated door pairs can be ordered from stock with a short lead time.

Aurora Etched Glazed is not suitable as a door pair.




Add the finishing touch...

see page 124



Aurora



Aurora Etched Glazed


Aurora Clear Glazed



Aurora Etched Glazed



Aurora Etched Glazed has opaque etched glass



PRIMED

Size (mm)	Code
1981 610 35	CAUR20G
1981 686 35	CAUR23G
1981 762 35	CAUR26G

PRIMED

Size (mm)	Code
1981 686 35	CAUR23ETCG
1981 762 35	CAUR26ETCG

Make a statement with a pocket door system
see page 118

Aurora Clear Glazed



Geo

Make a statement with a pocket door system
see page 118

Finish:

White primed

Style:

Recessed flat panels

Glazing:

Clear flat safety glass

Construction:

Semi-solid core construction

Other:

🔥 FD30 Fire doors

Fire doors are solid core construction.

FSC® Certified

Rebated door pairs can be ordered from stock (not fire doors) with a short lead time.



PRIMED

Size (mm)	Code
1981 610 35	SGEO20
1981 686 35	SGEO23
1981 762 35	SGEO26
1981 838 35	SGEO29
1981 686 44	SGEO23FD30 🔥
1981 762 44	SGEO26FD30 🔥
1981 838 44	SGEO29FD30 🔥

Add the finishing touch...

see page 124



Geo



Geo Glazed



PRIMED

Size (mm)	Code
1981 686 35	SGEO23G
1981 762 35	SGEO26G
1981 838 35	SGEO29G



Geo Glazed



Rushmore White



Make a statement with a pocket door system
see page 118

Antigua

Finish:
White primed

Style:
Recessed flat panels

Glazing:
Clear flat safety glass

Construction:
Solid core construction

Other:
🔥 FD30 Fire doors
FSC® Certified
Rebated door pairs can be ordered from stock (not fire doors or bi-folds) with a short lead time.



All these doors are also available in Oak, see pages 55-57.



Rushmore White




PRIMED			
Size (mm)		Code	
1981 610 35	CRUS20		
1981 686 35	CRUS23		
1981 762 35	CRUS26		
1981 838 35	CRUS29		
1981 686 44	CRUS23FD30		🔥
1981 762 44	CRUS26FD30		🔥
1981 838 44	CRUS29FD30		🔥

Rushmore White Glazed



PRIMED			
Size (mm)		Code	
1981 762 35	CRUSTL26		

Barbados



PRIMED			
Size (mm)		Code	
1981 610 35	CBAR20		
1981 686 35	CBAR23		
1981 762 35	CBAR26		
1981 838 35	CBAR29		
1981 686 44	CBAR23FD30		🔥
1981 762 44	CBAR26FD30		🔥
1981 838 44	CBAR29FD30		🔥

Dominica



PRIMED			
Size (mm)		Code	
1981 686 35	CDOMI23		
1981 762 35	CDOMI26		
1981 838 35	CDOMI29		

Antigua



PRIMED			
Size (mm)		Code	
1981 610 35	CANTI20		
1981 686 35	CANTI23		
1981 762 35	CANTI26		
1981 838 35	CANTI29		
1981 686 44	CANTI23FD30		🔥
1981 762 44	CANTI26FD30		🔥
1981 838 44	CANTI29FD30		🔥

Tobago



PRIMED			
Size (mm)		Code	
1981 686 35	CTOB23		
1981 762 35	CTOB26		
1981 838 35	CTOB29		
1981 762 44	CTOB26FD30		🔥
1981 838 44	CTOB29FD30		🔥

Tobago FD30 fire door has raised beading



Bi-folds are easy to install into existing flush linings (without door stop). Supplied ready hinged with pivots, brackets and a sliding track. Please note that the actual bi-fold supplied is slightly smaller than the door size listed, to accommodate tracking.



Antigua Bi-fold



PRIMED			
Size (mm)		Code	
1981 762 35	CANTIBF26		

Tobago Bi-fold



PRIMED			
Size (mm)		Code	
1981 762 35	CTOBBF26		

View in our Door Visualiser

Finish:

White primed

Style:

Recessed flat panels

Jamaica/Trinidad: includes decorative muntins.

Glazing:

Clear flat safety glass

Construction:

Solid core construction

Other:

🔥 FD30 Fire doors

FSC® Certified

Rebated door pairs can be ordered from stock (not fire doors or bi-folds) with a short lead time.



Add the finishing touch...

see page 124



Jamaica



PRIMED			
Size (mm)			Code
1981	610	35	CJAM20
1981	686	35	CJAM23
1981	762	35	CJAM26
1981	838	35	CJAM29
1981	686	44	CJAM23FD30 🔥
1981	762	44	CJAM26FD30 🔥
1981	838	44	CJAM29FD30 🔥

Trinidad



PRIMED			
Size (mm)			Code
1981	686	35	CTRI23
1981	762	35	CTRI26
1981	838	35	CTRI29

Jamaica, Trinidad, Montserrat and Cayman are also available in Oak, see Eden, Darwin, Snowdon & Nevis on pages 49 & 55.



Montserrat



PRIMED			
Size (mm)			Code
1981	610	35	CMON20
1981	686	35	CMON23
1981	762	35	CMON26
1981	838	35	CMON29
1981	610	44	CMON20FD30 🔥
1981	686	44	CMON23FD30 🔥
1981	762	44	CMON26FD30 🔥
1981	838	44	CMON29FD30 🔥

Cayman



PRIMED			
Size (mm)			Code
1981	686	35	CCAY23
1981	762	35	CCAY26
1981	838	35	CCAY29

Montserrat Bi-fold



PRIMED			
Size (mm)			Code
1981	762	35	CMONBF26

Cayman Bi-fold



PRIMED			
Size (mm)			Code
1981	762	35	CCAYBF26

Bi-folds are easy to install into existing flush linings (without door stop). Supplied ready hinged with pivots, brackets and a sliding track. Please note that the actual bi-fold supplied is slightly smaller than the door size listed, to accommodate tracking.

View in our Door Visualiser

Make a statement with a pocket door system see page 118

Finish:

Cottage: White primed, grained effect

Quattro/4 Line Horizontal: White primed, smooth effect

Style:

Moulded panel

Glazing:

Clear flat safety glass with flush beading

Cottage 1 Light: clear with etched lines

Construction:

Standard core construction

Other:

🔥 FD30 Fire doors

All fire doors are semi-solid core construction

FSC® Certified

Cottage 5



Cottage 1 Light



Add the finishing touch...
see page 124



Colour Options Paint Service

Contact us with your preferred RAL Classic colour reference and we'll do the rest!



PRIMED GRAINED

Size (mm)	Code
1981 610 35	MCOT520
1981 686 35	MCOT523
1981 762 35	MCOT526
1981 838 35	MCOT529
1981 610 44	MCOT520FD30 🔥
1981 686 44	MCOT523FD30 🔥
1981 762 44	MCOT526FD30 🔥
1981 838 44	MCOT529FD30 🔥



PRIMED GRAINED

Size (mm)	Code
1981 610 35	MCOT51L20
1981 686 35	MCOT51L23
1981 762 35	MCOT51L26
1981 838 35	MCOT51L29

4 Line Horizontal



4 Line Horizontal Glazed



PRIMED SMOOTH

Size (mm)	Code
1981 610 35	PAT20
1981 686 35	PAT23
1981 762 35	PAT26
1981 838 35	PAT29
1981 610 44	PAT20FD30 🔥
1981 686 44	PAT23FD30 🔥
1981 762 44	PAT26FD30 🔥
1981 838 44	PAT29FD30 🔥



PRIMED SMOOTH

Size (mm)	Code
1981 762 35	PAT26G

Matching door pairs cannot be guaranteed

🌈 Colour Options Service (not suitable for smooth finish doors)

🔒 Option for PAS 24, see page 132

Quattro



Quattro Glazed



PRIMED SMOOTH

Size (mm)	Code
1981 610 35	QUA20
1981 686 35	QUA23
1981 711 35	QUA24
1981 762 35	QUA26
1981 838 35	QUA29
1981 610 44	QUA20FD30 🔥
1981 686 44	QUA23FD30 🔥
1981 762 44	QUA26FD30 🔥
1981 838 44	QUA29FD30 🔥

PRIMED SMOOTH

Size (mm)	Code
1981 686 35	QUA4L23
1981 762 35	QUA4L26
1981 838 35	QUA4L29

IMPORTANT:

Moulded panel doors are vulnerable to high humidity. Make sure plasterwork etc. has been allowed to dry out sufficiently before fitting them in new or refurbished homes.

Make a statement with a pocket door system

see page 118

4 Line Horizontal Glazed



Canterbury (grained), painted in RAL 7003 Moss Grey

Finish

White primed grained and smooth effect

Style:

Moulded panel

Glazing:

Andorra: etched with clear rectangular pattern

Canterbury 2 Light & Bi-fold:

Grained: etched flat safety glass with clear diamond pattern lines and flush beading

Smooth: clear flat safety glass with flush beading

Canterbury 2 Light FD30: Clear flat fire glass with raised beading

Construction:

Standard core construction

Other:

FD30 Fire doors

All fire doors are semi-solid core construction apart from Canterbury 2 Light FD30 which is solid

FSC® Certified

Colour Options Service (not suitable for smooth finish doors)



PRIMED GRAINED

Size (mm)	Code
1981 610 35	CAP20
1981 686 35	CAP23
1981 762 35	CAP26
1981 838 35	CAP29
2040 726 40	CAP726
2040 826 40	CAP826
1981 610 44	CAP20FD30
1981 686 44	CAP23FD30
1981 762 44	CAP26FD30
1981 838 44	CAP29FD30
2040 726 44	CAP726FD30
2040 826 44	CAP826FD30
2040 926 44	CAP926FD30

Caprice



Andorra



PRIMED GRAINED

Size (mm)	Code
1981 686 35	CAPAND23
1981 762 35	CAPAND26
1981 838 35	CAPAND29

Canterbury



PRIMED GRAINED

1981 610 35	CAN20
1981 686 35	CAN23
1981 711 35	CAN24
1981 762 35	CAN26
1981 838 35	CAN29
2032 813 35	CAN28
2040 626 40	CAN626
2040 726 40	CAN726
2040 826 40	CAN826
1981 610 44	CANHH20
1981 686 44	CANHH23
1981 762 44	CANHH26
1981 838 44	CANHH29
2032 813 44	CANHH28
2040 726 44	CANHH726
2040 826 44	CANHH826
2040 926 44	CANHH926

PRIMED SMOOTH

Size (mm)	Code
1981 610 35	SMCAN20
1981 686 35	SMCAN23
1981 762 35	SMCAN26
1981 838 35	SMCAN29
1981 610 44	SMCANHH20
1981 686 44	SMCANHH23
1981 711 44	SMCANHH24
1981 762 44	SMCANHH26
1981 838 44	SMCANHH29
2032 813 44	SMCANHH28
2040 926 44	SMCANHH926

Canterbury 2 panel



PRIMED GRAINED 2 PANEL

Size (mm)	Code
1981 457 35	CAN16
1981 533 35	CAN19
2040 526 40	CAN526

Canterbury 2 Light FD30



PRIMED GRAINED

Size (mm)	Code
1981 762 44	CANGL26FD30
1981 838 44	CANGL29FD30

Canterbury 2 Light



PRIMED GRAINED ETCHED GLASS

Size (mm)	Code
1981 686 35	CANGL23
1981 762 35	CANGL26
1981 838 35	CANGL29
2032 813 35	CANGL28
2040 726 40	CANGL726

PRIMED SMOOTH

Size (mm)	Code
1981 686 35	SMCANGLC23
1981 762 35	SMCANGLC26
1981 838 35	SMCANGLC29

2 Light: Smooth with clear glass

Grained

Smooth

Canterbury Bi-fold



PRIMED GRAINED

Size (mm)	Code
1981 610 35	CANBF20
1981 762 35	CANBF26

Canterbury Glazed Bi-fold



PRIMED GRAINED

Size (mm)	Code
1981 762 35	CANBGLT26

Add the finishing touch... see page 124



Bi-folds are easy to install into existing flush linings (without door stop). Supplied ready hinged with pivots, brackets and a sliding track. Please note that the actual bi-fold supplied is slightly smaller than the door size listed, to accommodate tracking.



IMPORTANT:

Moulded panel doors are vulnerable to high humidity. Make sure plasterwork etc. has been allowed to dry out sufficiently before fitting them in new or refurbished homes.



Finish:
White primed grained and smooth effect

Style:
Moulded panel

Glazing:
Faro: clear flat safety glass with flush beading
Decima: clear bevelled safety glass with brushed chrome camings and raised perimeter beading
Classique: clear flat safety glass with flush beading

Construction:
Standard core construction

Other:
🔥 FD30 Fire doors
All fire doors are semi-solid core construction, apart from Faro which is solid
FSC® Certified
Classique 6 Light Pairs: rebated meeting stiles, right hand open away

Add the finishing touch...
see page 124



Faro FD30 has clear flat fire glass with etched lines and raised perimeter beading.



Faro



Size (mm)	Code
1981 686 35	CAPFAR23
1981 762 35	CAPFAR26
1981 838 35	CAPFAR29
1981 762 44	CAPFAR26FD30
1981 838 44	CAPFAR29FD30

Decima




Size (mm)	Code
1981 686 35	CCAPDEC23
1981 762 35	CCAPDEC26
1981 838 35	CCAPDEC29

Colonist



Size (mm)	Code
1981 610 35	COL20
1981 686 35	COL23
1981 711 35	COL24
1981 762 35	COL26
1981 838 35	COL29
2032 813 35	COL28
2040 626 40	COL626
2040 726 40	COL726
2040 826 40	COL826
1981 610 44	COLHH20
1981 686 44	COLHH23
1981 762 44	COLHH26
1981 838 44	COLHH29
2032 813 44	COLHH28
2040 726 44	COLHH726
2040 826 44	COLHH826
2040 926 44	COLHH926

Size (mm)	Code
1981 610 35	SMCOL20
1981 686 35	SMCOL23
1981 762 35	SMCOL26
1981 838 35	SMCOL29
2032 813 35	SMCOL28
1981 686 44	SMCOLHH23
1981 762 44	SMCOLHH26
1981 838 44	SMCOLHH29
2032 813 44	SMCOLHH28



Colonist 3 panel



Size (mm)	Code
1981 457 35	COL16
1981 533 35	COL19
2040 526 40	COL526

Size (mm)	Code
1981 457 35	SMCOL16
1981 533 35	SMCOL19

Classique



Size (mm)	Code
1981 533 35	CLA19
1981 610 35	CLA20
1981 686 35	CLA23
1981 711 35	CLA24
1981 762 35	CLA26
1981 838 35	CLA29
2032 813 35	CLA28
2040 726 40	CLA726
2040 826 40	CLA826
1981 686 44	CLAHH23
1981 762 44	CLAHH26
1981 838 44	CLAHH29

Classique 6 Light



Size (mm)	Code
1981 686 35	CLAGLS23
1981 762 35	CLAGLS26
1981 838 35	CLAGLS29
2032 813 35	CLAGLS28

Classique Bi-fold



Size (mm)	Code
1981 610 35	CLABF20
1981 762 35	CLABF26

Colonist Bi-fold



Size (mm)	Code
1981 762 35	COLBF26
1981 914 35	COLBF30

Classique 6 Light Pairs




Size (mm)	Code
1981 1220 35	CLAGLSPR40

Bi-folds are easy to install into existing flush linings (without door stop). Supplied ready hinged with pivots, brackets and a sliding track. Please note that the actual bi-fold supplied is slightly smaller than the door size listed, to accommodate tracking.



Colour Options Service (not suitable for smooth finish doors)



113

Finish:

Fully finished real wood veneers

Style:

Flush with a vertical grain

Glazing:

FD30 Glazing Service

Construction:

Standard core (solid core for FD30)

Full timber framed construction

Other:

 Certifire FD30 Fire doors

Add the finishing touch...

see page 124













Option for PAS 24 fire resistant flat entrance door sets, see pages 132-133



Oak












FINISHED

Size (mm)	Code
1981 x 610 x 35	MOAK201
1981 x 686 x 35	MOAK231
1981 x 762 x 35	MOAK261
1981 x 838 x 35	MOAK291
2040 x 726 x 40	MOAK726
2040 x 826 x 40	MOAK826
1981 x 610 x 44	KOAK202 
1981 x 686 x 44	KOAK232 
1981 x 762 x 44	KOAK262 
1981 x 838 x 44	KOAK292 
1981 x 915 x 44	KOAK302 
2032 x 813 x 44	KOAK282 
2040 x 626 x 44	KOAK626 
2040 x 726 x 44	KOAK726 
2040 x 826 x 44	KOAK826 
2040 x 926 x 44	KOAK926 

Ash






FINISHED

Size (mm)	Code
1981 x 533 x 35	MASH191
1981 x 610 x 35	MASH201
1981 x 686 x 35	MASH231
1981 x 762 x 35	MASH261
1981 x 838 x 35	MASH291
1981 x 610 x 44	KASH202 
1981 x 686 x 44	KASH232 
1981 x 762 x 44	KASH262 
1981 x 838 x 44	KASH292 
1981 x 915 x 44	KASH302 
2032 x 813 x 44	KASH282 
2040 x 726 x 44	KASH726 
2040 x 826 x 44	KASH826 
2040 x 926 x 44	KASH926 

Walnut








FINISHED

Size (mm)	Code
1981 x 610 x 35	MWAL201
1981 x 686 x 35	MWAL231
1981 x 762 x 35	MWAL261
1981 x 838 x 35	MWAL291
1981 x 686 x 44	KWAL232 
1981 x 762 x 44	KWAL262 
1981 x 838 x 44	KWAL292 

Beech












FINISHED

Size (mm)	Code
1981 x 686 x 44	KBEE232 
1981 x 762 x 44	KBEE262 
1981 x 838 x 44	KBEE292 
2040 x 826 x 44	KBEE826 
2040 x 926 x 44	KBEE926 


Sapele



FINISHED

Size (mm)	Code
1981 x 381 x 35	MSAP131
1981 x 457 x 35	MSAP161
1981 x 533 x 35	MSAP191
1981 x 610 x 35	MSAP201
1981 x 686 x 35	MSAP231
1981 x 711 x 35	MSAP241
1981 x 762 x 35	MSAP261
1981 x 838 x 35	MSAP291
1981 x 915 x 35	MSAP301
2032 x 813 x 35	MSAP281
2040 x 726 x 40	MSAP726
2040 x 826 x 40	MSAP826
2040 x 926 x 40	MSAP926
1981 x 610 x 44	KSAP202 
1981 x 686 x 44	KSAP232 
1981 x 762 x 44	KSAP262 
1981 x 838 x 44	KSAP292 
1981 x 915 x 44	KSAP302 
2032 x 813 x 44	KSAP282 
2040 x 726 x 44	KSAP726 
2040 x 826 x 44	KSAP826 
2040 x 926 x 44	KSAP926 

 Bespoke options

 Option for PAS 24, see page 132




Glazed FD30 & Part M (mobility) compliant options

Any of our Warringtonfire Certifiere certificated flush door designs can be adapted into an apertured fire door. Our in-house service is prompt and economical, guaranteeing correct assembly. Flush doors with FD30 apertures must be supplied ready glazed to comply with our Certifiere certification. Aperture cutting by a third party may invalidate the original door certification.

Part M Mobility

Building Regulations Part M dictates the requirements for glazed doors in specific locations. The diagram offers general guidance but for specific information, please check the Building Regulations.



Do you need FD30 glazing?
Call us for details on Tel: **01283 554197**

Type 1G



More aperture dimensions are available, please contact us with your requirements.

Type 8G



Type 11G



Type 12G



Type 20G



Type 30G



Finish:

Unfinished ready for painting

Style:

Flush paint grade

Glazing:

FD30 Glazing Service

Glazed Openings: FD30 wired glass (clear fire glass available to order)

Construction:

Standard core (solid/tube core for FD30)

Other:

• Certifiere FD30 Fire doors



Paint Grade Flush
Trade Value Plus+



UNFINISHED

Size (mm)	Code	Size (mm)	Code
1981 x 381 x 35	NPLY131	1981 x 457 x 44	KINT162
1981 x 457 x 35	NPLY161	1981 x 533 x 44	KINT192
1981 x 533 x 35	NPLY191	1981 x 610 x 44	KINT202
1981 x 610 x 35	NPLY201	1981 x 686 x 44	KINT232
1981 x 686 x 35	NPLY231	1981 x 711 x 44	KINT242
1981 x 711 x 35	NPLY241	1981 x 762 x 44	KINT262
1981 x 762 x 35	NPLY261	1981 x 838 x 44	KINT292
1981 x 838 x 35	NPLY291	1981 x 915 x 44	KINT302
1981 x 915 x 35	NPLY301	2032 x 813 x 44	KINT282
2032 x 813 x 35	NPLY281	2040 x 526 x 44	KINT526
2040 x 526 x 40	NPLY526	2040 x 626 x 44	KINT626
2040 x 626 x 40	NPLY626	2040 x 726 x 44	KINT726
2040 x 726 x 40	NPLY726	2040 x 826 x 44	KINT826
2040 x 826 x 40	NPLY826	2040 x 926 x 44	KINT926
2040 x 926 x 40	NPLY926		

White Primed
Interior Hardboard
Flush



PRIMED

Size (mm)	Code
1981 x 457 x 35	NWPD161
1981 x 533 x 35	NWPD191
1981 x 610 x 35	NWPD201
1981 x 686 x 35	NWPD231
1981 x 711 x 35	NWPD241
1981 x 762 x 35	NWPD261
1981 x 838 x 35	NWPD291
2032 x 813 x 35	NWPD281
1981 x 686 x 44	KWPD232
1981 x 762 x 44	KWPD262
1981 x 838 x 44	KWPD292

Paint Grade Flush
Interior FD30
1 Glazed Opening



UNFINISHED

Size (mm)	Code
1981 x 762 x 44	KIGOG26
1981 x 838 x 44	KIGOG29
2032 x 813 x 44	KIGOG28

Paint Grade Flush
Interior FD30
2 Glazed Openings



UNFINISHED

Size (mm)	Code
1981 x 762 x 44	KINTT6G26
1981 x 838 x 44	KINTT6G29
2040 x 926 x 44	KINTT6G926

• Bespoke options

• Option for PAS 24, see page 132

Add the finishing touch...
see page 124



Option for PAS 24
fire resistant flat
entrance door sets,
see pages 132-133

POCKET DOOR SYSTEMS

Clever, space saving solutions that are easy to install.



A pocket door system that enables doors to slide conveniently into a wall cavity and save space whilst looking incredibly stylish.

Easy to install* with a rigid frame, our pocket door systems are supplied pre-assembled so that they can be fitted in half the time of other brands.

Available for both single and double door situations in a selection of sizes, almost all of JB Kind's internal doors are suitable for use as a pocket door. You can also choose from a selection of pocket door accessories too!

Key features:

- Easy to install* rigid frame, supplied pre-assembled
- Fitted in half the time of other brands
- Designed for stud and plasterboard
- Door is fitted after all installation and decoration has been completed, avoiding any potential damage to your door.
- Door choice can be changed in the future without structural alteration to the wall.
- Compatible sliding door hardware available
- Available in single and double format

*We always recommend using a professional fitter.



Pocket door cassette:


The cassette structure is made from 0.5mm galvanised steel, with the sides formed from single pieces of pressed steel which is corrugated for complete stability. Transverse ribs fixed to the corrugations further re-inforce the structure and allow fixing of plasterboard direct to the cassette. The internal pocket cavity is protected by a cover during installation.

Spacer bars:


Twin spacer bars are supplied that are fixed between the cassette and jamb during installation to ensure the structure remains square.

Specifications:


Suits door thickness 35mm with a maximum door weight 80Kg.



Single Pocket Door



Double Pocket Door



Single and Double Pocket Door – Size Guide

Door Size (individual)		Clear Opening Size (walkthrough area)			Structural Opening Size of the Unit			Finished Wall Thickness
Width (mm)	Height (mm)	Single Width (OW)	Double Width (OW)	Height (OH)	Single Width (SW)	Double Width (SW)	Height (SH)	
686	1981	650	1300	1970	1425	2742	2075	125
762	1981	740	1500	1970	1625	3142	2075	125
838	1981	800	1600	1970	1725	3342	2075	125
915	1981	890	1800	1970	1925	3742	2075	125

Single Pocket Door System

Code (mm)	Door Size Width (mm)	Door Size Height (mm)
POCSYSSGL686	686	1981
POCSYSSGL762	762	1981
POCSYSSGL838	838	1981
POCSYSSGL915	915	1981

Double Pocket Door Conversion Kit*

Code (mm)	Single Door Size Width (mm)	Single Door Size Height (mm)
DBLLEAFKIT686	686	1981
DBLLEAFKIT762	762	1981
DBLLEAFKIT838	838	1981
DBLLEAFKIT915	915	1981

*For a double pocket door you will need to purchase two single pocket door systems and a double leaf conversion kit. eg. 2 x POCSYSSGL686 and 1 x DBLLEAFKIT686

Additional Accessories



Code	Description
SCDAMPER	Soft close damper unit
ACLOSER	Automatic door closer
CIRCPULL	Flush Door Pull Pack (satin stainless steel, includes 2 circular flush pulls and a round finger pull for the door edge)
CIRCBATHLOCK	Bathroom Door Hook Lock Pack (satin stainless steel, includes turn and release, hook latch, adjustable keep and finger pull)

Timber Accessory Kits

Available in either white primed or varnished oak, Accessory Kits are required to complete pocket door installation.



Single pocket door kit (shown in oak)

Includes: 2 x cover moulds with brush seals, header cover and jamb with seals

Code	Oak Varnished
SGLVOAC	single pocket door kit
DBLVOAC	double pocket door kit

Double pocket door kit (shown as white primed)

Includes: 4 x cover moulds with brush seals and 2 x header covers

Code	White Primed
SGLWPRIAC	single pocket door kit
DBLWPRIAC	double pocket door kit



How to order a Pocket Door System: Your step by step guide

STEP 1

Single or Double Pocket Door System

Use our size guide tables to check your requirements. For a double pocket door, you will need to purchase two single pocket door systems and a double leaf conversion kit.

STEP 2

Choose your door design

The majority of our door designs are suitable for use as pocket doors. However, some doors that have raised mouldings and 44mm fire doors are not suitable. Please get in touch if you're in any doubt.

STEP 3

Timber accessory kits

You will need an accessory kit as the pocket door system cannot be installed without one. Choose from either white primed or varnished oak, available for both single and double options.

STEP 4

Door Grooving

The bottom edge of the door will need to be grooved to fit in the floor guide of a pocket system.

If required, our in-house joinery workshop can pre-groove your doors prior to delivery, for a small charge.

STEP 5

Optional accessories

Automatic Door Closer: is a self-closing system that enables the door to glide into place automatically after being opened.

Soft-close damper unit: applies a brake making sure that the door moves slowly and smoothly to a close.

STEP 6

Door furniture

Choose from either a bathroom privacy lock or flush door pull.

STEP 7

Finding a JB Kind door supplier

Take a look at the Where to Buy section on our website for details of our online partners and builder merchant retailers.

Once you've chosen a place to purchase from, then just hand over all of your requirements and your doors and pocket systems should be with you in no time!

If you do have any questions, our expert JB Kind team is on hand to help you out, just call **01283 554197** or email **info@jbkind.com**

DOOR HANDLE PACKS

Choose a style to suit your
doors and interior

New Styles and New Colours

Door Handle Latch Packs are the perfect partner for your JB Kind Doors

Enjoy the convenience of a stylish door handle latch pack, supplied with everything that you need to fit your door in one box.

Our handle packs are available in a variety of finishes and styles – from soft touch black, to smooth light and dark grey satin, to contemporary chrome and stainless steel – providing an affordable and quality range of designs.



10 Year Guarantee

There's a 10 year parts and mechanism guarantee with all our handle packs.



What's in the box?

All of our handle packs come with a pair of lever handles and three quality ball bearing hinges. Standard latch packs include a mortice latch and strike plate. Privacy latch packs come with a privacy latch, bathroom turn and release and strike plate.

Standard latch pack



Privacy latch pack



Please note: i) Black door handles are supplied with matching black hinges and face plates. ii) the hinges provided in our latch packs are not suitable for use with fire doors. Fire door hinges are available separately, call 01283 554197 for details.

Phoenix Black

Black powder coated soft touch finish



Raven Black

Black matt finish



Boston

Satin chrome with a polished chrome insert on the rose



Portland

Satin and polished stainless steel finish



Phoenix Satin

Satin stainless steel finish



Raven Polished

Polished stainless steel finish



Dallas

Satin and polished chrome finish




Seattle

Satin and polished chrome finish



Austin Light Grey

Satin light grey finish with polished chrome



Austin Dark Grey

Satin dark grey finish with polished chrome



Denver Light Grey

Satin light grey finish with polished chrome



Houston Light Grey

Satin light grey finish with polished chrome



Denver Dark Grey

Satin dark grey finish with polished chrome



Houston Dark Grey

Satin dark grey finish with polished chrome



EXTERNAL EXTREME

Hard-wearing and weather
resistant external doors that
are perfect for painting

Tigris Extreme, shown painted

Our External Extreme door range has revolutionised the replacement front door market!

Constructed with an exceptionally durable and dimensionally stable top layer of MEDITE®TRICOYA®EXTREME and sealed with a factory applied paint finish, ensuring that the doors can withstand all weathers – and to illustrate just how confident we are, we issue every External Extreme door with a 10 year guarantee!

All External Extreme doors are:

- Weather resistant
- Supplied with a 10 year guarantee
- Suitable for fitting in a day!
- Supplied with a weather bar
- Perfect for over painting



Head to our website for more info
jbkind.com/products/external-doors



EXTREME

MEDITE® tricoya®

Traditionally used for cladding and fascias, MEDITE®TRICOYA®EXTREME's hard-wearing and weather resistant properties make it perfect for use within the structure of external doors.



DURABLE
Longer lasting, perfect for external use.



SUSTAINABLY SOURCED
FSC® Certified. Wood used from sustainable sources.



LOWER MAINTENANCE COSTS
Extended periods between exterior coatings maintenance.



PERFECT FOR COATING
Improved stability and durability enhances service life of the coating. Damaged coating will not affect the core.



ENHANCED STABILITY
Swelling and shrinking dramatically reduced.



RESISTANT TO FUNGAL DECAY
Effective barrier to fungal decay.



Tigris Glazed Extreme, shown painted



Colonial 4 Panel Glazed Extreme

Finish:
Finished white

Style:
Tigris: Grooved ladder style panels
Thames: Grooved cottage style panels
Colonial/2XG: Raised panels

Glazing:
Pilkington™ double glazed units
Tigris/Colonial: opal flat glass
Thames/2XG: clear flat glass

Other:
Composite core
Weather bar included
FSC® Certified



Weather bar



Tigris Extreme



U Value 1.4

FINISHED			
Size (mm)	Code		
1981 838 44	EXTIG29		


Tigris Glazed Extreme



U Value 1.6

FINISHED			
Size (mm)	Code		
1981 838 44	EXTIG29G		

Thames Extreme



U Value 1.4

FINISHED			
Size (mm)	Code		
1981 838 44	EXTHA29		

Thames Glazed Extreme



U Value 1.6

FINISHED			
Size (mm)	Code		
1981 838 44	EXTHA29G		

Colonial 4 Panel Extreme



U Value 2.1

FINISHED			
Size (mm)	Code		
1981 838 44	EX4P29		

Colonial 4 Panel Glazed Extreme



U Value 2.0

FINISHED			
Size (mm)	Code		
1981 838 44	EX4PTL29		

2XG Extreme



U Value 1.8

FINISHED			
Size (mm)	Code		
1981 762 44	E2XGIP26G		
1981 838 44	E2XGIP29G		




OUR SERVICES

Need to know more about any of our services or wish to order?
Call 01283 554197 or email info@jbkind.com

Bespoke Options

Whether you're self-building, renovating your home, purchasing for a development project or you're an interior design expert, you'll want to take a look at JB Kind's bespoke options. The versatility of our bespoke service is ideal for those special requirements.

Many of our door designs have bespoke options available. Look out for the  icon adjacent to product images.



Make your mark

Perhaps you love one of the designs from our Door Collection but would prefer it in a different timber veneer or painted finish, or maybe you would like to create a style that is completely unique and different?



Head to our website for more info
jbkind.com/products/bespoke-door-options




Made to measure

There are a wide range of standard door sizes available, however, sometimes you just cannot avoid an awkwardly sized door opening. Many of the doors from our collection can be produced to order as a special size.



Bespoke glazing

Whether you prefer a full glazed panel or smaller apertures, there are so many options for a glazed door. Clear, bevelled, diamond cut and etched are some of the most popular glazing types. Let us know what you would like to achieve and we'll advise on the options.



Fire doors

JB Kind can supply bespoke fire doors, in a wide range of solid and glazed options. Supported by the appropriate accreditations, you can be safe and stylish.

PAS 24 Security Doorsets

Fully compliant PAS 24 fire resistant flat entrance door sets

We hold our own PAS 24 Enhanced Security and Certifire certification, having developed and tested a fully compliant door leaf. You can be assured that your doorsets will be manufactured to the highest quality – observing and adhering to the most recent performance and legislative requirements.



Everything is covered with a JB Kind PAS 24 Security Fire Doorset

- ✓ PAS 24 Enhanced Security
- ✓ Certifire approved EI30 fire doors
- ✓ Acoustic rated
- ✓ Smoke control tested
- ✓ Fully assembled flat entrance doorsets
- ✓ Certified ironmongery with optional extras
- ✓ Flexible design and finish options
- ✓ Standard and bespoke sizes
- ✓ Matching interior doorsets




Suitable for flat and apartment entrances, JB Kind's PAS 24 security fire doorset service is tailored to each project's specific requirements. Door design choices are flexible with a selection of veneered, painted and primed finishes, available as plain flush or with various grooved design options.

All fire doors are third party Certifire approved by Warringtonfire with a fire rating of 30 minutes, EI30. As an additional benefit, the doorsets have also been successfully tested for both acoustic and smoke control.

The PAS 24 security fire doorsets are supplied pre-hung, complete with high quality fully tested ironmongery.

If you have an enquiry or would like to find out more about JB Kind's PAS 24 Security and/or Internal Doorset services please visit jbkind.com or contact our Sales team on **01283 554197** or info@jbkind.com.



Plus, we can supply standard internal doorsets to match your security entrance doors!






Catton, painted in RAL6004 Blue Green

Colour Options Paint Service

All the colours of the spectrum

Bring colour to your home and make a style statement by painting your doors any colour you like!

Painting doors can be fiddly and time consuming, so let us take the hassle away and arrange for your doors to be professionally spray painted prior to delivery. All you have to do is tell us your preferred RAL Classic colour and we will do the rest.

Our White Classic and White Moulded door ranges are suitable for this service – look out for the  icon as you browse through the brochure.



BENEFITS

Save time

No need to prepare (de-nib/sand) doors prior to painting and paint several coats on each side, allowing for drying time too!

Cost saving

Eliminate the cost of purchasing paint and equipment, plus labour if you employ someone to do the job for you.

Perfect finish

Spray painting gives a smooth factory finish without brush marks or uneven coverage.

Colour choice

You really can have any colour on the RAL Classic spectrum. Even if you would like to paint your doors a shade of white, we will ensure they have the perfect finish.

Most popular RAL colours

The RAL Classic colour chart offers many different shades, so you should be able to find your perfect hue. As a guide, here are some of our customers favourites and you'll see that shades with a grey undertone are currently very popular.



9016 Traffic White



7030 Stone Grey



7003 Moss Grey



7016 Anthracite Grey



5008 Grey Blue



6004 Blue Green



7044 Silk Grey



1019 Grey Beige



5011 Steel Blue



9005 Jet Black


Note: A minimum order quantity will apply, details of which will be advised upon enquiry. Our painting service typically takes 3-4 weeks including delivery. Colours shown are representative only. Please be aware that the appearance of RAL colours can vary depending on the absorbency level of the door face. Subject to terms and conditions.



Rebated Door Pairs

If you would like to fit a first-class door pair, we would recommend considering Rebated Meeting Stiles. Rebating means removing a section along the vertical edge of each door where they meet to allow them to fit snugly together, eliminating the small gap that you would see with square meeting stiles (two doors fitted side by side).

A number of door designs held within our stock ranges are suitable for rebating with a short lead time (see table below). This service is offered through our in-house joinery workshop. If your preferred door type is not listed, please check if our Bespoke Options service is available, as they could be made to order.



Note: A rebate adapter kit will be required when fitting ironmongery.

Doors that can be rebated into a pair from stock

Range	Door Designs
Urban Industrial	All door designs
Oak Contemporary	Tigris Oak & Medina (sizes: 686, 762 & 838mm)
Oak Classic	Dove Pairs (ready rebated)
Oak Shaker	All door designs (except fire doors & bi-folds)
Oak Cottage	Thames + glazed partners (except fire doors & bi-fold)
Walnut	Axis
White Classic	All door designs (except fire doors)
White Contemporary	All door designs. Contact us for fire door options
White Shaker	All door designs (except fire doors & bi-folds)
White Moulded	Classique 6 Light Pairs (ready rebated)

Essential Door Care & Maintenance Advice

The principal enemy of timber doors is excess exposure to moisture or dryness. Having left our custody, we have no control over the conditions to which they are subjected and to avoid any subsequent cause for disappointment, we strongly advise the following advice is heeded. If suitable care and treatment is not taken to prevent the free passage of moisture either into or out of the wooden door, stresses within timber may be released resulting in movement or distortions such as swelling, shrinking, warping, splitting, twisting or even discolouration. We are unable to accept any liability for any failings where they have arisen due to the free passage of moisture.

Storage

Upon receipt, check your doors carefully for condition and suitability, as claims made later may not be considered. Please store doors laid flat, fully supported off the floor with at least three full width bearers of the same dimension in a dry fully ventilated area, with protective packaging intact. Doors supplied unfinished should be thoroughly sealed on all faces and edges prior to the commencement of any joinery work, although first sizing them may be to advantage. We recommend that veneered doors are sealed using Manns Extra Tough Interior Varnish or Manns Door oil.

Wood finishes

There are numerous brands on the market and we fear many are formulated to achieve a low market price rather than quality. We have tested Manns Extra Tough Interior Varnish and Manns Door Oil which have produced excellent results. For this reason we strongly recommend the use of one of these two finishes to help protect the guarantee. Either of these two finishes will provide a lasting seal between component parts. Good quality solvent or acrylic finishes may be used, but check they are suitable for use with timber laminates or veneers. Follow the treatment manufacturer's instructions carefully and avoid over applying the treatment, particularly the first coat.

We recommend keeping a copy of the claims made for the product in the event it fails to perform. It is vital all finishing systems are applied equally to both sides and edges at the same time. Rapid changes in ambient moisture are extremely detrimental especially when unbalanced.

Natural oils such as Danish oil, tung oil and linseed oil are not suitable for use with any of our products. These solutions are penetrating oils and are not suitable for use with veneered doors. The application of a base coat stain or paint primer alone is not deemed to form a seal. Failures related to treatment will be assessed based on their application and the claims made by their manufacturer.

Installation

Check the door for suitability prior to commencing work. Claims made later may not be considered. When trimming doors, reduce them equally and not excessively from the top and bottom for height, to the hanging edge only for the width, if minimal, but equally with the meeting edge if a greater amount is necessary.

Recesses for hinges (3 No. 75mm internal, 3 No. 100mm external) and mortises for latch/locks etc. should be cut to the minimum recommended sizes. Panel door rail joints will be significantly weakened if mortises are located there. On completion remove doors, taking off all ironmongery and treat every cut/untreated surface liberally with a number of coats of an appropriate treatment before finally refitting. Remember to pay attention to all edges of your door, particularly any exposed end grain where the propensity for moisture is much greater.

Installation - Fire doors

When fitting our FD30 fire doors, please note that there are strict limitations about how much they can be trimmed and these must not be exceeded. Ironmongery used in the installation of fire doors must be strictly in accordance with the door's certification and appropriate for use with a fire door.

Internal door specific

We strongly advise against the installation of all types of timber doors into a building with recent plastered or screeded areas. Wet sites with enclosed unheated buildings represent extremely detrimental environments and must be thoroughly dry, without condensation, before doors are introduced. Even our Finished damp site conditions.

External door specific

Even in times past, it was never advisable or intended that timber entrance doors be fully

exposed to the worst elements of our climate, even if well coated. A South / South Westerly elevation is the worst direction for the prevailing weather and exposure to the hottest sun which can seriously degrade external doors.

We recommend they are set back from the front face of the building or covered by a canopy or porch way projecting not less than about 1.5m, regardless of elevation. Always fit with a suitable weatherboard regardless of frame cill type fitted, to prevent droplets of moisture hanging from the door bottom.

Future maintenance is most important to retain good appearance over many years and we recommend washing down with warm water and detergent every two to three years and re-coating.

Quality standards

All external and internal doors are supplied in accordance with BS EN 942:2007 "Timber in Joinery General Classification of Timber Quality", BS 5278:1976/EN25:1975 "Doors measurement of Dimensions and of Defects of Squareness of Door Leaves" and BS EN 951:1999 "Door leaves. Method for measurement of height, width, thickness and squareness".

Any claims against warranty relating to manufacture will be assessed strictly in accordance with the criteria contained within.

Any claims against warranty relating to storage, handling or installation of any of our doors will be assessed against guidelines contained within BS8000 part 5:1990 and British Standard Code of Practice CP151. JB Kind Terms and Conditions of Trading apply.

Safety Glass

To comply with building regulations all our pre-glazed doors meet the requirements of the British standards.

IMPORTANT

Wood is a natural material and variations in colour and graining should be expected. Note: With door pairs we cannot guarantee an exact veneer match.

Colours depicted are representative only and are reproduced as accurately as the printing process will allow.

INDEX - Doors & Accessories

2XG Extreme	External Extreme	129
4 Line Horizontal / Glazed	White Moulded	107
Adelphi / Bi-fold	White Contemporary	92
Alabama Dark Grey / Glazed	Laminates	33
Alabama Light Grey / Glazed	Laminates	32
Andorra	White Moulded	108
Antigua / Bi-fold	White Shaker	103
Apollo	White Contemporary	91
Arden	Oak Classic	51
Ardosia Grey / Glazed	Painted Finish	75
Aurora / Glazed	White Shaker	99
Austin Light / Dark Grey	Door Handle Packs	125
Axis Oak / Glazed	Oak Shaker	53
Axis Ripple	White Shaker	95
Axis Walnut / Glazed	Walnut	70
Axis White / Glazed / Bi-folds	White Shaker	95
Barbados	White Shaker	102
Barbican	White Contemporary	91
Bela	Oak Contemporary	37
Belton / Glazed	White Classic	81
Blenheim	Oak Contemporary	45
Boston	Door Handle Packs	124
Canterbury / 2 Light / Bi-folds	White Moulded	109
Caprice	White Moulded	108
Catton / Glazed	White Classic	83
Cayman / Bi-fold	White Shaker	105
Charnwood	Oak Classic	51
Chartwell	Oak Contemporary	45
Cherwell / Glazed	Oak Cottage	61
Churnet	Oak Classic	47
City Black / Glazed	Urban Industrial	17
City White / Glazed	Urban Industrial	17
Civic Black / Glazed	Urban Industrial	21
Civic White / Glazed	Urban Industrial	21
Classique / 6 Light / Bi-folds	White Moulded	111
Clementine	Oak Contemporary	45
Colonial 4 Panel Extreme / Glazed	External Extreme	129
Colonist / Bi-fold	White Moulded	111
Colorado Grey / Glazed	Laminates	31
Cosmo Grey / Glazed	Urban Industrial	15
Cottage 5 / Glazed	White Moulded	107
Dallas	Door Handle Packs	124
Darwen	Oak Classic	49
Dean	Oak Classic	51
Decima	White Moulded	110
Denver Light / Dark Grey	Door Handle Packs	125
Derwent	Oak Classic	47
Dominica	White Shaker	102
Dominion	White Contemporary	93
Dove / Pairs	Oak Classic	46
Eden	Oak Classic	49
Eiger	Oak Shaker	57
Elektra	White Contemporary	93
Emral Oak	Oak Contemporary	37
Emral Walnut	Walnut	67
Emral White	White Contemporary	87
Etna / Bi-fold	Oak Shaker	56
Faro	White Moulded	110
Fernor	Walnut	71
Franquette	Walnut	71
Fuji / FD30 / Bi-fold	Oak Shaker	57
Geo / Glazed	White Shaker	101
Gisburn	Oak Classic	51

Grizedale	Oak Classic	51
Hardwick	White Classic	85
Houston	Door Handle Packs	125
Hudson / Glazed	Laminates	31
Humber	Oak Classic	49
Jamaica	White Shaker	105
Lara	Walnut	71
Louvre	Painted Finish	77
Lyric	White Contemporary	93
Matterhorn	Oak Shaker	57
Medina	Oak Contemporary	37
Mersey	Oak Classic	49
Metro Black / Glazed	Urban Industrial	19
Metro White / Glazed	Urban Industrial	19
Mistral Oak / Glazed / Bi-fold	Oak Contemporary	39
Mistral Walnut / Glazed	Walnut	69
Mistral White / Glazed / Bi-fold	White Contemporary	89
Montserrat / Bi-fold	White Shaker	105
Nevis	Oak Shaker	55
Novello	White Contemporary	93
Osborne	White Classic	85
Ostria / Glazed	Oak Contemporary	43
Palomino / Glazed	Oak Contemporary	41
Parisienne	Walnut	71
Phoenix	White Contemporary	91
Phoenix Black / Satin	Door Handle Packs	124
Pintado Grey / Glazed	Painted Finish	75
Plaza Black / Glazed	Urban Industrial	23
Plaza White / Glazed	Urban Industrial	23
Pocket Doors & Accessories	Pocket Door Systems	118-121
Portland	Door Handle Packs	124
Quartz / Glazed	White Shaker	97
Quattro / Glazed	White Moulded	107
Raven Black / Polished	Door Handle Packs	124
Rushmore Oak	Oak Shaker	55
Rushmore White / Glazed	White Shaker	102
Rustic Oak 4 Panel / Glazed	Oak Cottage	63
Rustic Oak DX / Glazed	Oak Cottage	63
Rustic Oak Ledged	Oak Cottage	63
Savoy	White Contemporary	91
Seattle	Door Handle Packs	124
Severn	Oak Classic	47
Sherwood	Oak Classic	51
Sirocco / Glazed	Oak Contemporary	43
Snowdon / Bi-fold	Oak Shaker	55
Spencer	Oak Contemporary	45
Tate	Painted Finish	77
Thames Extreme / Glazed	External Extreme	129
Thames Oak	Oak Cottage	59
Thames 1 Light / FD30	Oak Cottage	59
Thames 6 Light	Oak Cottage	60
Thames 1/2 Light	Oak Cottage	60
Thames Bi-fold	Oak Cottage	60
Tigris Dark Grey / Glazed	Laminates	29
Tigris Extreme / Glazed	External Extreme	128
Tigris Ivory / Glazed	Laminates	27
Tigris Light Grey / Glazed	Laminates	27
Tigris Oak	Oak Contemporary	37
Tigris Walnut	Walnut	67
Tigris White / Bi-fold	White Contemporary	87
Tobago / Bi-fold	White Shaker	103
Trent	Oak Classic	46
Trinidad	White Shaker	105

For a perfect finish...

Applying a quality finish to your internal doors ensures their long term appearance and performance.

We recommend the following finishing products that have been tested on our unfinished oak internal doors with excellent results.

Please refer to www.wood-finishes-direct.com for more information and to purchase these products directly.

All-in-one solvent based, hard wax oil that dries to a natural, clear matt finish.



Clear, water based acrylic varnish that is ideal for wooden doors.





Follow our doors



We reserve the right to make alterations or modify specifications without notice. Errors and omissions excepted.



JB Kind Limited
Portal Place, Astron Business Park, Heathcote Road,
Swadlincote, Derbyshire DE11 9DW
T: 01283 554197 F: 01283 554182
E: info@jbkind.com

www.jbkind.com